

## AQUA 22: BONE IMAGING AND SOFT TISSUE IMAGING AT THE TIME OF DIAGNOSIS OF METASTATIC CRPC

### STEWARD

AMERICAN UROLOGICAL ASSOCIATION

### DESCRIPTION

Percentage of patients who receive bone imaging and soft tissue imaging at the time of diagnosis of metastatic CRPC

### TYPE

Process

### DATA SOURCE

Electronic Health Records: AQUA Registry Data

### NUMERATOR STATEMENT

Patients receiving bone imaging and soft tissue imaging (may include CT/PET) 30 days previous to or after the diagnosis of metastatic CRPC

### DENOMINATOR STATEMENT

Patients with CRPC and metastatic CRPC

### DENOMINATOR DETAILS

List Denominator Codes

### DENOMINATOR EXCLUSIONS/EXCEPTIONS

### RATIONALE

Patients with a diagnosis of metastatic CRPC should receive bone and soft tissue imaging. Visceral metastases portend a poor prognosis. They also suggest certain treatments should not be used (radium-223). As such, it is important to assess this for prognostic and therapeutic purposes at the time of initial metastatic CRPC diagnosis.

### RISK ADJUSTMENT

No

### INVERSE MEASURE

No

### ALGORITHM

### COPYRIGHT/DISCLAIMER

AMERICAN UROLOGICAL ASSOCIATION