

## Bibliography

### A

---

AAFP's Center for Health Information Technology website at <http://www.centerforhit.org/>

Abdallah MM: Technique for pure transverse colon continent cutaneous urinary diversion (AUA Video V1545, 2007).

Abdel-Khalek M, Sheir KZ, Mokhtar AA, Eraky I, Kenawy M and Bazeed M: Prediction of success rate after extracorporeal shock-wave lithotripsy of renal stones—a multivariate analysis model. *Scand J Urol Nephrol* 2004; 38: 161-167.

Aboseif S, Tamaddon K, Chalfin S, Freedman S and Kaptein J: Sacral neuromodulation as an effective treatment for refractory pelvic floor dysfunction. *Urology* 2002; 60: 52-56.

Abrams P and Drake M: Overactive bladder. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 61, pp 2079-2090.

Abrams P, Cardozo L, Fall M, Griffiths D, Rosier P, Ulmsten U et al: The standardisation in terminology of lower urinary tract function: report from the Standardisation Committee of the International Continence Society. *Urology* 2003; 61: 37-49.

Abrams P, Cardozo L, Fall M, Griffiths D, Rosier P, Ulmsten U et al: The standardization of terminology of lower urinary tract function report from the Standardisation Sub-committee of the International Continence Society. *Am J Obstet Gynecol* 2002; 187:116-126.

Academic Integrity. Available at: [http://www.jpo.umd.edu/docs/toomuch2\\_wrk.pdf](http://www.jpo.umd.edu/docs/toomuch2_wrk.pdf)  
Accessed March 18, 2010.

Accreditation Council for Graduate Medical Education: Advancing Education in: Interpersonal and Communication Skills: an Educational Resource from the ACGME Outcome Project. ACGME: *ACGME Core Competencies: A Training Tool for Faculty and Residents* (video). Marblehead, Massachusetts, HCPro, Inc; 2007.

ACGME: System for Evaluation of Competencies in Residencies – Urology. Available at: [http://www.acgme.org/acWebsite/resEvalSystem/reval\\_about.asp](http://www.acgme.org/acWebsite/resEvalSystem/reval_about.asp). Accessed January 18, 2010.

ACGME-<http://www.acgme.org/acWebsite/home/home.asp>

Adam L, Kassouf W and Dinney CP: Clinical application for targeted therapy in bladder cancer. *Urol Clin North Am* 2005; 32: 239-246.

Adorisio O, Mattei R, Ciardini E, Centonze N and Nocchioli B: Neonatal adrenal hemorrhage mimicking an acute scrotum. *J Perinatol* 2007; 27: 130-132.

Advanced Bladder Cancer (ABC) Meta-Analysis Collaboration: Adjuvant chemotherapy in invasive bladder cancer: A systematic review and meta-analysis of individual patient data. *Eur Urol* 2005; 48:189-199.

Advanced Bladder Cancer Meta-Analysis Collaboration: Neoadjuvant chemotherapy in invasive bladder cancer: a systematic review and meta-analysis. *Lancet* 2003; 361: 1927-1930.

Agarwal A, Bragais FM and Sabanegh E: Assessing sperm function. *Urol Clin North Am* 2008; 35: 157-172.

Agarwal A, Prabakaran SA and Sikka SC: Clinical relevance of oxidative stress in patients with male factor infertility: evidence-based analysis. *AUA Update Series* 2007; vol 26, lesson 1.

Agarwal PK and Palmer JS: Testicular and paratesticular neoplasms in prepubertal males. *J Urol* 2006; 176: 875-881.

Ahmed HU, Arya M, Levitt G, Duffy PG, Mushtaq I and Sebire NJ: Part I: primary malignant non-Wilms' renal tumours in children. *Lancet Oncol* 2007; 8:730-737.

Ahmed HU, Arya M, Levitt G, Duffy PG, Sebire NJ and Mushtaq I: Part II: treatment of primary malignant non-Wilms' renal tumours in children. *Lancet Oncol* 2007; 8:842-848.

Ahmed M, Eggleston D, Kapur G, Jain A, Valentini RP and Mattoo TK: Dimercaptosuccinic acid (DMSA) renal scan in the evaluation of hypertension in children. *Pediatr Nephrol* 2008; 23: 435-438.

Akbar M, Abel R, Seyler TM, Bedke J, Haferkamp A, Gerner HJ et al: Repeated botulinum-A toxin injections in the treatment of myelodysplastic children and patients with spinal cord injuries with neurogenic bladder dysfunction. *BJU Int* 2007; 100: 639-645.

Akporiaye LE, Jordan GH and Devine CJ Jr: Balanitis xerotica obliterans (BXO). *AUA Update Series* 1997; vol XVI, lesson 21, pp 166-167.

Aksu N, Yavascan O, Kangin M, Kara OD, Aydin Y, Erdogan H et al: Postnatal management of infants with antenatally detected hydronephrosis. *Pediatr Nephrol* 2005; 20: 1253-1259.

Alagiri M, Chottiner S, Ratner V, Slade D and Hanno PM: Interstitial cystitis: unexplained associations with other chronic disease and pain syndromes. *Urology* 1997; 49: 52-57

Al-Ansari A, As-Sadiq K Al-Said S Younis N Jaleel OA and Shokeir AA: Prognostic factors of success of extracorporeal shock wave lithotripsy (ESWL) in the treatment of renal stones. *Int Urol Nephrol* 2006; 38: 63-67.

Albala DM, Assimos DJ, Clayman RV, Denstedt JD, Grasso M, Gutierrez-Aceves J et al: Lower pole I: a prospective randomized trial of extracorporeal shock wave lithotripsy and percutaneous nephrostolithotomy for lower pole nephrolithiasis—initial results. *J Urol* 2001; 166: 2072.

Albertsen PC, Fryback DG, Storer BE, Kolon TF, Fine J et al: Long-term survival among men with conservatively treated localized prostate cancer. *JAMA* 1995; 274: 626-631.

Albertsen PC, Hanley JA and Fine J: 20-Year outcomes following conservative management of clinically localized prostate cancer. *JAMA* 2005; 293: 2095.

Albertsen PC, Hanley JA, Gleason DF and Barry MJ: Competing risk analysis of men aged 55 to 74 years at diagnosis managed conservatively for clinically localized prostate cancer. *JAMA* 1998; 280: 975-980.

Albertsen PC, Hanley JA, Harlan LC, Gilliland FD, Hamilton A, Liff JM et al: The positive yield of imaging studies in the evaluation of men with newly diagnosed prostate cancer: a population-based analysis. *J Urol* 2000; 163:1138-1143.

Albertsen PC: Outcomes research: a primer for urologists. *AUA Update Series* 1998; vol XVII, lesson 14.  
Al-Bhalal L and Akhtar M: Molecular basis of autosomal recessive polycystic kidney disease (ARPKD). *Adv Anat Pathol* 2008; 15: 54-58.

Algaba F, Sauter G and Schoenberg MP: Small cell carcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, p 135.

Alla ME and Carter HB: The results of watchful waiting for prostate cancer. *AUA Update Series* 2005; vol 24, lesson 1.

Allaf ME: Contemporary management of clinical Stage I non-seminomatous germ cell tumors. *AUA Update Series* 2008; vol 27, lesson 13.

Alpers CE: The kidney. In: Kumar V, Abbas AK and Fausto N, eds. *Robbins and Cotran Pathologic Basis of Disease, 7<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2005: chap 20, pp 955-1001.

Althof SE and Symonds T: Patient reported outcomes used in the assessment of premature ejaculation. *Urol Clin N Am* 2007; 34: 581-589.

Alukal JP, Lamb DJ, Niederberger CS and Makhlouf AA: Spermatogenesis in the adult. In: Lipshultz LI, Howards SS and Niederberger CS, eds. *Infertility in the Male, 4<sup>th</sup> Edition*. New York, Cambridge University Press; 2009: chap 5, pp 74-89.

Alukal JP, Zurakowski D, Atala A, Bauer SB, Borer JG, Cilento BG Jr et al: Testicular hypotrophy does not correlate with grade of adolescent varicocele. *J Urol* 2005; 174: 2367-2370.

## eLearning Urology Core Curriculum

Amarenco G, Sheikh Ismael S, Even-Schneider A, Raibaut P, Demaille-Wlodyka S, Parratte B et al: Urodynamic effect of acute transcutaneous posterior tibial nerve stimulation in overactive bladder. *J Urol* 2003; 169: 2210-2215.

American Academy of Pediatrics Urology Section-  
<http://www.aap.org/sections/urology/uroterminology.htm>

American Association of Clinical Urologists - <http://www.aacuweb.org/default.aspx>

American Association of Genitourinary Surgeons- <http://www.aagus.org/>

American Board of Urology certification (Part 1 and Part 2) and recertification  
[http://www.abu.org/certification\\_QEOverview.aspx](http://www.abu.org/certification_QEOverview.aspx)

American Board of Urology maintenance of certification  
<http://www.abu.org/maintenanceOfCertification.aspx>

American College of Surgeons-<http://www.facs.org/>

American Urological Association  
<http://www.auanet.org/content/education-and-meetings/educational-opportunities.cfm>

American Urological Association Clinical Ethics for Urologists. Available at  
<http://www.auanet.org/content/education-and-meetings/on-line-education/ethicsmodule.cfm>.  
Accessed April 29, 2010.

American Urological Association Guideline on the Management of Benign Prostatic Hyperplasia (Management of BPH '03/Updated '06) Chapter 1: with Appendix - Interactive: Diagnosis and Treatment Recommendations. Available at <http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines.cfm?sub=bph>. Accessed December 23, 2009.

American Urological Association Guideline on the Management of Benign Prostatic Hyperplasia, Chapter 1: Diagnosis and Treatment Recommendations, page 1.2003/Updated 2006 Online Source at <http://www.auanet.org/guidelines/bph.cfm>

American Urological Association Guideline on the Management of Benign Prostatic Hyperplasia (Management of BPH '03/Updated '06) Chapter 1: with Appendix - Interactive: Diagnosis and Treatment Recommendations. Available at <http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines.cfm?sub=bph>. Accessed December 23, 2009.

American Urological Association, Inc. Urologic Ultrasound DVD Series

1. Fulgham PF: Basic Ultrasound (AUA DVD, 2007).
2. Fulgham PF: Abdominal Ultrasound (AUA DVD, 2008).
3. Fulgham PF and Gilbert BR: Transrectal Ultrasound of the Prostate (AUA DVD, 2008).
4. Gilbert BR: Ultrasound of the Male Genitalia (AUA DVD, 2008).

Ammenti A, Neri E, Agistri R, Beseghi U and Bacchini E: Idiopathic hypercalciuria in infants with renal stones. *Pediatr Nephrol* 2006; 21: 1901-1903.

Ananthakrishnan L, Herts BR, Simmons MN and Campbell SC: Imaging of the common benign disorders of the urinary tract: urolithiasis and renal infections. *AUA Update Series* 2007; vol 26, lesson 40, pp 394-398.

Anderson JK, Kabalin JN and Cadeddu JA: Surgical anatomy of the retroperitoneum, kidneys, and ureters. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect I, chap 1.

Anderson JK, Kabalin JN and Cadeddu JA: Surgical anatomy of the retroperitoneum, adrenals, kidneys, and ureters. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sec I, chap 1, pp 3-37.

Anderson JK, Shingleton WB and Cadeddu JA: Imaging associated with percutaneous and intraoperative management of renal tumors. *Urol Clin North Am* 2006; 33: 339-352.

Anderson JK, Shingleton WB and Cadeddu JA: Imaging associated with percutaneous and

Andersson KE and Arner A: Urinary bladder contraction and relaxation: physiology and pathophysiology. *Physiol Rev* 2004; 84: 935-986.

Andersson K-E and Wein AJ: Pharmacologic management of storage and emptying failure. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 62, pp 2091-2123.

Andersson KE and Wein AJ: Pharmacology of the lower urinary tract: basis for current and future treatments of urinary incontinence. *Pharmacol Rev* 2004; 56: 581-631.

Anderstrom C, Johansson SL, Pettersson S and Wahlquist L: Carcinoma of the ureter: a clinicopathologic study of 49 cases. *J Urol* 1989; 142: 280-283.

Andonian S and Atalla MA: Radiation safety in urology. *AUA Update Series* 2009; vol 28, lesson 26.

Andonian S, Okeke Z and Smith AD: Complications of percutaneous renal surgery. *AUA Update Series* 2008; vol 27, lesson 26, pp 246-251.

Andonian S, Okeke Z and Smith AD: Percutaneous renal surgery: how to minimize bleeding (AUA DVD V2042, 2009).

<http://media.auanet.org/SV090713>

Andreoli SP: Acute renal failure in the newborn. *Semin Perinatol* 2004; 28: 112-123.

Andrew D: Office management: personnel issues overview. *Urol Clin North Am* 2005; 32: 253-262.

Andriole GL, Crawford ED, Grubb RL 3rd, Buys SS, Chia D, Church TR et al: Mortality results from a randomized prostate cancer screening trial. *N Engl J Med* 2009; 360: 1310-1319.

Angermeier KW and Devine CJ Jr: Anatomy of the penis and male perineum. Part II. *AUA Update Series*, 1994; vol XIII, lesson 3.

Ansari MS, Gupta NP, Seth A, Hemal AK, Dogra PN and Singh TP: Stone fragility: its therapeutic implications in shock wave lithotripsy of upper urinary tract stones. *Int Urol Nephrol* 2003; 35: 387-392.

Aparicio AM, Elkhouiery AB and Quinn DI: The current and future application of adjuvant systemic chemotherapy in patients with bladder cancer following cystectomy. *Urol Clin North Am* 2005; 32: 217-230.

Aparicio J, Germà JR, García del Muro X, Maroto P, Arranz JA, Sáenz A et al; Risk-adapted management for patients with clinical stage I seminoma: the Second Spanish Germ Cell Cancer Cooperative Group study. *J Clin Oncol* 2005; 23: 8717-8723.

Appell RA and Winters JC: Injection therapy for urinary incontinence. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 69, pp 2272-2287.

Arcari AJ, Bergada I, Rey RA and Gottlieb S: Predictive value of anatomical findings and karyotype analysis in the diagnosis of patients with disorders of sexual development. *Sex Dev* 2007; 1: 222-229.

Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press: 2009.

Argani P and Beckwith JB: Renal neoplasms of childhood. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 43, pp 2001-2033.

Argani P and Sorensen PHB: Congenital mesoblastic nephroma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, pp 60-61.

Argani P: Clear cell sarcoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, pp 56-57.

Arndt C, Rodeberg D, Breitfeld PP, Raney RB, Ullrich F and Donaldson S: Does bladder preservation (as a surgical principle) lead to retaining bladder function in bladder/prostate rhabdomyosarcoma? Results from the Intergroup Rhabdomyosarcoma Study IV. *J Urol* 2004; 171: 2396-2403.

Arnold L: Assessing professional behaviors: yesterday today, and tomorrow. *Acad Med* 2002; 77: 502-515.

Aslam M, Watson AR and Trent & Anglia MCDK Study Group: Unilateral multicystic dysplastic kidney: long term outcomes. *Arch Dis Child* 2006; 91: 820-823.

Assimos D: Anatomic nephrolithotomy. *Urology* 2001; 57: 161.

Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 60, pp 731-736.

Atala A, Bauer SB, Soker SS, Yoo JJ and Retik AB: Tissue engineered autologous bladder for patients needing cystoplasty. *Lancet* 2006; 367: 1244-1246.

Atug F, Castle EP, Burgess SV and Thomas R: Concomitant management of renal calculi and pelvi-ureteric junction obstruction with robotic laparoscopic surgery. *BJU Int* 2005; 96: 1365.

AUA Guidelines /Best Practice Statements

AUA Recommendations on Urologic Ultrasound, Revised 2007. Available at: <http://www.auanet.org/content/guidelines-and-quality-care/policy-statements/c/consensus-statement-on-urological-ultrasound-utilization.cfm>. Accessed 1.15.09.

AUA Self-Assessment Study Program

<http://www.auanet.org/content/products/self-assessment-study-program.cfm>

AUA Update Series

<http://www.auanet.org/content/products/aua-update-series.cfm>

Audi L, Toran N, Piro C, Gussinye M and Carrascosa A: Genetically determined gonadal tumours in children. *J Pediatr Endocrinol*, suppl., 2005; 18: 1215-1225.

Auge BK and Preminger GM: Update on shock wave lithotripsy technology. *Curr Opin Urol* 2002; 12: 287-290.

Austen M and Kalble T: Secondary malignancies in different forms of urinary diversion using isolated gut. *J Urol* 2004; 172: 831-838.

Austin JC, Elliott S and Cooper CS: Patients with spina bifida and bladder cancer: atypical presentation, advanced stage and poor survival. *J Urol* 2007; 178: 798-801.

## eLearning Urology Core Curriculum

Avery KNL, Bosch JLHR, Gotoh M, Naughton M, Jackson S, Radley SC et al: Questionnaires to assess urinary and anal incontinence: review and recommendations. *J Urol* 2007; 177: 39-49.

Ayala AG and Tamboli P: Urachal carcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, p 131-132.

Ayala AG, Tamboli P, El-Bolkainy MN and Schoenberg MP: Adenocarcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, pp 128-130.

Aydin H and Zhou M: The changing face of renal cell carcinoma pathology. *Curr Oncol Rep* 2008; 10: 235-244.

**B**

---

Bach AM and Zhang J: Contemporary radiologic imaging of renal cortical tumors. *Urol Clin North Am* 2008; 35: 593-604.

Bagli D, Reddy P and Mitchell ME: Pediatric dysfunctional voiding in the 21st century. *AUA Update Series* 2003; vol XXII, lesson 26, pp 202-208.

Bagri AS, Rico A and Ruiz JG: Evaluation and management of the elderly patient at risk for postoperative delirium. *Clin Geriatr Med* 2008; 24: 667-686.

Bajammal S, Dahm P, Scarpero HM, Orovan W and Bhandari M: How to use an article about therapy. *J Urol*, 2008; 180: 1904-1911.

Bajpai M and Chandrasekharam VV: Nonoperative management of neonatal moderate to severe bilateral hydronephrosis. *J Urol* 2002; 167: 662-665.

Bajpai M, Bal CS, Tripathi M, Kalaivani M and Gupta AK: Prenatally diagnosed unilateral hydronephrosis: prognostic significance of plasma renin activity. *J Urol* 2007; 178: 2580-2584.

Baldewijns MM, van Vlodrop IJ, Schouten LJ, Soetekouw PM, de Bruïne AP and van Engeland M: Genetics and epigenetics of renal cell cancer. *Biochim Biophys Acta* 2008; 1785: 133-155.

Ballert KN, Biggs GY and Nitti VW: Antimuscarinic agents. *AUA Update Series* 2008; vol 27, lesson 16.

Ballert KN, Biggs GY and Nitti VW: Antimuscarinic Agents. *AUA Update Series* 2008; vol 27, lesson 16, pp 137-148.

Baniel J, Foster RS, Einhorn LH and Donohue JP: Late relapse of clinical stage I testicular cancer. *J Urol* 1995; 154: 1370-1372.

Baniel J, Foster RS, Gonin R, Messemer JE, Donohue JP and Einhorn LH: Late relapse of testicular cancer. *J Clin Oncol* 1995; 13: 1170-1176.

Barker K, ed. *At the Helm: A Laboratory Navigator*. Cold Spring Harbor, Cold Spring Harbor Laboratory Press, 2002.

Barrisford GW and O'Leary MP: Male sexual dysfunction: validated instruments. *AUA Update Series* 2007; vol 26, lesson 22.

Barry JM, Jordan ML and Conlin MJ: Renal transplantation. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect X, chap 40, pp 1293-1324.

Barry MJ, Fowler FJ Jr, O'Leary MP, Bruskewitz RC, Holtgrewe HL, Mebust WK et al: The American Urological Association symptom index for benign prostatic hyperplasia. The Measurement Committee of the American Urological Association. *J Urol* 1992; 148: 1549.

Bartsch G, Rittmaster RS and Klocker H: Dihydrotestosterone and the concept of 5alpha-reductase inhibition in human benign prostatic hyperplasia. *Eur Urol* 2000; 37: 367-380.

Basar MM, Samli MM, Erbil M, Ozergin O, Basar R and Atan A: Early effects of extracorporeal shock-wave lithotripsy exposure on testicular sperm morphology. *Scand J Urol Nephrol* 2004; 38: 38-41.

Basiri A, Ziaee AM, Kianian HR, Mehrabi S, Karami H and Moghaddam SMH: Ultrasonographic versus fluoroscopic access for percutaneous nephrolithotomy: a randomized clinical trial. *J Endourol* 2008; 22: 281-284.

Baskin LS and Ebbers MB: Hypospadias: anatomy, etiology, and technique. *J Pediatr Surg* 2006; 41: 463-472.

Baskin LS and Tanagho EA: Pelvic pain without pelvic organs. *J Urol* 1992; 147: 683-686.

Baskin LS: Anatomical studies of the female genitalia: surgical reconstructive implications. *J Pediatr Endocrin* 2004; 17: 581-587.

Bassignani MJ: Understanding and interpreting MRI of the genitourinary tract. *Urol Clin North Am* 2006; 33: 301-317.

Basson R, Althof S, Davis S, Fugl-Meyer K, Goldstein I, Leiblum S et al: Summary of the recommendations on sexual dysfunctions in women. *J Sex Med* 2004; 1: 24-34.

Basson R, Leiblum S, Brotto L, Derogatis L, Fourcroy J, Fugl-Meyer K et al: Revised definitions of women's sexual dysfunction. *J Sex Med* 2004; 1: 40-48.

Bates-Jensen BM: Pressure ulcers. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 58, pp 703-715.

Bauer R and Kogan BA: New developments in the diagnosis and management of pediatric UTIs. *Urol Clin North Am* 2008; 35: 47-58.

Bauer SB: Anomalies of the upper urinary tract. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sec XVII, chap 113, pp 3297-3303.

Bauer SB: Neurogenic bladder: etiology and assessment. *Pediatr Nephrol* 2008; 23: 541-551.

Bauer SB: Neurogenic voiding dysfunction and non-surgical management. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect V, chap 53, pp 781-813.

Baumer JH and Jones RW: Urinary tract infection in children, National Institutes for Health and Clinical Excellence. *Arch Dis Child Educ Prac* 2007; 92: 189-192.

Bazinet M, Meshref AW, Trudel C, Aronson S, Péloquin F, Nachabe M et al: Prospective evaluation of prostate-specific antigen density and systematic biopsies for early detection of prostatic carcinoma. *Urology* 1994; 43: 44-52.

Beauchamp TL: The four principles approach. In: Nelson JL and Lindemann H. *Meaning and Medicine: A Reader in the Philosophy of Health Care*. New York; Routledge; 1999: p 147.  
Beaunoyer M, Snehal M, Li L, Concepcion W, Salvatierra O Jr and Sarwal M: Optimizing outcomes for neonatal ARPKD. *Pediatr Transplant* 2007; 11: 267-271.

Beck SD, Foster RS, Bihrl R, Ulbright T, Koch MO, Wahle GR et al: Teratoma in the orchiectomy specimen and volume of metastasis are predictors of retroperitoneal teratoma in post-chemotherapy nonseminomatous testis cancer. *J Urol* 2002; 168: 1402-1404.

Becker A and Baum M: Obstructive uropathy. *Early Hum Dev* 2006; 82: 15-22.

Beecher HK: Ethics and Clinical Research. *N Engl J Med* 1966; 274: 1354-1360.

Beganovic A, Klijn AJ, Dik P and De Jong TP: Ectopic ureterocele: long-term results of open surgical therapy in 54 patients. *J Urol* 2007; 178: 251-254.

Beiko DT and Denstedt JD: Advances in ureterorenoscopy. *Urol Clin North Am* 2007; 34: 397-408.

Belarmino JM and Kogan BA: Management of neonatal hydronephrosis. *Early Hum Dev* 2006; 82: 9-14.

Belman AB, King LR and Kramer SA, eds. *Clinical Pediatric Urology, 4th Edition*. London, Martin Dunitz Ltd.; 2002.

Benos DJ, Kirk JL and Hall JE: How to review a paper. *Adv Physiol Educ* 2003; 27: 47-52. Also available at: <http://advan.physiology.org/cgi/content/full/27/2/47> Accessed January 15, 2010.

Benson MC, McKiernan JM and Olsson CA: Cutaneous continent urinary diversion. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 81, pp 2579-2612.

Berger A, Haber GP, Kamoji K, Aron M, Desai MM, Kaouk JH et al: Laparoscopic radical nephroureterectomy for upper tract transitional cell carcinoma: oncological outcomes at 7 years. *J Urol* 2008; 180: 849-854.

Berger A, Kim C, Hagstrom N and Ferrer F: Successful preoperative treatment of pediatric bladder inflammatory myofibroblastic tumor with anti-inflammatory therapy. *Urology* 2007; 70: 372.e13-15.

Berger R, Billups K, Brock G, Broderick GA, Dhabuwala CB, Goldstein I et al, for the AFUD Thought Leader Panel on Evaluation and Treatment of Priapism: Report of the American Foundation for Urologic Disease (AFUD) thought leader panel for evaluation and treatment of priapism. *Int J Impot Res* 2001; suppl 5, 13: S39-S43.

Berger TG: Skin diseases of the external genitalia. In: Tanagho EA and McAninch W. *Smith's General Urology 17th Edition*. New York, McGraw-Hill Professional; 2007: chap 42, pp 645-648.

Berman L: The male reproductive system. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5th Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect 4, chap 44.

Bermejo C, Busby JE, Spiess PE, Heller L, Pagliaro LC and Pettaway CA: Neoadjuvant chemotherapy followed by aggressive surgical consolidation for metastatic penile squamous cell carcinoma. *J Urol* 2007; 177: 1335.

Bernstein AJ and Peters KM: Expanding indications for neuromodulation. *Urol Clin North Am* 2005; 32: 59-63.

Berry SJ, Coffey DS, Walsh PC and Ewing LL: The development of human prostatic hyperplasia with age. *J Urol* 1984; 132: 474-479.

Bevan-Thomas R, Slaton JW and Pettaway CA: Contemporary morbidity from lymphadenectomy for penile squamous cell carcinoma: the M.D. Anderson cancer center experience. *J Urol* 2002; 167: 1638.

Bhandari M and Guyatt GH: How to appraise a diagnostic test. *World J Surg* 2005; 29: 561-566.

Bhandari M, Devereaux PJ, Montori V, Cinà C, Tandan V, Guyatt GH et al: Users' guide to the surgical literature: how to use a systematic literature review and meta-analysis. *Can J Surg* 2004; 47: 60-67.

Bhandari M, Montori VM, Swiontkowski MF and Guyatt GH: User's guide to the surgical literature: how to use an article about a diagnostic test. *J Bone Joint Surg Am* 2003; 85-A: 1133-1140.

Bhasin S: Disorders of the testes and the male reproductive tract. In: Kronenberg HM, Melmed S, Polonsky KS and Larsen PR, eds. *Williams Textbook of Endocrinology 11th Edition*. Philadelphia, WB Saunders Elsevier; 2007: sect V, chap 18, pp 645-651.

Bhayani SB and Siegel CL: Urinary tract imaging: basic principles. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, chap 4.

## eLearning Urology Core Curriculum

Bhayani SB and Siegel CL: Urinary tract imaging: basic principles. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect II, chap 4, pp 111-143.

Biancani P, Zabinski MP and Weiss RM: Time course of ureteral changes with obstruction. *Am J Physiol* 1976; 231: 393.

Bianchi H and Ferrari A: The arterial circulation of the left suprarenal gland. *Surg Radiol Anat* 1991; 13: 113-116.

Bill-Axelson A, Holmberg L, Filén F, Ruutu M, Garmo H, Busch C et al: Radical prostatectomy versus watchful waiting in localized prostate cancer: the Scandinavian prostate cancer group-4 randomized trial. *J Natl Cancer Inst* 2008; 100:1144-1154.

Bill-Axelson A, Holmberg L, Ruutu M, Haggman M, Andersson SO, Bratell S et al: Radical prostatectomy versus watchful waiting in early prostate cancer. *N Engl J Med* 2005; 352: 1977.

Birder LA: Anatomy, physiology and pharmacology of the bladder urothelium. *AUA Update Series* 2005; vol 24, lesson 25.

Bisceglia M, Galliani CA, Senger C, Stallone C and Sessa A: Renal cystic diseases: a review. *Adv Anat Pathol* 2006; 13: 26-56.

Bishoff JT and Kavoussi LR, eds: *Atlas of Laparoscopic Retroperitoneal Surgery*. Philadelphia: Saunders Elsevier; 2007: pp 1-40, 56-281, 315-335.

Bishoff JT and Kavoussi LR: Laparoscopic surgery of the kidney. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XII, chap 51, pp 1759-1809.

Biyikli NK, Alpay H and Guran T: Hypercalciuria and recurrent urinary tract infections: incidence and symptoms in children over 5 years of age. *Pediatr Nephrol* 2005; 20:1435-1438.

Blaivas JG and Chaikin D: Urethral reconstruction in women. *AUA Update Series* 2005; vol 24, lesson 6, pp 45-52.

Blake MA, Holalkere H and Boland GW: Imaging techniques for adrenal lesion characterization. *RadiolClin North Am* 2008; 46: 65-69, 71-75.

Blakely ML, Shamberger RC, Norkool P, Beckwith JB and Ritchey ML: Outcome of children with cystic partially differentiated nephroblastoma treated with or without chemotherapy. *J Pediatr Surg* 2003; 38:897-900.

Blazer DG: Late-life mood disorders. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 70, pp 849-857.

Blink E for MRI: Basic physics. Available at <http://www.mri-physics.com/html/textuk.html>.

Blok BF, Willemsen A and Holstege G: A PET study on brain control of micturition in humans. *Brain* 1997; 120:111.

Blute ML, Bergstralh EJ, Partin AW, Walsh PC, Kattan MW, Scardino PT et al: Validation of Partin tables for predicting pathological stage of clinically localized prostate cancer. *J Urol* 2000; 64: 1591-1595.

Blute ML, Segura JW, Patterson DE, Benson RC Jr and Zincke H: Impact of endourology on diagnosis and management of upper urinary tract and urothelial cancer. *J Urol* 1989; 141: 1298.

Bochner BH: Role of lymphadenectomy in bladder cancer. In: Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM and Linehan WM: *Genitourinary Oncology, 3<sup>rd</sup> Edition*. Philadelphia, Lippincott, Williams & Wilkins; 2006: part II, chap 27, p 501-506.

Bogart LM, Berry SH and Clemens JQ: Symptoms of interstitial cystitis, painful bladder syndrome and similar diseases in women: a systematic review. *J Urol* 2007; 177: 450-456.

Böhle A and Brandau S: Immune mechanisms in bacillus Calmette-Guerin immunotherapy for superficial bladder cancer. *J Urol* 2003; 170: 964-969.

Bohlen D, Borner M, Sonntag RW, Fey MF and Studer UE: Long-term results following adjuvant chemotherapy in patients with clinical stage I testicular nonseminomatous malignant germ cell tumors with high risk factors. *J Urol* 1999; 161: 1148-1152.

Bokacheva L, Rusinek H, Zhang JL and Lee VS: Assessment of renal function with dynamic contrast-enhanced MR Imaging. *Magn Reson Imaging Clin N Am* 2008; 16: 597-611.

Bolenz C, Fernandez MI, Trojan L, Hoffmann K, Steidler A, Weiss C et al: Lymphangiogenesis occurs in upper tract urothelial carcinoma and correlates with lymphatic tumor dissemination and poor prognosis. *BJU Int* 2009; 103: 1040-1046.

Boll DT, Patil NA, Paulson EK, Merkle EM, Simmons WN, Pierre SA et al: Renal stone assessment with dual-energy multidetector CT and advanced postprocessing techniques: improved characterization of renal stone composition-pilot study. *Radiology*. 2009; 250: 813-820. Also available at: <http://www.ncbi.nlm.nih.gov/pubmed/19244048>

Bolla M, Collette L, Blank L, Warde P, Dubois JB, Mirimanoff RO et al: Long-term results with immediate androgen suppression and external irradiation in patients with locally advanced prostate cancer (an EORTC study): a phase III randomized trial. *Lancet* 2002; 360: 103.

Bolla M, van Poppel H, Collette L, van Cangh P, Vekemans K, Da Pozzo L et al: Postoperative radiotherapy after radical prostatectomy: a randomized controlled trial (EORTC trial 22911). *Lancet* 2005; 366 : 572.

Bolla M: Adjuvant hormonal treatment with radiotherapy for locally advanced prostate cancer. *Eur Urol* 1999; 35: 23.

Bonsib SM: Non-neoplastic diseases of the kidney. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 5, pp 228-240, 268-269, 271-275.

Boone TB: Urodynamics I. *Urol Clin North Am* 1996; 23: 171-336.

Borawski KM, Sur RL, Miller OF, Pak CY, Preminger GM and Kolon TF: Urinary reference values for stone risk factors in children. *J Urol* 2008; 179: 290.

Borer JG and Retik AB: Hypospadias. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 125, pp 3703-3743.

Borghi L, Meschi T, Amato F, Novarini A, Romanelli A and Cigala F: Hot occupation and nephrolithiasis. *J Urol* 1993;150: 1757-1760.

Borin JF: Laparoscopic radical nephrectomy: long-term outcomes. *Curr Opin Urol* 2008; 18: 139-144.

Boris R, Proano M, Linehan WM, Pinto PA and Bratslavsky G: Initial experience with robot assisted partial nephrectomy for multiple renal masses. *J Urol* 2009; 182: 1280-1286.

Borth CS and Nickel JC: Management of spontaneous prostate related bleeding. *AUA Update Series* 2006; vol 25, lesson 1, pp 1-5.

Bosniak MA: Diagnosis and management of patients with complicated cystic lesions of the kidney. *AJR Am J Roentgenol* 1997; 169: 813-821.

Bosniak MA: The current radiological approach to renal cysts. *Radiology* 1986; 158:1-10.

Bostwick DG and Cheng L eds. *Urologic Surgical Pathology 2<sup>nd</sup> Edition*. Philadelphia, Mosby Elsevier; 2008.

Bostwick DG and Meiers I: The prostate. In: Weidner N, Cote RJ, Suster S and Weiss LM, eds. *Modern Surgical Pathology*. Philadelphia, WB Saunders Elsevier; 2003, vol 2, sect VI, chap 32, pp 1149-1160 and 1186-1187.

Bostwick DG and Qian J: Immunohistology of the prostate, bladder, testis and kidney. In: Dabbs DJ, ed. *Diagnostic Immunohistochemistry, 2<sup>nd</sup> Edition*. Churchill Livingstone Elsevier; 2006: chap 14, pp 555, 563.

Boubaker A, Prior JO, Meuwly JY and Bischof-Delaloye A: Radionuclide investigations of the urinary tract in the era of multimodality imaging. *J Nucl Med* 2006; 47: 1819-1836.

Bouissou F, Munzer C, Decramer S, Roussel B, Novo R, Morin D et al: Prospective, randomized trial comparing short and long intravenous antibiotic treatment of acute pyelonephritis in children: dimercaptosuccinic acid scintigraphic evaluation at 9 months. *Pediatrics* 2008; 121: e553-e560.

Boult C: Health Care System. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 15, pp 185-196.

Boyd SD, Skinner DG and Lieskovsky G: The Kock continent ileal urinary reservoir. *AUA Update Series* 1985; vol IV, lesson 38, 1985.

Boyle D, Dwinnel B and Platt F: Invite, listen, and summarize: a patient-centered communication technique. *Acad Med* 2005; 80: 29-32.

Boyle RJ, Robins-Browne RM and Tang MLK: Probiotic use in clinical practice: what are the risks? *Am J Clin Nutr* 2006; 83: 1256-1264.

Boylu U, Horasanli K, Tanriverdi O, Kendirci M, Gumus E and Miroglu C: Evaluation of bone mineral density after ileocystoplasty in children with and without myelomeningocele. *Pediatr Surg Int* 2006; 22: 375-379.

Bradford TJ, Montie JE and Hafez KS: The role of imaging surveillance of urologic malignancies. *Urol Clin North Am* 2006; 33: 377-396.

Braga LH, Lorenzo AJ, Skeldon S, Dave S, Bagli DJ, Khoury AE et al: Failed pyeloplasty in children: comparative analysis of retrograde endopyelotomy versus redo pyeloplasty. *J Urol* 2007; 178: 2571-2575.

Branch J, Hatch D and Hensle T: Anatomy and embryology section of the American Urological Association Urology Core Curriculum.

Branch J, Hatch D and Hensle T: Anatomy and embryology section of the American Urological Association Urology Core Curriculum 2010.

Branco AW: Advanced laparoscopic techniques in live donor nephrectomy (AUA DVD V1402, 2009).

Brasel KJ, Bragg D, Simpson DE and Weigelt JA: Meeting the Accreditation Council for Graduate Medical Education competencies using established residency training program assessment tools. *Am J Surg* 2004; 118: 9-12.

Bravo EL and Stewart BH: Anatomy and physiology of the adrenal. *AUA Update Series* 1983; vol II, lesson 13.

Brazzelli M, Murray A and Fraser C: Efficacy and safety of sacral nerve stimulation for urinary urge incontinence: a systematic review. *J Urol* 2006; 175: 835-841.

Breau RH, Dahm P, Fergusson DA and Hatala R: Understanding results. *J Urol*, 181: 985, 2009.

Breslow NE, Collins AJ, Ritchey ML, Grigoriev YA, Peterson SM and Green DM: Renal failure in patients with Wilms tumor: results from the National Wilms Tumor Study and the U.S Renal Data System. *J Urol* 2005; 174:1972-1975.

Breslow NE, Collins AJ, Ritchey ML, Grigoriev YA, Peterson SM and Green DM: Renal failure in patients with Wilms tumor: results from the National Wilms Tumor Study and the U.S Renal Data System. *J Urol* 2005; 174:1972-1975.

Brikowski TH, Lotan Y and Pearle MS: Climate-related increase in the prevalence of urolithiasis in the United States. *Proc Natl Acad Sci U S A* 2008; 105: 9841.

Brinkmann L, Schuetzmann K and Richter-Appelt H: Gender assignment and medical history of individuals with different forms of intersexuality: evaluation of medical records and the patients' perspective. *J Sex Med* 2007; 4: 964-980.

Broghammer J and Wessells H: Acute management of bladder and urethral trauma. *AUA Update Series* 2008; vol 27, lesson 24, pp 222-229.

Brooks JD: Anatomy of the lower urinary tract and male genitalia. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect I, chap 2, pp 38-78.

Brown CJ and Peel C: Rehabilitation. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 29, pp 343-357.

Brummel-Smith K: Rehabilitation in older adults. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 41, pp 447-458.

Bruskewitz R, Issa MM, Roehrborn CG, Naslund MJ, Perez-Marrero R, Shumaker BP et al: A prospective, randomized, 1-year clinical trial comparing transurethral needle ablation to transurethral resection of the prostate for the treatment of symptomatic benign prostatic hyperplasia. *J Urol* 1998; 159: 1588-1594.

Buchanan A: Privatization and just health care. *Bioethics* 1995; 9: 220-239.

Buckley JC and McAninch JW: Pediatric renal injuries: management guidelines from a 25-year experience. *J Urol* 2004; 172: 687-690, figure 2.

Buffington CAT: Comorbidity of interstitial cystitis with other unexplained clinical conditions. *J Urol* 2004; 172: 1242-1248.

Burgio KL: Behavioral treatment for urinary incontinence. *AUA Update Series* 2006; vol 25, lesson 23: pp 206-216.

Burnett AL: Priapism. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 26, pp 839-849.

Burroughs Wellcome Fund and Howard Hughes Medical Institute: *Making the Right Moves: A Practical Guide to Scientific Management for Postdocs and New Faculty, 2<sup>nd</sup> Edition*. Howard Hughes Medical Institute and Burroughs Wellcome Fund; 2006.

Burroughs Wellcome Fund and Howard Hughes Medical Institute: *Training Scientists to Make the Right Moves: A Practical Guide to Developing Programs in Scientific Management*. Howard Hughes Medical Institute and Burroughs Wellcome Fund; 2006.

Burton M and Clarke M: Systematic reviews of surgical interventions. *Surg Clin North Am* 2006; 86: 101-114, ix.

Busby-Whitehead J, Palmer MH and Johnson TN: Urinary incontinence. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 26, pp 280-288.

Butrick C: Interstitial cystitis and chronic pelvic pain: new insights in neuropathology, diagnosis, and treatment. *Clin Obstet Gynecol* 2003; 46: 811-823.

Byar DP and Corle DK: Hormone therapy for prostate cancer: results of the Veterans Administration Cooperative Urological Research Group studies. *JNCI Monograph* 1988; 7:165.

Byington CL, Rittichier KK, Bassett KE, Castillo H, Glasgow TS, Daly J et al: Serious bacterial infection in febrile infants younger than 90 days of age: the importance of ampicillin-resistant pathogens. *Pediatrics* 2003; 111: 964-968.

C

---

Caldamone AA and Woodard JR: Prune belly syndrome. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sec XVII, chap 118, pp 3482-3497.

Cambio AJ, Evans CP and Kurzrock EA: Non-surgical management of multicystic dysplastic kidney. *BJU Int* 2008; 101: 804-808.

Cameron MA and Sakhaee K: Uric acid nephrolithiasis. *Urol Clin North Am* 2007; 34: 335-346.

Campbell SC, Novick AC and Bukowski RM: Renal tumors. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XII, chap 47, pp 1567-1637.

Campbell SC, Novick AC, Beldegrun A, Blute ML, Chow GK, Derweesh IH for the Practice Guidelines Committee of the American Urological Association: Guideline for management of the clinical T1 renal mass. *J Urol* 2009; 182: 1271-1279.

Campbell T, Blasko J, Crawford ED, Forman J, Hanks G, Kuban D et al: Clinical staging of prostate cancer: reproducibility and clarification of issues. *Int J Cancer* 2001; 96: 198-209.

Canadian Urological Society - <http://www.cua.org/>

Candy PC and Brookfield SD. *Self-Direction for Lifelong Learning: A Comprehensive Guide to Theory and Practice*. San Francisco, Jossey-Bass; 1991.

Canes D: Long-term oncological outcomes of laparoscopic partial nephrectomy. *Curr Opin Urol* 2008; 18: 145-149.

Cannon GM, Smaldone MC, Wu HY, Bassett JC, Bellinger MF, Docimo SG et al: Ureteroscopic management of lower-pole stones in a pediatric population. *J Endourol* 2007; 21:1179-1182.

Caoili EM, Cohan RH, Korobkin M, Platt JF, Francis IR, Faerber GJ et al: Urinary tract abnormalities: initial experience with multi-detector row CT urography. *Radiology* 2002; 222: 353.

Carlsson CM, Gleason CE, Puglielli L and Asthana S: Dementia including Alzheimer's Disease. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6<sup>th</sup> Edition*. New York: McGraw-Hill Professional; 2009: chap 65, pp 797-810.

Carman TL, Olin JW and Czum J: Noninvasive imaging of the renal arteries. *Urol Clin North Am* 2001; 28: 815-826.

Carmignani L, Colombo R, Gadda F, Galasso G, Lania A, Palou J et al: Conservative surgical therapy for Leydig cell tumor. *J Urol* 2007; 178: 507-511.

Caroppo E: Male hypothalamic-pituitary-gonadal axis. In: Lipshultz LI, Howards SS and Niederberger CS, eds. *Infertility in the Male, 4<sup>th</sup> Edition*. New York, Cambridge University Press; 2009: chap 2, pp 14-28.

Carr MC and El-Ghoneimi A: Anomalies and surgery of the ureteropelvic junction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sec XVII, chap 115, pp 3359-3382.

Carr MC and El-Ghoneimi A: Anomalies and surgery of the ureteropelvic junction in children. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 115, pp 3369-3370.

Carr MC: The non-palpable testis. *AUA Update Series* 2001; vol XX, lesson 29.

Carrico DJ, Peters KM and Diokno AC: Guided imagery for women with interstitial cystitis: results of a prospective, randomized controlled pilot study. *J Altern Complement Med* 2008; 14: 53-60.

Carroll P, Coley C, McLeod D, Schellhammer P, Sweat G, Wasson J et al: Prostate-specific antigen best practice policy. Part II: prostate cancer staging and post treatment follow-up. *Urology* 2001; 57: 225-229.

Carson CC: Phosphodiesterase 5 inhibitors: physiology, pharmacology and cardiovascular implications. *AUA Update Series* 2004; vol. 23, lesson 39.

Carter HB, Allaf ME and Partin AW: Diagnosis and staging of prostate cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 94, pp 2912-2931.

Carter HB, Partin AW, Luderer AA, Metter EJ, Landis P, Chan DW et al: Percentage of free prostate-specific antigen in sera predicts aggressiveness of prostate cancer a decade before diagnosis. *Urology* 1997; 49: 379-384.

Carter HB, Walsh PC, Landis P and Epstein JI: Expectant management of nonpalpable prostate cancer with curative intent: preliminary results. *J Urol* 2002; 167: 1231-1234.

Cartwright PC, Materson MA and Snow BW: Office pediatric urology. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5<sup>th</sup> Edition*. London, Informa Healthcare UK Ltd; 2007: sect I, chap 10, pp 209-211.

Carvalho GF, Smith DS, Mager DE, Ramos C and Catalona WJ: Digital rectal examination for detecting prostate cancer at prostate specific antigen levels of 4ng/ml or less. *J Urol* 1999; 161: 835-839.

Carver BS and Sheinfeld J: Germ cell tumors of the testis. *Ann Surg Oncol* 2005; 12: 871-880.

Carver BS, Al-Ahmadie H and Sheinfeld J: Adult and pediatric testicular teratoma. *Urol Clin North Am* 2007; 34: 245-251.

Carver BS, Bianco FJ Jr, Scardino PT and Eastham JA: Long-term outcome following radical prostatectomy in men with clinical stage T3 prostate cancer. *J Urol* 2006; 176: 564-568.

Carver BS, Motzer RJ, Kondagunta GV, Sogani PG and Sheinfeld J: Late relapse of testicular germ cell tumors. *Urol Oncol* 2005; 23: 441-445.

Carver BS, Rabbani F and Herr HW: Pelvic lymph node dissection for prostate cancer: defining the appropriate limits of dissection. *AUA Update Series* 2005; vol 24, lesson 21.

Carver BS, Serio A, Bajorin DF, Motzer RJ, Stasi JP, Bosl GJ et al: Improved clinical outcome over recent years for men with metastatic nonseminomatous germ cell tumors. *J Clin Oncol* 2007; 25: 5603-5608.

Carver BS, Shayegan B, Eggener S, Stasi J, Motzer RJ, Bosl GJ et al: Incidence of metastatic nonseminomatous germ cell tumor outside the boundaries of a modified post-chemotherapy retroperitoneal lymph node dissection. *J Clin Oncol* 2007; 25: 4365-4369.

Carver BS, Shayegan B, Serio A, Motzer RJ, Bosl GJ and Sheinfeld J: Long-term clinical outcome following post-chemotherapy retroperitoneal lymph node dissection in men with residual teratoma. *J Clin Oncol* 2007; 25: 1033-1037.

Casale AJ: Operations for the weak bladder outlet. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect V, chap 55, pp 841-866.

Casale AJ: Posterior urethral valves and other urethral anomalies. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sec XVII, chap 122, pp 3583-3603, 358e-3603.s.

Cassileth B: Memorial Sloan-Kettering Cancer Center Integrative Medicine. Available at: <http://www.mskcc.org/mskcc/html/1979.cfm>. Accessed March 2, 2010.

Castellan M, Gosalbez R, Labbie A, Ibrahim E and Disandro M: Bladder neck sling for treatment of neurogenic incontinence in children with augmentation cystoplasty: long-term followup. *J Urol* 2005; 173: 2128-2131.

Castellan M, Gosalbez R, Perez-Brayfield M, Healey P, McDonald R, Labbie A et al; Tumor in bladder reservoir after gastrocystoplasty. *J Urol* 2007; 178: 1771-1774.

Castellan MA, Gosalbez R, Labbie A, Ibrahim E and Disandro M: Outcomes of continent catheterizable stomas for urinary and fecal incontinence: comparison among different tissue options. *BJU Int* 2005; 95: 1053-1057.

Castellino SM and McLean TW: Pediatric genitourinary tumors. *Curr Opin Oncol* 2007; 19: 248-253.

Castle EP, Langenstroer P and Thrasher JB: Common complications of androgen deprivation therapy for prostate cancer. *AUA Update Series* 2003; vol XXII, Lesson 14.

Castle EP: Robotic partial ureterectomy for upper ureteral tumor: a conservative approach (AUA DVD V1401, 2006).

Catalona WJ and Han M: Definitive therapy for localized prostate cancer—an overview. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 95, pp 2932-2946.

Catalona WJ and Smith DS: Cancer recurrence and survival rates after anatomic radical retropubic prostatectomy for prostate cancer: intermediate-term results. *J Urol* 1998; 160: 2428-2434.

Catalona WJ, Partin AW, Slawin KM, Brawer MK, Flanigan RC, Patel A et al: Use of the percentage of free prostate-specific antigen to enhance differentiation of prostate cancer from benign prostatic disease: a prospective multicenter clinical trial. *JAMA* 1998; 279: 1542-1547.

Catalona WJ: Clinical utility of measurements of free and total prostate-specific antigen (PSA): a review. *Prostate*, suppl., 1996; 7: 64-69.

Catto JW, Yates DR, Rehman I, Azzouzi AR, Patterson J, Sibony M et al: Behavior of urothelial carcinoma with respect to anatomic location. *J Urol* 2007; 177: 1715-1720.

Ceccarelli FE: The embryology of the genitalia. *AUA Update Series* 1982; vol I, lesson 26

Cervellione RM, Corroppo M and Bianchi A: Subclinical varicocele in the pediatric age group. *J Urol* 2008; 179: 717-719.

Chancellor MB, Anderson RU and Boone TB: Pharmacotherapy for neurogenic detrusor overactivity. *Am J Phys Med Rehabil* 2006; 85: 536-545.

Chandar J, Abitbol C, Montane B and Zilleruelo G: Angiotensin blockade as sole treatment for proteinuric kidney disease in children. *Nephrol Dial Transplant* 2007; 22: 1332-1337.

Chandhoke PS: Evaluation of the recurrent stone former. *Urol Clin North Am* 2007; 34: 315-322.

Chang SD and Hricak H: Radiological evaluation of the urinary bladder, prostate and urethra. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5th Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect 4, chap 42.

Chang SL and Shortliffe LD: Pediatric urinary tract infections. *Pediatr Clin North Am* 2006; 53: 379-400.

Chang SS and Sheinfeld J: Clinical stage I nonseminomatous germ cell tumors: treatment options. *AUA Update Series* 2001; vol XX, lesson 5, pp 34-39.

Chang SS, Benson MC, Campbell SC, Crook J, Dreicer R, Evans CP et al: Society of Urologic Oncology position statement: redefining the management of hormone-refractory prostate carcinoma. *Cancer* 2005; 103: 11-21.

Chang SS, Mohseni HF, Leon A and Sheinfeld J: Paracolic recurrence: the importance of wide excision of the spermatic cord at retroperitoneal lymph node dissection. *J Urol* 2002; 167: 94-96.

Chapple C and MacDiarmid S: *Urodynamics Made Easy 2<sup>nd</sup> Edition*. Philadelphia, Elsevier Churchill Livingstone; 2000.

Chapple C, Artibani W, Berges R, Kaplan S et al: New medical developments in the management of LUTS in adult men. In: McConnell, P, Abrams P, Denis L, Khoury S and Roehrborn C, eds. *Male Lower Urinary Tract Dysfunction Evaluation and Management. 6th International Consultation on New Developments in Prostate Cancer and Prostate Diseases*. Paris, Health Publications Ltd; 2006: pp 143-194.

Chapple C, Barbagli G, Jordan G, Mundy AR, Rodrigues-Netto N, Pansadoro V et al: Consensus statement on urethral trauma. *BJU Int* 2004; 93: 1195-1202.

Chapple CR: Retropubic suspension surgery for incontinence in women. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 65, pp 2168-2186.

Chatelain CH, Denis L, Foo, JKT, Khoury S, McConnell J, Abrams P et al: Recommendations of the International Scientific Committee: evaluation and treatment of lower urinary tract symptoms (LUTS) in older men. In: Chatelain CH, Denis L, Foo, JKT, Khoury S, McConnell J, eds. *Proceedings of the Fifth International Consultation on Benign Prostatic Hyperplasia*. United Kingdom: Health Publications Ltd; 2001: pp 519-534.

Chen GL, El-Gabry EA and Bagley DH: Surveillance of upper urinary tract transitional cell carcinoma: the role of ureteroscopy, retrograde pyelography, cytology and urinalysis. *J Urol* 2000; 164: 1901-1904.

Chen JJ, Mao W, Homayoon K and Steinhardt GF: A multivariate analysis of dysfunctional elimination syndrome, and its relationships with gender, urinary tract infection and vesicoureteral reflux in children. *J Urol* 2004; 171: 1907-1910.

Chen MY, Bechtold RE, Bohrer SP, Zagoria RJ and Dyer RB: Abnormal calcification on plain radiographs of the abdomen *Crit Rev Diagn Imaging* 1999; 40: 63-202.

Cheng L, Zhang S, MacLennan GT, Lopez-Beltran A and Montironi R: Molecular and cytogenetic insights into the pathogenesis, classification, differential diagnosis, and prognosis of renal epithelial neoplasms. *Hum Pathol* 2009; 40: 10-29.

Chertin B, Mohanan N, Farkas A and Puri P: Endoscopic treatment of vesicoureteral reflux associated with ureterocele. *J Urol* 2007; 178: 1594-1597.

Chevalier RL and Roth JA: Renal function in the fetus, neonate and child. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 107, pp 3149-3162.

Cheville J, Algaba F and Boccon-Gibod L: Mesenchymal tumours. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 3, p 210.

Chew BH and Denstedt JD: Ureterscopy and retrograde ureteral access. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XI, chap 45.

Chistmas TJ: Gas in the urinary tract: its aetiology and management. *Br J Hosp Med* 1988; 39: 67-70.

Cho KS, Hong SJ, Cho NH and Choi YD: Grade of hydronephrosis and tumor diameter as preoperative prognostic factors in ureteral transitional cell carcinoma. *Urology* 2007; 70: 662-666.

Chodak GW, Thisted RA, Gerber GS, Johansson JE, Adolfsson J, Jones GW et al: Results of conservative management of clinically localized prostate cancer. *N Engl J Med* 1994; 330: 242-248.

Chou C and Lee CH: Improving resident interview skills by group videotape. *Acad Med* 2002; 77: 744.

Chow GK and Blute ML: Surgery of the adrenal glands. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sec XIII, chap 54, pp 1868-1888.

Chow GK and Strem SB: Extracorporeal lithotripsy. Update on technology. *Urol Clin North Am* 2000; 27: 315-322.

Chowdhury S, Larkin JM and Gore ME: Recent advances in the treatment of renal cell carcinoma and the role of targeted therapies. *Eur J Cancer* 2008; 44: 2152-2161.

Chun A and Morrison RS: Palliative care. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 31, pp 373-383.

Chung LWK, Baseman A, Assikis V and Zhau HYE: Molecular insights into prostate cancer progression: the missing link of tumor microenvironment. *J Urol* 2005; 173: 10-20.

Claahsen-van der Grinten HL, Sweep FC, Blickman JG, Hermus AR and Otten BJ: Prevalence of testicular adrenal rest tumours in male children with congenital adrenal hyperplasia due to 21-hydroxylase deficiency. *Eur J Endocrinol* 2007; 157: 339-344.

Clark OH, Ajani JA, Benson AB, Berlin JD, Blaszkowsky LS, Byrd D et al for the NCCN Neuroendocrine Tumors Panel: Neuroendocrine tumors. National Comprehensive Cancer Network V.2.2009. Available at: [http://www.nccn.org/professionals/physician\\_gls/f\\_guidelines.asp](http://www.nccn.org/professionals/physician_gls/f_guidelines.asp). Accessed 01.15.09.

Clark PE and Hall MC: Contemporary management of the urethra in patients after radical cystectomy for bladder cancer. *Urol Clin North Am* 2005; 32: 199-206.

Clarke SA, Samuel M and Boddy SA: Are prophylactic antibiotics necessary with clean intermittent catheterization? A randomized controlled trial. *J Pediatr Surg* 2005; 40: 568-571.

Classen J, Schmidberger H, Meisner C, Souchon R, Sautter-Bihl ML, Sauer R et al: Radiotherapy for stages IIA/B testicular seminoma: final report of a prospective multicenter clinical trial. *J Clin Oncol* 2003; 21: 1101-1106.

Clauw DJ, Schmidt M, Radulovic D, Singer A, Katz P and Bresett J: The relationship between fibromyalgia and interstitial cystitis. *J Psychiatr Res* 1997; 31: 125-131.

Clemens JQ, Joyce GF, Wise M and Payne CK: Interstitial cystitis and painful bladder syndrome. In: Litwin MS and Saigal CS, eds. *Urologic Diseases in America*. Washington DC, US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institutes of Diabetes and Digestive and Kidney Diseases; 2007: chap 4, pp 123-154.

Clemens JQ, Meenan RT, O'Keeffe Rosetti MC, Brown SO, Gao SY and Calhoun EA: Prevalence of interstitial cystitis symptoms in a managed care population. *J Urol* 2005; 174: 576-580.

Clemens JQ, Meenan RT, O'Keeffe Rosetti MC, Gao SY and Calhoun EA: Incidence and clinical characteristics of National Institutes of Health type III prostatitis in the community. *J Urol* 2005; 174: 2319-2322.

Clemens JQ, Meenan RT, O'Keeffe Rosetti MC, Gao SY, and Calhoun EA: Prevalence and incidence of interstitial cystitis in a managed care population. *J Urol* 2005; 173: 98-102.

Clemens JQ, Brown SO and Calhoun EA: Mental health diagnoses in patients with interstitial cystitis/painful bladder syndrome and chronic prostatitis/chronic pelvic pain syndrome: a case/control study. *J Urol* 2008; 180: 1378-1382.

Cleveland RO, McAteer JA and Müller R: Time-lapse nondestructive assessment of shock wave damage to kidney stones in vitro using micro-computed tomography. *J Acoust Soc Am* 2001; 110: 1733-1736.

Clinical Ethics for Urologists

<https://www.auanet.org/secured/login.cfm?refer=/content/education-and-meetings/on-line-education/ethicsmodule.cfm?>

Clinical Oncology/American Urological Association 2008 Clinical Practice Guideline.

<http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines/main-reports/pcredinh.pdf> . Accessed March 2, 2010.

Close CE: Ureteropelvic junction obstruction in infants and children. *AUA Update Series* 2007; vol 26, lesson 5.

Coblentz TR and Theodorescu D: Morbidity of modified prophylactic inguinal lymphadenectomy for squamous cell carcinoma of the penis. *J Urol* 2002; 168: 1386.

Cochlin DL: Benign prostatic hypertrophy. In: Halpern EJ, Cochlin DL and Goldberg BB, eds. *Imaging of the Prostate*. London, Martin Dunitz Ltd; 2002: chap 11, pp 139-154.

Cohan RH and Caoili EM: CT urography techniques. In: Silverman SG and Cohan RH, eds. *CT Urography: An Atlas*. Philadelphia, Lippincott Williams & Wilkins; 2007: chap 2, pp 11-22.

Cohan RH, Caoili EM and Willatt JM: Urography of the bladder. In: Silverman SG and Cohan RH, eds. *CT Urography: An Atlas*. Philadelphia, Lippincott Williams & Wilkins; 2007: chap 10, pp 209-251.

Cohen-Zion M and Ancoli-Israel S: Sleep disorders. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 55, pp 671-681.

Coleman JA: Familial and hereditary renal cancer syndromes. *Urol Clin North Am* 2008; 35: 563-572.

Collins LG, Rovner BN and Marenberg MM: Evaluation and management of dementia. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 16, pp 176-189.

Collins S, Lehman DS, McDougall EM, Clayman RV and Landman J: *AUA Handbook of Laparoscopic and Robotic Fundamentals*. April 2008: pp 11-47, 49-71. Available at: <http://www.auanet.org/content/residency/resident-education/basiclapguide.pdf>. Accessed January 12, 2010.

Collins S, McKiernan J and Landman J: Update on the epidemiology and biology of renal cortical neoplasms. *J Endourol* 2006; 20: 975-985.

Colquhoun AJ, Jones GDD, Al Moneef M, Bowman KJ, Kockelbergh RC, Symonds RP et al: Improving and predicting radiosensitivity in muscle-invasive bladder cancer. *J Urol* 2003; 169: 1983-1992.

Comiter CV: Sacral neuromodulation for the symptomatic treatment of refractory interstitial cystitis: a prospective study. *J Urol* 2003; 169: 1369-1373.

Conte ML, Bertoli-Avella AM, de Graaf BM, Punzo F, Lama G, La Manna A et al: A genome search for primary vesicoureteral reflux shows further evidence for genetic heterogeneity. *Pediatr Nephrol* 2008; 23: 587-595.

Contopoulos-Ioannidis D, Giotis N, Baliatsa D and Ioannidis JP: Extended-interval aminoglycosides administration for children: a meta-analysis. *Pediatrics* 2004; 114: 111-115.

Coplen DE and Austin PF: Outcome analysis of prenatally detected ureterocele associated with multicystic dysplasia. *J Urol* 2004; 172: 1637-1639.

Coppin C: Immunotherapy for renal cell cancer in the era of targeted therapy. *Expert Rev Anticancer Ther* 2008; 8: 907-919.

Coppo R: Pediatric IgA nephropathy: clinical and therapeutic perspectives. *Semin Nephrol* 2008; 28: 18-26.

Cordell WH, Wright SW, Wolfson AB, Timerding BL, Maneatis EJ, Lewis RH et al: Comparison of intravenous ketorolac, meperidine, and both (balanced analgesia) for renal colic. *Ann Emerg Med* 1996; 28: 151-158.

Cornel EB, van Haarst EP, Schaarsberg RW and Geels J: The effect of biofeedback physical therapy in men with chronic pelvic pain syndrome type III. *Eur Urol* 2005; 47: 607.

Corradi D, Maestri R, Palmisano A, Bosio S, Greco P, Manenti L et al: Idiopathic retroperitoneal fibrosis: clinicopathologic features and differential diagnosis. *Kidney Int* 2007; 72: 742-753.

Cosgrove DO, Meire HB, Lim A et al: Ultrasound. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger and Allison's Diagnostic Radiology, 5th Edition*. Philadelphia, Elsevier; 2008: vol 1, sect 1, chap 4.

Cote RJ, Soni RA and Amin MB: Bladder and urethra. In: Weidner N, Cote RJ, Suster S and Weiss LM, eds. *Modern Surgical Pathology*. Philadelphia, WB Saunders Elsevier; 2003, vol 2, sect VI, chap 31, pp 1103-1138.

Coulehan JL and Block MR: *The Medical Interview: Mastering Skills for Clinical Practice, 4<sup>th</sup> Edition*. Philadelphia: F.A. Davis Company; 1997.

Cowan N: The genitourinary tract: techniques and anatomy. In: Adam A, Dixon AK, Grainger RG and Allison DJ eds. *Grainger and Allison's Diagnostic Radiology, 5<sup>th</sup> Edition*. Philadelphia, Elsevier; 2008: vol 2, sect 4, chap 38.

Cowan N: Ureters. In: Silverman SG and Cohan RH, eds. *CT Urography: An Atlas*. Philadelphia, Lippincott Williams & Wilkins; 2007: chap 9, pp 172-208.

Cowin PA, Foster P, Pedersen J, Hedwards S, McPherson SJ and Risbridger GP: Early-onset endocrine disruptor-induced prostatitis in the rat. *Environ Health Perspect* 2008; 116: 923-929.

Cozzi DA and Zani A: Nephron-sparing surgery in children with primary renal tumor: indications and results. *Semin Pediatr Surg* 2006; 15: 3-9.

Crispen PL and Uzzo RG: Active surveillance of clinically localized sporadic renal cell carcinoma. *AUA Update Series* 2006; vol 25, lesson 13, pp 118-122.

Crispen PL and Uzzo RG: The natural history of untreated renal masses. *BJU Int* 2007; 99: 1203-1207.

Crouch NS and Creighton SM: Long-term functional outcomes of female genital reconstruction in childhood. *BJU Int* 2007; 100: 403-407.

Crook J, Grimard L, Tsihlias J, Morash C and Panzarella T: Interstitial brachytherapy for penile cancer: An alternative to amputation. *J Urol* 2002; 167: 506.

Cross, TL et al: *Towards a Culturally Competent System of Care: A Monograph on Effective Services for Minority Children*. Georgetown University; National Center for Cultural Competence, 1989.

Cruess SR and Cruess RL: Graduate medical education: making the implicit explicit. In: Rider EA, Nawotniak RH and Smith G. *A Practical Guide to Teaching and Assessing the ACGME Core Competencies*. Marblehead, Massachusetts, HCPro, Inc; 2007: Introduction, pp vii-xv.

Csaicsich D, Greenbaum LA and Aufricht C: Upper urinary tract: when is obstruction obstruction? *Cur Opin Urol* 2004; 14: 213-217.

Cubilla AL, Dillner J and Schellhammer PF: Malignant epithelial tumours. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 5, pp 282-289.

Cubilla AL, Velazquez EF, Barreto JE and Ayala G: The penis. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 48, pp 2233-2254.

## eLearning Urology Core Curriculum

Cuervo JL, Grillo A, Vecchiarelli C, Osio C and Prudent L: Perinatal testicular torsion: a unique strategy. *J Pediatr Surg* 2007; 42: 699-703.

Culkin DJ and Beer TM: Advanced penile carcinoma. *J Urol* 2003; 170: 359.

Cullen-McEwen LA, Caruana G and Bertram JF: The where, what and why of the developing renal stroma. *Nephron Exp Nephrol* 2005; 99: e1-e8.

Curhan GC: Epidemiology of stone disease. *Urol Clin North Am* 2007; 34: 287-293.  
*Curr Opin Urol* 2004; 14: 229-233.

## D

---

D'Amico AV, Crook J, Beard CJ, Dewese TL, Hurwitz M and Kaplan I: Radiation therapy for prostate cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 100, pp 3006-3031.

D'Amico AV, Whittington R, Malkowicz SB, Schultz D, Tomaszewski JE, Renshaw AA et al: Brachytherapy or external beam therapy—a guide to patient selection. *AUA Update Series* 1999; vol XVIII, lesson 30.

D'Amico AV: Evidence based approach to combining androgen suppression and radiation therapy for men with locally advanced or clinically localized prostate cancer. *AUA Update Series* 2005; vol 24, lesson 22.

Da Justa DG: Repair of glandular epispadias (AUA DVD V884, 2008).

Dabbs DJ, ed. Immunohistology of the prostate, bladder, testis and kidney. In: *Diagnostic Immunohistochemistry, 2<sup>nd</sup> Edition*. Churchill Livingstone Elsevier; 2006, chap 14.

D'Addessi A, Bongiovanni L, Racioppi M, Sacco E and Bassi P: Is extracorporeal shock wave lithotripsy in pediatrics a safe procedure? *J Pediatr Surg* 2008; 43: 591-596.

D'Addessi A, Bongiovanni L, Sasso F, Gulino G, Falabella R and Bassi P: Extracorporeal shockwave lithotripsy in pediatrics. *J Endourol* 2008; 22: 1-12.

Dahl DM and McDougal WS: Use of intestinal segments in urinary diversion. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 80, pp 2534-2579.

Dahm P and Gschwend JE: Primary non-urothelial neoplasms of the bladder. *AUA Update Series* 2004; vol 23, lesson 6, pp 42-47.

Dahm P, Gilbert SM, Zlotecki RA and Guyatt GH: How to use an article about prognosis. *J Urol* 2010; 183:1303-1308.

Dahm P, Scales CD Jr, Sur RL and Preminger GM: An introduction to evidence-based medicine in urology. *AUA Update Series* 2006; vol 25, lesson 25.

Dalbagni G, Zhang ZF, Lacombe L and Herr HW: Female urethral carcinoma: an analysis of treatment outcome and a plea for a standardized management strategy. *Br J Urol* 1998; 82: 835-841.

Dalbagni G, Zhang ZF, Lacombe L and Herr HW: Male urethral carcinoma: analysis of treatment outcome. *Urology* 1999; 53: 1126-1132.

Daley-Placide R and Coward HJ: Prevention for older adults. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 3, pp 31-38.

Dall'Igna P, Bisogno G, Ferrari A, Treuner J, Carli M and Zanetti I: Primary trans-scrotal excision for paratesticular rhabdomyosarcoma: is hemiscrotectomy really mandatory? *Cancer* 2003; 97: 1981-1984.

D'Amico AV, Manola J, Loffredo M, Renshaw AA, DelaCroce A and Kantoff PW: 6-Month androgen suppression plus radiation therapy vs radiation therapy alone for patients with clinically localized prostate cancer: a randomized controlled trial. *JAMA* 2004; 292: 821.

D'Amico AV, Moul J, Carroll PR, Sun L, Lubeck D and Chen MH: Cancer-specific mortality after surgery or radiation for patients with clinically localized prostate cancer managed during the prostate-specific antigen era. *J Clin Oncol* 2003; 21: 2163.

D'Amico AV, Whittington R, Malkowicz SB, Schultz D, Blank K, Broderick GA et al: Biochemical outcome after radical prostatectomy, external beam radiation therapy, or interstitial radiation therapy for clinically localized prostate cancer. *JAMA* 1998; 280: 969.

D'Amico AV: Combined-modality staging for localized adenocarcinoma of the prostate. *Oncology (Williston Park)* 2000; 15: 1049-1059.

Daneshgari F and Frenkl TL: Mid urethral sling procedures for stress urinary incontinence in women. *AUA Update Series* 2008; volume 27, lesson 3, pp 22-31.

Daniels N, Light DW, and Caplin RL. *Benchmarks of Fairness for Health Care Reform*. Oxford University Press: 1996.

Darson MF, Blute ML and Barrett DM: Continent orthotopic urinary diversion in female patients. *AUA Update Series* 2000; vol XIX, lesson 33.

Dave DS, Lam JS, Leppert JT and Belldegrun AS: Open surgical management of renal cell carcinoma in the era of minimally invasive kidney surgery. *BJU Int* 2005; 96: 1268-1274.

David KA, Mallin K, Milowsky MI, Ritchey J, Carroll PR and Nanus DM: Surveillance of urothelial carcinoma: stage and grade migration, 1993-2005 and survival trends, 1993-2000. *Cancer* 2009; 115: 1435-1447.

Davis CJ, Woodward PJ and Dehner LP: Tumours of the paratesticular structures. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 4, pp 267-276.

Davis D, O'Brien MA, Freemantle N, Wolf FM, Mazmanian P and Taylor-Vaisey A: Impact of formal continuing medical education. Do conferences, workshops, rounds, and other traditional continuing education activities change physician behavior or health care outcomes? *JAMA* 1999; 282; 867-874.

Davis JW, Chang SS and Schellhammer PF: Clinical trials methodology. *AUA Update Series* 2004; vol 23, lesson 18, p 138.

Davis JW, Schellhammer PF, McCammon KA and Jordan GH: Complications of radical prostatectomy. *AUA Update Series* 2006; vol 25, lesson 16.

De Guchtenaere A, Vande Walle C, Van Sintjan P, Donckerwolcke R, Raes A, Dehoorne J et al: Desmopressin resistant nocturnal polyuria may benefit from furosemide therapy administered in the morning. *J Urol* 2007; 178: 2635-2639.

De Lilsa A and Usai P: Tips & tricks to obtain complete stone clearance during PCNL (AUA Video V1395, 2007).

De Santis M, Becherer A, Bokemeyer C, Stoiber F, Oechsle K, Sellner F et al: 2-18Fluoro-deoxy-D-glucose positron emission tomography is a reliable predictor for viable tumor in postchemotherapy seminoma: an update of the prospective multicentric SEMPET trial. *J Clin Oncol* 2004; 22: 1034-1039.

deVries AL, Doreleijers TA and Cohen-Kettenis PT: Disorders of sex development and gender identity outcome in adolescence and adulthood: understanding gender identity development and its clinical implications. *Pediatr Endocrinol Rev* 2007; 4: 343-351.

Dean GE, Kirsch AJ, Packer MG, Scherz HC and Zaontz MR: Antegrade and retrograde endoscopic dextranomer/hyaluronic acid bladder neck bulking for pediatric incontinence. *J Urol* 2007; 178: 652-655.

Debono DJ, Heilman DK, Einhorn LH and Donohue JP: Decision analysis for avoiding postchemotherapy surgery in patients with disseminated nonseminomatous germ cell tumors. *J Clin Oncol* 1997; 15: 1455-1464.

Decastro GJ and McKiernan JM: Epidemiology, clinical staging, and presentation of renal cell carcinoma. *Urol Clin North Am* 2008; 35: 581-592.

Dedhia RJ and McVary KT: Phytotherapy for lower urinary tract symptoms secondary to benign prostatic hyperplasia. *J Urol* 2008; 179: 2119-2125 (include references).

Deeks JJ and Altman DG: Diagnostic tests 4: likelihood ratios. *BMJ* 2004; 329: 168-169.

DeFelippo NP, Fortunato RP, Mellins HZ and Ritchie JP: Intravenous urography: an important adjunct for diagnosis of bladder tumors. *Br J Urol* 1984; 56: 502-505.

DeFoor W, Minevich E, Jackson E, Reddy P, Clark C, Sheldon C et al: Urinary metabolic evaluations in solitary and recurrent stone forming children. *J Urol* 2008; 179: 2369.

Delahunt B and Eble JN: Papillary renal cell carcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, p 27-28.

Delahunt B, Amin MB, Hofstädter F, Hartmann A and Tyczynski JE: Tumours of the renal pelvis and ureter. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, pp 150-153.

DeLellis RA and Mangray S: The adrenal glands. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IV, chap 14, pp 621-667.

Delmonico FL: Exchanging Kidneys—Advances in Living-Donor Transplantation. *New Engl J Med* 2004; 305: 1813.

Denstedt JD, Preminger GM, Tiselius HG and Assimos DG, eds: Stone consultation. In: *Second International Consultation on Stone Disease*. Paris, Health Publications Ltd, 2001.

Derweesh IH and Novick AC: Renal ischemia: pathophysiology and clinical impact. *AUA Update Series* 2006; vol 25, lesson 33.

Desai MM and Hegarty N: Contemporary surgical management of adult ureteropelvic junction obstruction. *AUA Update Series* 2007; vol 26, lesson 6.

Devine CJ Jr and Angermier KW: Anatomy of the penis and male perineum: part I. *AUA Update Series* 1994; vol XIII, lesson 2.

Devine CJ Jr, Somers KD, Jordan SG and Schlossberg SM: Proposal: trauma as the cause of the Peyronie's lesion. *J Urol* 1997; 157: 285-290.

Devine CJ, Mitchell ME and Jordan GH: Reconstruction for complications of hypospadias, part I. *AUA Update Series* 2000; vol XIX, lesson 21.

Devine CJ, Mitchell ME and Jordan GH: Reconstruction for complications of hypospadias, Part II. *AUA Update Series* 2000; vol XIX, lesson 22.

Diamond D: Sexual differentiation: normal and abnormal. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 128, pp 3799-3829.

Diamond DA, Zurakowski D, Bauer SB, Borer JG, Peters CA, Cilento BG Jr et al: Relationship of varicocele grade and testicular hypotrophy to semen parameters in adolescents. *J Urol* 2007; 178: 1584-1588.

Diamond DA: Adolescent varicocele. *Curr Opin Urol* 2007; 17: 263-270

Diamond M and Beh HG: Changes in the management of children with intersex conditions. *Nat Clin Prac Endocrinol Metab* 2008; 4: 4-5.

Diokno A: The management of urinary retention in the frail elderly. Presented at annual meeting of American Urological Association, Chicago, IL, April 29, 2009.

Diserio GP and Nowotny E: Experimental autoimmune prostatitis: in vivo induction of the autoimmune response to lymphocytic soluble factors. Alterations at the endocrine metabolism level. *Am J Reprod Immunol* 1998; 39: 226.

Dixon JS and Gosling JA: The musculature of the human renal calyces, pelvis, and ureter. *J Anat* 1982; 135: 129.

Djakovic N: Inlay-onlay urethroplasty in severe hypospadias (AUA Video V1078, 2009).

Dmochowski R, Scarpero H and Starkman J: Tension-free vaginal tape procedures. In: Wein AJ,

Dobbie AE, Medrano M, Tysinger J and Olney C: The BELIEF instrument: a preclinical teaching tool to elicit patients' health beliefs. *Fam Med* 2003; 35: 316-319.

Docimo SG and Peters CA: Pediatric endourology and laparoscopy. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 131, pp 3907-3928.

Dogan HS and Tekgul S: Management of pediatric stone disease. *Curr Urol Rep* 2007; 8:163-173.

Dome JS, Cotton CA, Perlman EJ, Breslow NE, Kalapurakal JA, Ritchey ML et al: Treatment of anaplastic histology Wilms tumor: results from the fifth National Wilms' Tumor Study. *J Clin Oncol* 2006; 24: 2352-2358.

Donadio AC and Depiante-Depaoli M: Inflammatory cells and MHC class II antigens expression in prostate during time-course experimental autoimmune prostatitis development. *Clin Immunol Immunopathol* 1997; 85: 158.

Donohue JP, Rowland RG, Kopecky K, Steidle CP, Geier G, Ney KG et al: Correlation of computerized tomographic changes and histological findings in 80 patients having radical retroperitoneal lymph node dissection after chemotherapy for testis cancer. *J Urol* 1987; 137: 1176-1179.

Donohue JP, Zachary JM and Maynard BR: Distribution of nodal metastases in nonseminomatous testis cancer. *J Urol* 1982; 128: 315–320.

Doukas DJ, McCullough LB and Hanson SS: Advance care planning: values and families in end-of-life care. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 59, pp 596-607.

Dowling CR, Reddihough D, Smith P, Webb N, McNeill R and Clouston D: Transitional cell carcinoma in the paediatric population: be aware of unusual aetiologies. *J Paediatr Child Health* 2007; 43: 773-775.

Drach GW and Forcica MA: Geriatric patient care: basics for urologists. *AUA Update Series* 2005; vol 24, lesson 33, pp 285-295.

Drach GW: Fundamental issues in geriatric surgical care. Presented at annual meeting of American Urological Association, Orlando, FL, May 21, 2008.

Drickamer MA and Lai JM: Assessment of decisional capacity and competencies. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 13, pp 171-176.

Droller MJ, ed. *Surgical Management of Urologic Disease*. St. Louis, Mosby Year Book; 1992.  
Drummond M, Goeree R, Moayyedi P and Levin M: Economic analysis. In: Guyatt G, Rennie D, Meade MO and Cook DJ, eds. *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice, 2nd Edition*. Chicago: American Medical Association; 2008: part G, chap 22.1.

DuBeau CE, Kuchel GA, Johnson T, Palmer MH and Wagg A : Incontinence in the frail elderly: report from the 4th International Consultation on Incontinence. *Neurol Urodyn* 2010; 29: 165-178.

DuBeau CE: Benign prostate disorders. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 50, pp 607-617.

Duckett JW and Caldamone AA: Bladder exstrophy. *AUA Update Series* 1984; vol III, lesson 13.  
Duffey BG, Pedro RN, Kriedberg C, Weiland D, Melquist J, Ikramuddin S et al: Lithogenic risk factors in the morbidly obese population. *J Urol* 2008; 179: 1401.

Duggan BJ, Gray SB, McKnight JJ, Watson CJ, Johnston SR and Williamson KE: Ologoclonality in bladder cancer: implications for molecular therapies. *J Urol* 2004; 171: 419-425.

Dunn MD, Portis AJ, Shalhav AL, Elbahnasy AM, Heidorn C, McDougall EM et al: Laparoscopic versus open radical nephrectomy: a 9-year experience. *J Urol* 2000; 164: 1153-1159.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Anatomy and embryology. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 1, pp 1-8.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Congenital anomalies. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 2, pp 14-33.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Pelvicalyceal system and ureter. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 15, pp 264-299.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Prostate and seminal vesicles. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 17, pp 331-347.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Renal cystic disease. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 7, pp 113-133.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Renal failure and medical renal disease. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 12, pp 217-228.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Renal hypertension. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 11, pp 203-216.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Renal inflammatory disease. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 9, pp 165-185.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Renal transplantation. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 13, pp 229-245.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Renal tumors. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 8, pp 135-164.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Scrotum and contents. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 19, pp 368-381.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. The adrenal glands. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 6, pp 93-102, 104-109.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. The retroperitoneum. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 5, p 80-91.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. The urinary bladder. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 16, pp 300-322-325.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Urethra and penis. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 18, pp 363-367.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Urinary tract trauma. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 20, pp 382-397.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds. Vascular disease. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 10, pp 186-202.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr, eds: Diagnostic techniques. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Lippincott Williams & Wilkins; 2008: chap 3, p 57-59.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr., eds. Functional renal anatomy, renal physiology, and contrast management. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Philadelphia, Lippincott Williams & Wilkins; 2008: chap 4, pp 62-79.

Dunnick NR, Sandler CM, Newhouse JH and Amis ES Jr., eds. Nephrocalcinosis and nephrolithiasis. In: *Textbook of Uroradiology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2008: chap 14, pp 246-263.

Dworkin DL and Brenner BM: The renal circulation. In: Brenner BM, ed. *Brenner and Rector's The Kidney, 7<sup>th</sup> Edition*. Philadelphia, WB Saunders; 2004: pp 309-352.

Dyer R, DiSantis DJ and McClennan BL: Simplified imaging approach for evaluation of the solid renal mass in adults. *Radiology* 2008; 247: 331-343.

E

---

Eastham JA and Scardino PT: Expectant management of prostate cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 96, pp 2947-2955.

Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004.

Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds.: Tumors of the kidney. In: *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, pp 10-87.

Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds.: Tumors of the testis and paratesticular tissue. In: *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 4, pp 217-278.

Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds.: Tumours of the penis. In: *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 5, pp 282-287.

Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds: Tumors of the urinary system. In: *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, pp 89-149.

Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds: Tumours of the prostate. In: *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 3, pp 159-215.

Eble JN: Cystic partially differentiated nephroblastoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, p 55.

Eble JN: Renal neoplasia. In: Weidner N, Cote RJ, Suster S and Weiss LM, eds. *Modern Surgical Pathology*. Philadelphia, WB Saunders Elsevier; 2003, vol 2, sect VI, chap 30, pp 1065-1101.

Edelstein L: *The Hippocratic Oath: Text, Translation, and Interpretation*. Baltimore: Johns Hopkins Press; 1943.

Eden CG: Minimally invasive treatment of ureteropelvic junction obstruction: a critical analysis of results. *Eur Urol* 2007; 52: 983-989.

Eggener SE, Carver BS, Loeb S, Kondagunta GV, Bosl GJ and Sheinfeld J: Pathologic findings and clinical outcomes of patients undergoing retroperitoneal lymph node dissection following multiple chemotherapy regimens for metastatic testicular germ cell tumors. *Cancer* 2007; 109: 528-535.

Eggener SE, Carver BS, Sharp DS, Motzer RJ, Bosl GJ and Sheinfeld J: Incidence of disease outside modified retroperitoneal lymph node dissection templates in clinical stage (CS) I and IIA nonseminomatous germ cell testicular cancer. *J Urol* 2007; 177: 937-943.

Ehrlich PF: Wilms tumor: progress and considerations for the surgeon. *Surg Oncol* 2007; 16: 157-171.

Eichel L, Ahlering TE and Clayman RV: Robotics in urologic surgery: risks and benefits. *AUA Update Series* 2005; vol XXIV, lesson 13, pp 106-111.

Eichel L, McDougall EM and Clayman RV: Basics of laparoscopic urologic surgery. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect 3, chap 7, pp 171-220.

Eisenberger MA and Carducci M: Treatment of hormone refractory prostate cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 105, pp 3101-3118.

Ek S, Lidfeldt KJ and Varricio L: Fetal hydronephrosis; prevalence, natural history and postnatal consequences in an unselected population. *Acta Obstet Gynecol Scand* 2007; 86: 1463-1466.

Ekeruo WO, Tan YH, Young MD, Dahm P, Maloney ME, Mathias BJ et al: Metabolic risk factors and the impact of medical therapy on the management of nephrolithiasis in obese patients. *J Urol* 2004; 172: 159.

El-Assmy A, El-Nahas AR and Sheir KZ: Is pre-shock wave lithotripsy stenting necessary for ureteral stones with moderate or severe hydronephrosis? *J Urol* 2006; 176: 2059-2062.

Elder JS, Shah MB, Batiste LR and Eaddy M: Part 3: endoscopic injection versus antibiotic prophylaxis in the reduction of urinary tract infections in patients with vesicoureteral reflux. *Curr Med Res Opin* 2007; suppl 4, 23: S15-S20.

Elder JS: Therapy for vesicoureteral reflux: antibiotic prophylaxis, urotherapy, open surgery, endoscopic injection, or observation? *Curr Urol Rep* 2008; 2:143-150.

El-Galley R and Keane T: Orthotopic neobladder. *AUA Update Series* 2003; vol XXII, lesson 36.

Elliott SP and McAninch JW: Ureteral injuries from external violence. *AUA Update Series* 2004; vol 23, lesson 1, pp 1-7, figure 3-5.

Elliott SP and McAninch JW: Ureteral injuries: external and iatrogenic. *Urol Clin N Am* 2006; 33: 55-66, figure 5.

Ellsworth P and Sitnikova L: Impact of prenatal ultrasonography on detection, evaluation, management and outcome of genitourinary anomalies: *AUA Update Series* 2005; vol 24, lesson 28.

Ellsworth PI, Gormley EA and Cendron M: Urodynamic testing in the pediatric patient. *AUA Update Series*, 1999; vol XVIII, lesson 12.

Elmore J and Kirsch AJ: Assessment of renal obstructive disorders: ultrasound, nuclear medicine, and magnetic renal imaging. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sec III, chap 28, pp 447-460.

Eltz S, Comperat E, Cussenot O and Rouprêt M: Molecular and histological markers in urothelial carcinoma of the upper urinary tract. *BJU Int* 2008; 102: 532-535.

Elzayat EA and Elhilali MM: Minimally invasive treatment of benign prostatic hyperplasia: laser. *AUA Update Series* 2007; vol 26, lesson 27, pp 269-274.

Emanuel EJ and Emanuel LL: Four models of the physician-patient relationship. *JAMA* 1992; 267: 2221-2226.

Emanuel EJ, Wendler D and Grady C: *What makes clinical research ethical?* *JAMA* 2000; 283: 2701-2711.

Epstein JI and Herawi M: Prostate needle biopsies containing prostatic intraepithelial neoplasia or atypical foci suspicious for carcinoma: implications for patient care. *J Urol* 2006; 177: 820-834.

Epstein JI, Algaba F and Allsbrook AC: Acinar adenocarcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 3, pp 170, 181-184.

Epstein JI, Amin MB, Reuter VR and Mostofi FK: The World Health Organization/International Society of Urological Pathology consensus classification of urothelial (transitional cell) neoplasms of the urinary bladder. Bladder Consensus Conference Committee. *Am J Surg Pathol* 1998; 22:1435.

Epstein JI, Chan DW, Sokoll LJ, Walsh PC, Cox JL, Rittenhouse H et al: Nonpalpable stage T1c prostate cancer: prediction of insignificant disease using free/total prostate specific antigen levels and needle biopsy findings. *J Urol* 1998; 160: 2407-2411.

Epstein JI, Partin AW, Sauvageot J and Walsh PC: Prediction of progression following radical prostatectomy: a multivariate analysis of 721 men with long-term follow-up. *Am J Surg Pathol* 1996; 20: 286.

Epstein JI, Pizov G and Walsh PC: Correlation of pathologic findings with progression after radical

retropubic prostatectomy. *Cancer* 1993; 71: 3582–3593.

Epstein JI: Pathology of prostatic neoplasia. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 91, pp 2874-2882.

Epstein JI: The lower urinary tract and the male genital tract. In: Kumar V, Abbas AK and Fausto N, eds. *Robbins and Cotran Pathologic Basis of Disease, 7th Edition*. Philadelphia, WB Saunders Elsevier; 2005: chap 21, pp 1023-1056.

Epstein JI: The prostate and seminal vesicles. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 45, pp 2087, 2089-2123.

Epstein RM: Assessment in medical education. *N Engl J Med* 2007; 356: 387-396.

Erickson DR, Morgan KC, Ordille S, Keay SK and Xie SX: Nonbladder related symptoms in patients with interstitial cystitis. *J Urol* 2001; 166: 557-562.

Esposito C, Caldamone AA, Settini A, El-Ghoneimi A and Medscape: Management of boys with nonpalpable undescended testis. *Nat Clin Pract Urol* 2008; 5: 252-260.

Esposito C, Valla JS, Najmaldin A, Shier F, Mattioli G, Savanelli A et al: Incidence and management of hydrocele following varicocele surgery in children. *J Urol* 2004; 171: 1271-1273.

Esserman L, Shieh Y and Thompson I: Rethinking screening for breast cancer and prostate cancer, *JAMA* 2009; 302: p 1685.

F

---

Falvo R: Cell biology and physiology of aging. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 51, pp 536-542.

Fataar S, Rudwan M, Bassiony H and Satyanath S: CT of genitourinary calcification due to schistosomiasis. *Australas Radiol* 1990; 34:234-237.

Faust W, Diaz M and Pohl H: Incidence of post-pyelonephritic renal scarring: meta-analysis of the dimercapto-succinic acid literature. *J Urol* 2009; 181: 290-298.

Fazio LM: Management common intraoperative laparoscopic complications (AUA DVD V1218, 2006).

Feldman AS and McDougal WS: Inguinal node dissection for penile carcinoma. *AUA Update Series* 2008; vol 27, lesson 7, pp 58-63.

Feldman DR, Bosl GJ, Sheinfeld J and Motzer RJ: Medical treatment of advanced testicular cancer. *JAMA* 2008; 299: 672-684.

Feldman HA, Goldstein I, Hatzichristou DG, Krane RJ and McKinlay JB: Impotence and its medical and psychosocial correlates: results of the Massachusetts Male Aging Study. *J Urol* 1994; 151: 54.

Fenton AS, Lynch SC and Bishoff JT: Urologist performed percutaneous renal access: comparison of antegrade and retrograde techniques. *AUA Update Series* 2006; vol 25, lesson 39, pp 354-355.

Fergany AF and Novick AC: Current status of open versus laparoscopic surgery of the kidney. *AUA Update Series* 2006; vol 25, lesson 32, pp 294-301.

Ferrandino MN, Bagrodia A, Pierre SA, Scales CD Jr, Rampersaud E, Pearle MS et al: Radiation exposure in the acute and short-term management of urolithiasis at 2 academic centers. *J Urol* 2009; 181: 668.

Ferrara P, Marrone G, Emmanuele V, Nicoletti A, Mastrangelo A, Tiberi E et al: Homotoxicological remedies versus desmopressin versus placebo in the treatment of enuresis: a randomised, double-blind, controlled trial. *Pediatr Nephrol* 2008; 23: 269-274.

Ferrell BA and Charette SL: Pain management. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 30, pp 359-371.

Ferrer FA, Isakoff M and Koyle MA: Bladder/prostate rhabdomyosarcoma: past, present and future. *J Urol* 2006; 176: 1283-1291.

Ficarra V, Galfano A, Mancini M, Martignoni G and Artibani W: TNM staging system for renal-cell carcinoma: current status and future perspectives. *Lancet Oncol* 2007; 8: 554-558.

Ficarra V, Zattoni F, Artibani W, Fandella A, Martignoni G and Novara G et al.: Nomogram predictive of pathological inguinal lymph node involvement in patients with squamous cell carcinoma of the penis. *J Urol* 2006; 175: 1700.

Field J. *Lifelong Learning and the New Educational Order*. Staffordshire, Trentham Books Limited; 2006.

Figenshau RS: Laparoscopic post-chemotherapy retroperitoneal lymph node dissection (AUA DVD V353, 2007).

Finlayson E and Birkmeyer JD: Surgical outcomes. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 37, pp 431-437.

Fired LP, Walston JD and Ferrucci L: Frailty. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 52, pp 631-645.

Firoozi F, Batniji R, Aslan AR, Longhurst PA and Kogan BA: Resolution of diurnal incontinence and nocturnal enuresis after adenotonsillectomy in children. *J Urol* 2006; 175: 1885-1888.

Fitzpatrick JM: Minimally invasive and endoscopic management of benign prostatic hyperplasia. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 88, p 2804-2809.

Fizazi K, Tjulandin S, Salvioni R, Germà-Lluch JR, Bouzy J, Ragan D et al: Viable malignant cells after primary chemotherapy for disseminated nonseminomatous germ cell tumors: prognostic factors and role of postsurgery chemotherapy—results from an international study group. *J Clin Oncol* 2001; 19: 2647-2657.

Flanigan RC, Yonover PM and Campbell SC: Role of nephrectomy in metastatic renal cell carcinoma. *AUA Update Series* 2002; vol XXI, lesson 31, pp 245-246.

Flanigan RC: Debulking nephrectomy in metastatic renal cancer. *Clin Cancer Res* 2004; 10: 6335S-41S.

Flanigan RC: Urothelial tumors of the upper urinary tract. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XII, chap 48, pp 1638-1652.

Flasko T, Holman E, Kovacs G, Tallai B, Toth C and Salah MA: Laparoscopic ureterolithotomy: the method of choice in selected cases. *J Laparoendosc Adv Surg Tech A* 2005; 15: 149.

Flechner SM, Finke JH and Fairchild RL: Basic principles of immunology. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect V, chap 15, pp 473-506.

Fleshner NE, Herr HW, Stewart AK, Murphy GP, Mettlin C and Menck HR: The National Cancer Data Base report on bladder carcinoma. The American College of Surgeons Commission on Cancer and the American Cancer Society. *Cancer* 1996; 78: 1505.

Fleshner NE, Herr HW, Stewart AK, Murphy GP, Mettlin C and Menck HR: The National Cancer Data Base Report on Bladder Carcinoma. *Cancer* 1996; 78: 1505-1513.

Flynn BJ, Peterson AC and Webster GD: Evaluation and management of intrinsic sphincter deficiency after radical prostatectomy. *AUA Update Series* 2007; vol 26, lesson 15.

Fossa SD, Qvist H, Stenwig AE, Lien HH, Ous S, Giercksky KE: Is post-chemotherapy retroperitoneal surgery necessary in patients with nonseminomatous testicular cancer and minimal residual tumor masses? *J Clin Oncol* 1992; 10: 569-573.

Fowler CJ, Griffiths D and de Groat WC: The neural control of micturition. *Nat Rev Neurosci* 2008; 9: 453-466.

Fox EP, Weathers TD, Williams SD, Loehrer PJ, Ulbright TM, Donohue JP et al: Outcome analysis for patients with persistent nonteratomatous germ cell tumor in postchemotherapy retroperitoneal lymph node dissections. *J Clin Oncol* 1993; 11: 1294-1299.

Franco I, Landau-Dyer L, Isom-Batz G, Collett T and Reda EF: The use of botulinum toxin A injection for the management of external sphincter dyssynergia in neurologically normal children. *J Urol* 2007; 178: 1775-1779.

Franco I: Laparoscopic varicocelectomy in the adolescent male. *Curr Urol Rep* 2004; 5: 132-136.

Franco I: Overactive bladder in children, part 2: management. *J Urol* 2007; 178: 769-774.

Frank JD and Johnston JH, eds. *Operative Pediatric Urology*. Philadelphia, Churchill Livingstone Elsevier; 1990.

Freedland SJ, Partin AW, Epstein JI and Walsh PC: Biochemical failure after radical prostatectomy in men with pathologic organ-confined disease: pT2a versus pT2b. *Cancer* 2004; 100:1646-1649.

Frenkl T and Potts J: Sexually transmitted diseases. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect IV, chap 11, pp 371-385.

Frenkl T and Potts J: Sexually transmitted infections: Part I. *AUA Update Series* 2006; vol 25, lesson 2.

Frenkl T and Potts J: Sexually transmitted infections: Part II. Associated vaginitis and urethritis. *AUA Update Series* 2006; vol 25, lesson 3.

Frimberger D and Kropp BP: Bladder anomalies in children. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 121, pp 3573-3582.

Frimberger D, Hungerhuber E, Zaak R, Waidelich R, Hofstetter A and Schneede P: Penile carcinoma. Is ND: YAG laser therapy radical enough? *J Urol* 2002; 168: 2418.

Fuchs GJ, David RD and Fuchs AM: [Complications of extracorporeal shockwave lithotripsy]. *Arch Esp Urol*, suppl. 1, 1989; 42: 83-89.

Fukuzawa R and Reeve AE: Molecular pathology and epidemiology of nephrogenic rests and Wilms tumors. *J Pediatr Hematol/Oncol* 2007; 29:589-594.

Fulgham PF and Gilbert BR: Transrectal Ultrasound of the Prostate (AUA DVD 2008; chap 1).

Fulgham PF and Gilbert BR: Transrectal Ultrasound of the Prostate (AUA DVD 2008; chap 3).

Fulgham PF and Gilbert BR: Transrectal Ultrasound of the Prostate, Indications (AUA DVD 2008; chap 7).

Fulgham PF and Gilbert BR: Transrectal Ultrasound of the Prostate, TRUS Technique (AUA DVD 2008; chap 10).

Fulgham PF and Gilbert BR: Transrectal Ultrasound of the Prostate, TRUS Technique (AUA DVD 2008; chap 12).

Fulgham PF and Gilbert BR: Transrectal Ultrasound of the Prostate, Summary (AUA DVD 2008; chap 14).

Fulgham PF: Abdominal Ultrasound, Conditions (AUA DVD 2008; chap 11).

Fulgham PF: Abdominal Ultrasound, Equipment and Indications (AUA DVD 2008; chap 2).

Fulgham PF: Abdominal Ultrasound, Equipment and Indications (AUA DVD 2008; chap 9).

Fulgham PF: Abdominal Ultrasound, Renal Ultrasound Technique (AUA DVD 2008; chap 3).

Fulgham PF: Abdominal Ultrasound, Technique (AUA DVD 2008; chap 10).

Fulgham PF: Basic Ultrasound, Machine Settings (AUA DVD 2007; chap 2).

Fulgham PF: Basic Ultrasound, Physics (AUA DVD 2007; chap 1).

## eLearning Urology Core Curriculum

Fung LCT and Lakshmanan Y: Assessment of renal obstructive disorders: urodynamics of the upper tract. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sec III, chap 29, pp 461-477.

Furniss D, Harnden P, Ali N, Royston P, Eisen T, Oliver RT et al: National Cancer Research Institute Renal Clinical Studies Group: Prognostic factors for renal cell carcinoma. *Cancer Treat Rev* 2008; 34: 407-426.

Furtwaengler R, Reinhard H, Leuschner I, Schenk JP, Goebel U, Claviez A for the Gesellschaft für Padiatrische Onkologie und Hamatologie (GPOH) Nephroblastoma Study Group: Mesoblastic nephroma—a report from the Gesellschaft für Padiatrische Onkologie und Hamatologie (GPOH). *Cancer* 2006; 106: 2275-2283.

Fütterer JJ, Heijmink SW and Spermon JR: Imaging the male reproductive tract: current trends and future directions. *Radiol Clin North Am* 2008; 46: 133-147.

## G

---

Galandiuk S and Polk HC Jr.: Surgical principles in the aged. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 40, pp 442-446.

Gallucci M, Vincenzoni A, Schettini M, Fortunato P, Cassanelli A and Zaccara A: Extracorporeal shock wave lithotripsy in ureteral and kidney malformations. *Urol Int* 2001; 66: 61-65.

Galsky MD and Bajorin DF: Chemotherapy for metastatic bladder, alone or in combination with other treatments. In: Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM and Linehan WM: *Genitourinary Oncology, 3<sup>rd</sup> Edition*. Philadelphia, Lippincott, Williams & Wilkins; 2006: part II, chap 30, pp 533-542.

Galvin JE: Mental status and neurological examination in older adults. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 12, pp 153-169.

Gargollo PC and Borer JG: Contemporary outcomes in bladder exstrophy. *Curr Opin Urol* 2007; 17: 272-280.

Garnett S and Abrams P: The natural history of the overactive bladder and detrusor overactivity. A review of the evidence regarding the long-term outcome of the overactive bladder. *J Urol* 2003; 169: 843-848.

Gatti JM and Patrick MJ: Current management of the acute scrotum. *Semin Pediatr Surg* 2007; 16: 58-63.

Gazewood JD: Assessment of the older patient. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 2, pp 14-30.

Gearhart JP and Mathews R: Exstrophy-epispadias complex: In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 119, pp 3497-3553.

General American Institute of Ultrasound in Medicine (AIUM) safety statements:  
<http://www.aium.org>

George CM and Stadler WM: The role of systemic chemotherapy in the treatment of kidney cancer. *Cancer Treat Res* 2003; 116: 173-182.

Geramoutsos I, Gyftopoulos K, Perimenis P, Thanou V, Liagka D, Siamblis D et al: Clinical correlation of prostatic lithiasis with chronic pelvic pain syndromes in young adults. *Eur Urol* 2004; 45: 333-337.

Gerber GS and Brendler CB: Evaluation of the urologic patient: history, physical examination, and urinalysis. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect II, chap 3, pp 97-128.

Gerharz EW, Mansson A, Hunt S, Skinner EC and Mansson W: Quality of life after cystectomy and urinary diversion: an evidence based analysis. *J Urol* 2005; 174: 1729-1736.

Gerheart JP, Rink RC and Mouriquand PDE. *Pediatric Urology, 2nd Edition*. Philadelphia, WB Saunders Elsevier; 2009.

Gholami SS, Gonzalez-Cadavid NF, Lin C, Rajfer J and Lue TF: Peyronie's disease: a review. *J Urol* 2003; 169: 1234-1241.

Giannantoni A, Porena M, Costantini E, Zucchi A, Mearini L and Mearini E: Botulinum A toxin intravesical injection in patients with painful bladder syndrome: 1-year followup. *J Urol* 2008; 179: 1031-1034.

Gilbert BG: Office scrotal ultrasound. Part II: scanning protocol, normal examination, indications and practice management concerns. *AUA Update Series* 2008; vol 27, lesson 2, p 6, 16-17, Appendix 1 and 3.

Gilbert BR and Vaughan ED: A urologist's view of renal pathophysiology: part I. *AUA Update Series* 1988; vol VII, lesson 25.

Gilbert BR and Vaughan ED: A urologist's view of renal pathophysiology: part II. *AUA Update Series* 1988; vol VII, lesson 26.

Gilbert BR: Office scrotal ultrasound. Part I: ultrasound anatomy, physical principles and ultrasound safety. *AUA Update Series* 2008; vol 27, lesson 1.

Gilbert BR: Office scrotal ultrasound. Part II: scanning protocol, normal examination, indications and practice management concerns. *AUA Update Series* 2008; vol 27, lesson 2.

Gilbert BR: Ultrasound of the Male Genitalia (AUA DVD 2008; slides 17-33, 39-43).

Gilbert BR: Ultrasound of the Male Genitalia, Anatomy (AUA DVD 2008; chap 2).

Gilbert BR: Ultrasound of the Male Genitalia, Indications (AUA DVD 2008; chapters 4 and 6).

Gilbert BR: Ultrasound of the Male Genitalia, Indications/Penile (AUA DVD 2008; chap 6).

Gilbert BR: Ultrasound of the Male Genitalia, Penile Ultrasound (AUA DVD 2008; chap 5, slides 67-68).

Gilbert SM, Wood DP, Dunn RL, Weizer AZ, Lee CT, Montie JE et al: Measuring health-related quality of life outcomes in bladder cancer patients using the Bladder Cancer Index (BCI). *Cancer* 2007; 109: 1756-1762.

Gilbert-Barness E and Lacson A: Developmental abnormalities of the kidney. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 40, pp 1847-1849, 1852-1855.

Gill IS and Novick AC: Laparoscopic versus open adrenal surgery. *AUA Update Series* 1999; Vol. XVIII, lesson 33, pp 258-263.

Gill IS: Laparoscopic surgery of the urinary bladder. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 79, pp 2506-2533.

Gilligan T and George D: Long-term complications of treatment for advanced germ cell tumors. *AUA Update Series* 2006; vol 25, lesson 36.

Girman CJ, Jacobsen SJ, Rhodes T, Guess HA, Roberts RO and Lieber MM: Association of health-related quality of life and benign prostatic enlargement. *Eur Urol* 1999; 35: 277-284.

Giuliano F and Clement P: Neuroanatomy and physiology of ejaculation. *Annu Rev Sex Res* 2005; 16: 190.

Glas AS, Roos D, Deutekom M, Zwinderman AH, Bossuyt PM and Kurth KH: Tumor markers in the diagnosis of primary bladder cancer: a systematic review. *J Urol* 2003; 169: 1975-1982.

Glassberg KI: Normal and abnormal development of the kidney: a clinician's interpretation of current knowledge. *J Urol* 2002; 167: 2339-2350.

Glassberg KI: Renal dysgenesis and cystic disease of the kidney. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 114, pp 3305-3358.

Gleason DF and Mellinger GT: Prediction of prognosis for prostatic adenocarcinoma by combined histologic grading and clinical staging. *J Urol* 1974; 111: 58-64.

Gleason DF: Histologic grading and clinical staging of prostatic carcinoma. In: Tannenbaum M: *Urology Pathology: The Prostate*. Philadelphia, Lea and Febiger; 1977: chap 9.

Gleave ME, Goldenberg SL, Chin JL, Warner J, Saad F, Klotz LH et al: Randomized comparative study of 3 versus 8-month neoadjuvant hormonal therapy before radical prostatectomy: biochemical and pathological effects. *J Urol* 2001; 166: 500.

Glick RD, Hicks MJ, Nuchtern JG, Wesson DE, Olutoye OO and Cass DL: Renal tumors in infants less than 6 months of age. *J Pediatr Surg* 2004; 39: 522-525.

Goel RK and Kaouk JH: Probe ablative treatment for small renal masses: cryoablation vs. radio frequency ablation. *Curr Opin Urol* 2008; 18: 467-473.

Goldfarb CR, Srivastava NC, Grotas AB, Ongseng F and Nagler HM: Radionuclide imaging in urology. *Urol Clin North Am* 2006; 33: 319-328.

Goldfarb DA, Nally JV and Shreiber MJ: Etiology, pathogenesis, and management of renal failure. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect X, chap 41, pp 1325-1360.

Goldman L, Hines TC and Kopits IM: Common complaints in the elderly. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 4, pp 39-47.

Goldstein I: Urologic management of women with sexual health concerns. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 28, pp 863-890.

Gomez RG, Ceballos L, Coburn M, Corriere JN, Dixon CM, Lobel B et al: Consensus statement on bladder injuries. *BJU Int* 2004; 94: 27-32, Figure 1.

Gong EM, Steinberg GD and Hautmann RE: Urinary diversions and reconstructions and orthotopic bladder substitution. In: Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM and Linehan WM: *Genitourinary Oncology, 3rd Edition*. Philadelphia, Lippincott, Williams & Wilkins; 2006: part II, chap 28, pp 507-526.

Gonzalez CC, Bitsori M and Tullus K: Progression of chronic renal failure in children with dysplastic kidneys. *Pediatr Nephrol* 2007; 22: 1014-1020.

Goodman HO, Holmes RP and Assimos DG: Genetic factors in calcium oxalate stone disease. *J Urol* 1995; 153: 301.

Gormley GJ, Stoner E, Bruskewitz RC, Imperato-McGinley J, Walsh PC, McConnell JD et al: The effects of finasteride in men with benign prostatic hyperplasia. The Finasteride Study Group. *New Engl J Med* 1992; 327: 1185-1191.

Gosalbez R, Castellan M, Ibrahim E, DiSandro M and Labbie A: New concepts in feminizing genitoplasty—is the Fortunoff flap obsolete? *J Urol* 2005; 174: 2350-2353.

Grady RW and Mitchell ME: Surgical techniques for one stage reconstruction of the exstrophy-epispadias complex. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds.

*Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 120, pp 3554-3572.

Grainger RG, Thomsen HS, Morcos SK, Koh DM and Roditi G: Intravascular contrast media for radiology, CT and MRI. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5th Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect 1, chap 2.

Gran CD, Kropp BP, Cheng EY and Kropp KA: Primary lower urinary tract reconstruction for nonfunctioning renal moieties associated with obstructing ureteroceles. *J Urol* 2005; 173: 198-201.  
Granville L and Myers K: Geriatric sexuality. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 55, pp 565-571.

Grattan-Smith, JD and Jones RA; MR Urography: techniques and results for the evaluation of urinary obstruction in the pediatric population. *Magn Reson Imaging Clin N Am* 2008; 16: 643-660.

Greenbaum L: Cystic kidney disease. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect III, chap 22, pp 327-346.

Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG et al, eds. *AJCC Cancer Staging Manual, 6th Edition*. Philadelphia, Lippincott Raven Publishers; 2002.

Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG et al: Kidney. In: *AJCC Cancer Staging Manual, 6th Edition*. Philadelphia, Lippincott Raven Publishers; 2002, part IX, chap 36, pp 323-325, 330.

Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG et al: Renal pelvis and ureter. In: *AJCC Cancer Staging Manual, 6th Edition*. Philadelphia, Lippincott Raven Publishers; 2002, part IX, chap 37, pp 329-334.

Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG et al: Urinary bladder. In: *AJCC Cancer Staging Manual, 6th Edition*. Philadelphia, Lippincott Raven Publishers; 2002, part IX, chap 38, pp 335-340.

Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG et al: Prostate. In: *AJCC Cancer Staging Manual, 6th Edition*. Philadelphia, Lippincott Raven Publishers; 2002, part IX, chap 34, pp 310-316.

Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG et al: Testis. In: *AJCC Cancer Staging Manual, 6th Edition*. Philadelphia, Lippincott Raven Publishers; 2002, part IX, chap 35, pp 317-322.

Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG et al: Penis. In: *AJCC Cancer Staging Manual, 6th Edition*. Philadelphia, Lippincott Raven Publishers; 2002, part IX, chap 33, pp 303-308.

Greene KL and Konety B: Urinary markers for bladder cancer. *AUA Update Series* 2007; vol 26, lesson 33, pp 326-331.

Greene TD: Avoiding bleeding complications during extraperitoneal robot assisted radical prostatectomy (AUA DVD V1431, 2008).

Greenfield SP: Vesicoureteral reflux. *AUA Update Series* 2007; vol 26, lesson 4, pp 30-40.

Gregoire M, Liandier F, Naud A, Lacombe L and Fradet Y: Does the potassium stimulation test predict cystometric, cystoscopic outcome in interstitial cystitis? *J Urol* 2002; 168: 556-557.

Gretzer MB and Partin AW: Prostate cancer tumor markers. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 93, pp 2896-2911.

Griebing TL: Urological issues in older adults. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 25, pp 266-279.

Grignon DJ, Eble JN, Bonsib SM and Moch H: Clear cell renal cell carcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, p 23-24.

Grignon DJ, El-Bolkainy MN, Schmitz-Dräger BJ, Simon R and Tyczynski JE: Squamous cell carcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, p 124.

Grignon DJ: Urothelial carcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 3, pp 202-204.

Grob BM and Fair WR: Partial cystectomy in the treatment of urologic and non-urologic malignancies. *AUA Update Series* 2001; vol XX, lesson 24, pp 186-190.

Grollman AP, Shibutani S, Moriya M, Miller F, Wu L, Moll U et al: Aristolochic acid and the etiology of endemic (Balkan) nephropathy. *Proc Natl Acad Sci U S A* 2007; 104: 12129-12134.  
Gross LJ: Continuing education and competency: some critical unresolved issues. *Health Policy Educ* 1982; 3: 125-131.

Grossfeld GD, Wolf JS Jr, Litwin MS, Hricak H, Shuler CL, Agerter DC et al: Asymptomatic microscopic hematuria in adults: summary of the AUA best practice policy recommendations. *Am Fam Physician* 2001; 63: 1145–1154.

Grossman HB, Natale RB, Tangen CM, Speights VO, Vogelzang NJ, Trump DL et al: Neoadjuvant chemotherapy plus cystectomy compared to cystectomy alone for locally advanced bladder cancer. *N Engl J Med* 2003; 349: 859-866.

Grundy PE, Breslow NE, Li S, Perlman E, Beckwith JB, Ritchey ML et al: Loss of heterozygosity for chromosomes 1p and 16q is an adverse prognostic factor in favorable histology Wilms tumor: a report from the National Wilms Tumor Study Group. *J Clin Oncol* 2005; 23:7312-7321.

Guarnizo E, Pavlovich CP, Seiba M, Carlson DL, Vaughan ED Jr and Sosa RE: Ureteroscopic biopsy of upper tract urothelial carcinoma: improved diagnostic accuracy and histopathological considerations using a multi-biopsy approach. *J Urol* 2000; 163: 52-55.

Guimaraes AR and Harisinghani MG: Imaging of transitional cell carcinoma. In: Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM and Linehan WM: *Genitourinary Oncology, 3rd Edition*. Philadelphia, Lippincott, Williams & Wilkins; 2006: part II, chap 23, pp 417-434.

Guimarães GC, Cunha IW, Soares FA, Lopes A, Torres J, Chaux A et al.: Penile squamous cell carcinoma clinicopathological features, nodal metastasis and outcome in 333 Cases. *J Urol* 2009; 182: 528-534.

Gupta M and Lee MW: Treatment of stones associated with complex or anomalous renal anatomy. *Urol Clin North Am* 2007; 34: 431-441.

Gupta NP, Singh DV, Hemal AK and Mandal S: Infundibulopelvic anatomy and clearance of inferior caliceal calculi with shock wave lithotripsy. *J Urol* 2000; 163: 24-27.

Guralnick JM and Ferrucci L: Demography and epidemiology. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 5, pp 45-67.

Gurney K: Sex and the surgeon's knife: the family court's dilemma...informed consent and the specter of iatrogenic harm to children with intersex characteristics. *Am J Law Med* 2007; 33: 625-661.

Gutpa NP, Ansari MS, Kesarvani P, Kapoor A and Mukhopadhyay S: Role of computed tomography with no contrast medium enhancement in predicting the outcome of extracorporeal shock wave lithotripsy for urinary calculi. *BJU Int* 2005; 96: 1285-1288.

Guyatt G, Rennie D, Meade M and Cook D, eds: Summarizing the evidence. In: *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice, 2nd Edition*. Chicago: American Medical Association; 2008: part F, chap 19, pp 523-542.

## eLearning Urology Core Curriculum

Guyatt G, Rennie D, Meade MO and Cook DJ: What is the question? In: Guyatt G, Rennie D, Meade MO and Cook DJ, eds. *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice, 2nd Edition*. Chicago: American Medical Association; 2008: part A, chap 3.

## H

---

Haber MH and Ward PCJ: Urine. In: McClatchey KD, ed. *Clinical Laboratory Medicine, 2nd Edition*. Philadelphia, Lippincott Williams & Wilkins; 2002: sect IV, chap 28, pp 519-552.

Haber MH, ed. *Urine Sediment: A Textbook Atlas*. Chicago: American Society of Clinical Pathologists; 1981.

Hafner C, Knuechel R, Stoehr R and Hartmann A: Clonality of multifocal urothelial carcinoma: 10 years of molecular genetics studies. *Int J Cancer* 2002; 101:1.

Hafron J and Kaouk JH: Ablative techniques for the management of kidney cancer. *Nat Clin Pract Urol* 2007; 4: 261-269.

Hafron J: Robotic extended pelvic lymphadenectomy during radical cystectomy: technique and initial outcomes (AUA DVD V1914, 2006).

Hain SF and Maisey MN: Positron emission tomography for urological tumours. *BJU Int* 2003; 92: 159-64.

Haleblian GE, Kijvikai K, de la Rosette J and Preminger GM: Ureteral stenting and urinary stone management: a systematic review. *J Urol* 2008; 179: 424-428.

Hall MC, Chang SS, Dalbagni G, Pruthi RS, Schellhammer PF, Seigne JD for the AUA Bladder Cancer Clinical Guideline Update Panel: Bladder Cancer: Guideline for the Management of Non-muscle-invasive Bladder Cancer: (Stages Ta,T1, and Tis): 2007 Update. Available at: <http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines.cfm?sub=bc>.

Hall MC, Chang SS, Dalbagni G, Pruthi RS, Seigne JD, Skinner EC et al: Guideline for the management of nonmuscle-invasive bladder cancer (stages Ta, T1 and Tis): 2007 update. *J Urol* 2007; 178: 2314-2330.

Hall MC, Womack JS, Roehrborn CG, Carmody T and Sagalowsky AI: Advanced transitional cell carcinoma of the upper urinary tract: patterns of failure, survival and impact of postoperative adjuvant radiotherapy. *J Urol* 1998; 160: 703-706.

Hall P and Weaver L: Interdisciplinary education and teamwork: a long and winding road. *Med Educ* 2001; 35: 867-875.

Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009.

Hammer C and Santucci RA: Effect of an institutional policy of non-operative treatment of grades I to IV renal injuries. *J Urol* 2003; 169: 1751-1753, figure 3.

Han M and Partin AW: Retropubic and suprapubic open prostatectomy. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 89, pp 2845-2853.

Han M, Walsh PC, Partin AW and Rodriguez R: Ability of the 1992 and 1997 American Joint Committee on Cancer staging systems for prostate cancer to predict progression-free survival after radical prostatectomy for stage T2 disease. *J Urol* 2000; 164: 89-92.

Han MY, Gibbons MD, Belman AB, Pohl HG, Majd M and Rushton HG: Indications for nonoperative management of ureteroceles. *J Urol* 2005; 174: 1652-1656.

Handa RK, Matlaga BR, Connors BA, Ying J, Paterson RF, Kuo RL et al: Acute effects of percutaneous tract dilation on renal function and structure. *J Endourol* 2006; 20: 1030-1040.

Hanks GE, Pajak TF, Porter A, Grignon D, Brereton H, Venkatesan V et al: Phase III trial of long-term adjuvant androgen deprivation after neoadjuvant hormonal cytoreduction and radiotherapy in locally advanced carcinoma of the prostate: the radiation therapy oncology group protocol 92-02. *J Clin Oncol* 2003; 21: 3972.

Hannema SE and Hughes IA: Regulation of wolffian duct development. *Horm Res* 2007; 67: 142-151.

Hanno PM: Amitriptyline in the treatment of interstitial cystitis. *Urol Clin North Am* 1994; 21: 89.

Hanno PM and Wein AJ: Conservative therapy for interstitial cystitis. *Semin Urol* 1991; 9: 143-147.

Hanno PM, Baranowski A, Fall M, Gajewski J, Nordling J, Nyberg L et al: Painful bladder syndrome (including interstitial cystitis). In: Abrams P, Cardozo L, Khoury S and Wein A, eds. *Incontinence: Proceedings from the Third International Consultation on Incontinence*. Plymouth UK, Health Publications, Ltd; 2005: vol 2, chap 23, pp 1455-1511.

Hanno PM, Levin RM, Monson FC, Teuscher C, Zhou ZZ, Ruggieri M et al: Diagnosis of interstitial cystitis. *J Urol* 1990; 143: 278-281.

Hanno PM: Painful bladder syndrome/interstitial cystitis and related disorders. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect IV, chap 10, pp 330-370.

Hanno PM: Amitriptyline in the treatment of interstitial cystitis. *Urol Clin North Am* 1994; 21: 89.

Hansel DE and Rini BI: Molecular genetics of hereditary renal cancer: new genes and diagnostic and therapeutic opportunities. *Expert Rev Anticancer Ther* 2008; 8: 895-905.

Hansson S, Dhamey M, Sigstrom O, Sixt R, Stokland E, Wennerstrom M et al: Dimercapto-succinic acid scintigraphy instead of voiding cystourethrography for infants with urinary tract infection. *J Urol* 2004; 172: 1071-1073.

Harari D: Constipation. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 93, pp 1103-1122.

Hardy RD and Austin JC: DMSA renal scans and the top-down approach to urinary tract infection. *Pediatr Infect Dis J* 2008; 27: 476-477.

Harris SE and Sandlow SI: Sperm acquisition in nonobstructive azoospermia: What are the options? *Urol Clin North Am* 2008; 35: 235-242.

Hartke DM and Resnick MI: Radical perineal prostatectomy. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 98, pp 2979-2984.

Hassouna M, Elmayergi N and Abdelhady M: Update on sacral neuromodulation: indications and outcomes. *Curr Urol Rep* 2003; 4: 391-398.

Hattab EM, Cheng L and Eble JN: Neoplasms of the kidney. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 6, pp 281-340.

Hatzichristou D, Rosen RC, Broderick G, Clayton A, Cuzin B, Derogatis et al: Clinical evaluation and management strategy for sexual dysfunction in men and women. *J Sex Med* 2004; 1: 49-57.

Haurani MJ, Rubinfeld I, Rao S, Beaubien J, Musial JL, Parker A et al: Are the communication and professionalism competencies the new critical values in a resident's global evaluation process? *J Surg Educ* 2007; 64: 351-356.

Hautmann RE, Volkmer BG, Schumacher MC, Gschwend JE and Studer UE: Long-term results of standard procedures in urology: the ileal neobladder. *World J Urol* 2006; 24: 305-314.

Hautmann RE: Urinary diversion: ileal conduit to neobladder. *J Urol* 2003; 169: 834-842.

Healy KA and Ogan K: Pathophysiology and management of infectious staghorn calculi. *Urol Clin North Am* 2007; 34: 363-374.

Hegde SS, Choppin A, Bonhaus D, Briaud S, Loeb M, Moy TM et al: Functional role of M2 and M3 muscarinic in the urinary bladder of rats in vitro and in vivo. *Br J Pharmacol* 1997; 120:1409.

Hegi LP, Geffken BP, Hanimann B and Sennhauser FH: Is there a benefit from routine voiding cystourethrography after ureterocystostomy. *Eur J Pediatr Surg* 2007; 17: 344-347.

Hellerstedt BA and Pienta KJ: Chemotherapy for androgen independent prostate cancer. *AUA Update Series* 2003; vol XXII, lesson 3.

Hemal AK, Goel A and Goel R: Minimally invasive retroperitoneoscopic ureterolithotomy. *J Urol* 2003; 169: 480.

Hemal AK: Laparoscopic en-bloc partial cystectomy for urachal adenocarcinoma (AUA Video V499, 2006).

Henny JE: From the US Food and Drug Administration. Microwave therapy warning. *JAMA* 2000; 284: 2711.

FDA U.S. Food and Drug Administration: FDA Public Health Notification: Serious Injuries from Microwave Thermotherapy for Benign Prostatic Hyperplasia October 11, 2000. Available at: <http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/PublicHealthNotifications/ucm062277.htm>. Accessed December 28, 2009.

Hensle TW and Grogg AL: Part 1: vesicoureteral reflux treatment: the past, present, and future. *Curr Med Res Opin* 2007; suppl 4, 23: S1-S5.

Hensle TW, Hyun G, Grogg AL and Eaddy M: Part 2: examining pediatric vesicoureteral reflux: a real-world evaluation of treatment patterns and outcomes. *Curr Med Res Opin* 2007; suppl 4, 23: S7-S13.

Herr HW, Donat SM, Kaufman DS, Zietman AL, Shipley WU, Stein JP et al: Invasive bladder cancer. In: Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM and Linehan WM: *Genitourinary Oncology, 3rd Edition*. Philadelphia, Lippincott, Williams & Wilkins; 2006: part II, chap 26, pp 467-499.

Herr HW, Dotan Z, Donat SM and Bajorin DF: Defining optimal therapy for muscle-invasive bladder cancer. *J Urol* 2007; 177: 437-443.

Herr HW, Sheinfeld J, Puc HS, Heelan R, Bajorin DF, Mencil P et al: Surgery for a post-chemotherapy residual mass in seminoma. *J Urol* 1997; 157: 860-862.

Herschorn S, Thuroff J, Bruschini H, Grise P et al: Surgical treatment of urinary incontinence in men: In Abrams P, Cardozo L, Khoury S and Wein A, eds. *Incontinence: 3rd International Consultation on Incontinence*. Paris, Health Publications Ltd; 2005: pp 1241-1296.

Herschorn S: Vaginal reconstructive surgery for sphincteric incontinence and prolapse. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 66, pp 2187-2233.

Herts BR: Screening computerized tomography and the incidental renal mass: urological implications of whole body scanning. *AUA Update Series* 2005; vol 24, lesson 14.

Herz D, Weiser A, Collette T, Reda E, Levitt S and Franco I: Dysfunctional elimination syndrome as an etiology of idiopathic urethritis in childhood. *J Urol* 2005; 173: 2132-2137.

Heyns CF, Steenkamp JW, De Kock ML and Whitaker P: Treatment of male urethral strictures: is repeated dilation or internal urethrotomy useful? *J Urol* 1998; 160: 356-358.

Heyns CF: Radical penectomy with simultaneous bilateral radical inguinal block dissection for high risk squamous cell carcinoma of the penis. (AUA Digital Video Library V1675, 2009).

Hilmer SN and Ford GA: General principles of pharmacology. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 8, pp 103-121.

Hilton S: Normal anatomy and variants. In: Silverman SG and Cohan RH, eds. *CT Urography: An Atlas*. Philadelphia, Lippincott Williams & Wilkins; 2007: chap 4, pp 28-49.

Hinman F and Baskin L, eds. *Hinman's Atlas of Pediatric Urologic Surgery, 2nd Edition*. Philadelphia, WB Saunders Elsevier; 2009.

Hinman FJ Jr, ed. *Atlas of Urologic Surgery*. Philadelphia, W.B. Saunders Co.; 1989.

Ho CL, Tzai TS, Chen JC, Tsai HW, Cheng HL, Eisenberger CF et al: The molecular signature for urothelial carcinoma of the upper urinary tract. *J Urol* 2008; 179: 1155-1159.

Hoa D for e-MRI: Magnetic Resonance Imaging Physics and Technique Course on the Web. Available at <http://www.imaios.com/en/e-Courses/e-MRI/>. Accessed 1.15.09.

Hoa D: Image quality and artifacts on e-MRI: Magnetic Resonance Imaging Physics and Technique Course on the Web. Available at <http://www.imaios.com/en/e-Courses/e-MRI/Image-quality-and-artifacts> . Accessed 01.15.09.

Hoa D: Instrumentation and safety on e-MRI: Magnetic Resonance Imaging Physics and Technique Course on the Web. Available at <http://www.imaios.com/en/e-Courses/e-MRI/MRI-instrumentation-and-safety>. Accessed 01.15.09.

Hobart MG, Strem SB and Gill IS: Renal transplant complications. Minimally invasive management. *Urol Clin North Am* 2000; 27: 787-798.

Hodson EM, Willis NS and Craig JC: Antibiotics for acute pyelonephritis in children. *Cochrane Database of Systematic Reviews* 2007; Issue 4, Art No: CD003772.

Hoebeke P, De Caestecker K, Vande Walle J, Dehoorne J, Raes A and Verleyen P: The effect of botulinum-A toxin in incontinent children with therapy resistant overactive detrusor. *J Urol* 2006; 176: 328-330.

Hohenstein P and Hastie ND: The many facets of the Wilms' tumour gene, WT1. *Hum Mol Genet* 2006; 15 Spec No 2: R196-201.

Holdgate A and Pollock T: Systematic review of the relative efficacy of non-steroidal anti-inflammatory drugs and opioids in the treatment of acute renal colic. *BMJ* 2004; 328: 1401.

Hollanda NT, Pfliegera L, Bergerb E, Hoa A, Bastakia M: Molecular epidemiology biomarkers—Sample collection and processing considerations, . *Toxicology and Applied Pharmacology* 206 (2005) 261-268 Available at: <http://ehs.sph.berkeley.edu/Holland/Publication/Holland%202005.pdf> Accessed January 15, 2010.

Hollingsworth JM, Rogers MA, Kaufman SR, Bradford TJ, Saint S, Wei JT et al: Medical therapy to facilitate urinary stone passage: a meta-analysis. *Lancet* 2006; 368: 1171-1179.

Hollmann P: Health care organization and financing. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 58, pp 587-595.

Holmang S and Johansson SL: Bilateral metachronous ureteral and renal pelvic carcinomas: incidence, clinical presentation, histopathology, and outcome: *J Urol* 2006; 175: 69-73.

Holmes NM, Miller WL and Baskin LS: Lack of defects in androgen production in children with hypospadias. *J Clin Endocrinol Metab* 2004; 89: 2811-2816.

Holmes RP and Assimos DG: Glyoxylate synthesis, and its modulation and influence on oxalate synthesis. *J Urol* 1998; 160: 1617.

Honey RJD'A, Schuler TD, Ghiculete D, Pace KT and Canadian Endourology Group: Randomized double-blind trial to compare shock wave frequencies of 60 and 120 shocks per minute for upper ureteral stones. *J Urol* 2009; 182: 1418-1423.

Hong YM and Loughlin KR: The use of hemostatic agents and sealants in urology. *J Urol* 2006; 176: 2367-2374.

Hooper H: Hemorrhagic complications of laparoscopic and robotic renal and adrenal surgery: when to convert (AUA DVD V448, 2008).

Hopps CV and Goldstein M: Varicocele: unified theory of pathophysiology and treatment. *AUA Update Series* 2004; vol 24, lesson 12.

Horcajada JP, Vilana R, Moreno-Martínez A, Alvarez-Vijande R, Bru C, Bargalló X et al: Transrectal prostatic ultrasonography in acute bacterial prostatitis: findings and clinical implications. *Scand J Infect Dis* 2003; 35:114-120.

Horger DC and Clarke HS: Current status of cryotherapy in the treatment of prostate cancer. *AUA Update Series* 2004; vol 23, lesson 19.

Horowitz M and Misseri R: Diurnal and nocturnal enuresis. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect V, chap 54, pp 829-836.

Houben CH, Chan A, Lee KH, Tam YH, To KF, Cheng W et al: Inflammatory myofibroblastic tumor of the bladder in children: what can be expected? *Pediatr Surgery Int* 2007; 23: 815-819.

Hoznek A: Extended pelvic lymphadenectomy during laparoscopic radical cystectomy (AUA DVD V345, 2007).

Hruby G: Laparoscopic pyelolithotomy with intraperitoneal ultrasonic lithotripsy (AUA DVD, V932, 2006).

Hsu TH, Strem SB and Nakada SY: Management of upper urinary tract obstruction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect IX, chap 38, pp 1227-1273.

Hua VN and Schaeffer AJ: Acute and chronic prostatitis. *Med Clin North Am* 2004; 88: 483-494.

Huang AJ, Lee VS and Rusinek H: MR imaging of renal function. *Radiol Clin North Am* 2003; 41:1010-1014.

Huang J, Coman D, McTaggart SJ and Burke JR: Long-term follow-up of patients with idiopathic infantile hypercalcaemia. *Pediatr Nephrol* 2006; 21: 1676-1680.

Hubert J: Laparoscopic robot-assisted radical cystectomy with intracorporal urinary diversion (AUA DVD V1433, 2008).

Huddle TS on behalf of the Accreditation Council for Graduate Medical Education (ACGME): Viewpoint: teaching professionalism: is medical morality a competency? *Acad Med* 2005; 80: 885-891.

Hudson RG and Skoog SJ: Prune belly syndrome. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5<sup>th</sup> Edition*. London, Informa Healthcare UK Ltd; 2007: sec V, chap 64, pp 1081-1109.

Huen SC and Goldfarb DS: Adverse metabolic side effects of thiazides: implications for patients with calcium nephrolithiasis. *J Urol* 2007; 177: 1238.

Hughes IA: Disorders of sex development: a new definition and classification. *Best Pract Res Clin Endocrinol Metab* 2008; 22: 119-134.

Hughes IA: Early management and gender assignment in disorders of sexual differentiation. *Endocr Dev* 2007; 11: 47-57.

Hulley SB, Cummings SR, Browner WS, Grady DG and Newman TB, eds: *Designing Clinical Research, 3rd Edition*. Philadelphia: Lippincott Williams & Wilkins; 2007: p 333.

Humphrey PA, Frazier HA, Vollmer RT et al: Stratification of pathologic features in radical prostatectomy specimens that are predictive of elevated initial postoperative serum prostate-specific antigen levels. *Cancer* 1993; 71: 1822-1827.

Humphreys MR, Vandersteen DR, Slezak JM, Hollatz P, Smith CA and Smith JE et al: Preliminary results of sacral neuromodulation in 23 children. *J Urol* 2006; 176: 2227-2231.

Husmann DA and Rathbun SR: Long-term follow-up of enteric augmentation: the risk of malignancy. *J Pediatr Urol* 2008; 4: 381-385.

Husmann DA, Levy JB, Cain MP, Teitjen DN and Uramoto GY: Micropenis: current concepts and controversies. *AUA Update Series* 1998; vol XVII, lesson 10.

Husmann DA, Rathbun SR and Driscoll DJ: Klippel-Trenaunay syndrome: incidence and treatment of genitourinary sequelae. *J Urol* 2007; 177: 1244-1249.

Husmann DA: Cryptorchidism and its relationship to testicular neoplasia and microlithiasis. *Urology* 2005; 66: 424-426.

Husmann DA: Surgery insight: advantages and pitfalls of surgical techniques for the correction of bladder exstrophy. *Nat Clin Pract Urol* 2006; 3: 95-100.

Husmann DA: Use of sympathetic alpha antagonists in the management of pediatric urologic disorders. *Curr Opin Urol* 2006; 16: 277-282.

Hussain M, Greenwell TJ, Venn SN and Mundy AR: The current role of artificial urinary sphincter for the treatment of urinary incontinence. *J Urol* 2005; 174: 418-424.

Hwang JY, Byun SS, Oh SJ and Kim HC: Novel algorithm for improving accuracy of ultrasound measurement of residual urine volume according to bladder shape. *Urology* 2004; 64: 887-891.

I

---

Ibeigi P: Robotic-assisted laparoscopic pyeloplasty with concomitant laparo-endoscopic pyelolithotomy calyceal calculi (AUA DVD V933, 2006).

Inouye DK, Fearing MA and Marcantonio ER: Delirium. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 53, pp 647-658.

International Germ Cell Consensus Classification: a prognostic factor-based staging system for metastatic germ cell cancers. *J Clin Oncol* 1997; 15: 594-603.

Irwin PP and Galloway NT: Surgical management of interstitial cystitis. *Urol Clin North Am* 1994; 21: 145-151.

Isaacs JT: Prostate stem cells and benign prostatic hyperplasia. *Prostate* 2008; 68: 1025-1034.

Israel GM and Bosniak MA: An update of the Bosniak renal cyst classification system. *Urology* 2005; 66: 484-488.

Iversen P, Madsen PO and Corle DK: Radical prostatectomy versus expectant treatment for early carcinoma of the prostate: twenty-three year follow-up of a prospective randomized study. *Scand J Urol Nephrol suppl.*, 1995; 172: 65.

Ivil KD, Jenkins SA, Doak SH, Hawizy AM, Kynaston HG, Parry EM et al: Identification of early p53 mutations in clam ileocystoplasties using restriction site mutation assay. *Urology* 2007; 70: 905-909.

Iyer RV, Hanlon AL, Pinover WH and Hanks GE: Outcome evaluation of the 1997 American Joint Committee on Cancer staging system for prostate carcinoma treated by radiation therapy. *Cancer* 1999; 85: 1816-1821

J

---

Jacobellis U: Modified radical inguinal lymphadenectomy for carcinoma of the penis: technique and results. *J Urol* 2003; 169: 1349.

Jacobsen SJ, Jacobson DJ, Girman CJ, Roberts RO, Rhodes T, Guess HA et al: Natural history of prostatism: risk factors for acute urinary retention. *J Urol* 1997; 158: 481-487.

Jaffe WI and Kaplan SA: Benign prostatic hyperplasia: markers for disease progression. *AUA Update Series* 2007; vol 26, lesson 31, pp 302-309.

Jaffe WI and Te AE: Overactive bladder in the male patient: epidemiology, etiology, evaluation, and treatment. *Curr Urol Rep* 2005; 6: 410-418.

Jaffer AK and Brotman DJ: Prevention of venous thromboembolism after surgery. *Clin Geriatr Med* 2008; 24: 625-639.

Jaffer AK: Perioperative management. *Clin Geriatr Med* 2008; 24: 573-738.

Jain S, Suarez AA, McGuire J and Liapis H: Expression profiles of congenital renal dysplasia reveal new insights into renal development and disease. *Pediatr Nephrol* 2007; 22: 962-974.

James Buchanan Brady Urological Institute, Johns Hopkins Medicine: Minimally Invasive Surgery, Laparoscopic Live Donor Nephrectomy. Available at: [http://urology.jhu.edu/MIS/index.php#video\\_prostate1](http://urology.jhu.edu/MIS/index.php#video_prostate1) Accessed January 18, 2010.

Jana S and Blafox MD: Nuclear medicine studies of the prostate, testes, and bladder. *Semin Nucl Med* 2006; 36: 51-72.

Janetschek G, Hobisch A, Peschel R, Hittmair A and Bartsch G: Laparoscopic retroperitoneal lymph node dissection for clinical stage I nonseminomatous testicular carcinoma: long-term outcome. *J Urol* 2000; 163: 1793-1796.

Jankowski JT and Spirnak JP: Current recommendations for imaging in the management of urologic traumas. *Urol Clin North Am* 2006; 33: 365-376.

Jansson UB, Hanson M, Sillen U and Hellstrom AL: Voiding pattern and acquisition of bladder control from birth to age 6 years—a longitudinal study. *J Urol* 2005; 174: 289-293.

Jarow JP, Sharlip ID, Belker AM, Lipshultz LI, Sigman M, Thomas AJ et al for the Male Infertility Best Practice Policy Committee of the American Urological Association, Inc.: Best practice policies for male infertility; *J Urol* 2002; 167: 2138-2144.

Jarvi K and Chitayat D: The genetics you never knew: A genetics primer. *Urol Clin North Am* 2008; 35: 243-256.

Jemal A, Siegel R, Ward E, Hao Y, Xu J, Murray T et al: Cancer statistics 2008. *CA Cancer J Clin* 2008; 58: 71-96.

Jewett MA and Zuniga A: Renal tumor natural history: the rationale and role for active surveillance. *Urol Clin North Am.* 2008; 35: 627-634.

Jewett MAS, Kong YSP, Goldberg SD, Sturgeon JFG, Thomas GM, Alison RE et al: Retroperitoneal lymphadenectomy for testis tumor with nerve sparing for ejaculation. *J Urol* 1988; 139: 1220-1224.

Jhaveri J: Grades of robotic nerve sparing (AUA DVD, V1429, 2008).

Johansson JE, Andren O, Andersson SO, Dickman PW, Holmberg L, Magnusson A et al: Natural history of early, localized prostate cancer. *JAMA* 2004; 291: 2713.

Johansson SL and Busch C: Papillary urothelial neoplasm of low malignant potential. Non-invasive papillary urothelial carcinoma, low grade. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs.* France, IARC Press; 2004: chap 2, pp 115-116.

John H: Laparoscopic robot-assisted transvaginal prostatectomy for large benign hyperplasia (AUA Video V874, 2007).

Johnson CW, Fisch HW and Hensle TW: The adolescent varicocele. *AUA Update Series* 2004; vol 23, lesson 33.

Johnson TM II and Ouslander JG: Incontinence. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition.* New York: McGraw-Hill Professional; 2009: chap 59, pp 717-730.

Jones JS and Campbell SC: Non-muscle-invasive bladder cancer (Ta, T1, and CIS). In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition.* Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 76, pp 2447-2467.

Jones JS: Office-based prostate biopsy: strategies to improve patient experience and cancer detection. *AUA Update Series* 2004; vol 23, lesson 9.

Joniau S, Vander Eeckt K and Van Poppel H: The indications for partial nephrectomy in the treatment of renal cell carcinoma. *Nat Clin Pract Urol* 2006; 3: 198-205.

Jordan GH and Brady JD: Laparoscopic techniques for the management of the impalpable undescended testicle: part I. Indications and goals for orchiopexy, patient preparation and diagnostic orchiopexy. *AUA Update Series* 2001; vol XX, lesson 30.

Jordan GH and Brady JD: Laparoscopic techniques for the management of the impalpable undescended testicle: part II. *AUA Update Series* 2001; vol XX, lesson 31.

Jordan GH and Gilbert DA: Male genital trauma. *AUA Update Series* 1985; vol IV, lesson 20.

Jordan GH and Gilbert DA: Male genital trauma. *Clin Plast Surg* 1988; 15: 405-409.

Jordan GH and Schlossberg SM: Surgery of the penis and urethra. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, chap 33, pp 1023-1097.

Jordan GH and Schlossberg SM: Surgery of the penis and urethra. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VII, chap 33, pp 1028-1049, 1054-1086.

Jordan GH, Virasoro R, and Eltahawy E: Reconstruction and management of posterior urethral and straddle injuries of the urethra. *Urol Clin North Am* 2006; 33: 97-109.

Jordan GH: Imaging of the penis and male urethra. *AUA Update Series* 2008; vol 27, lesson 23, p 210-214.

Jordan GH: Initial management and reconstruction of male genital amputation injuries. In: McAninch JW, Carroll PR and Jordan GH, eds. *Traumatic and Reconstructive Urology*. Philadelphia, WB Saunders Company; 1996: chap 57, pp 673-681.

Jordan GH: Lower genitourinary tract trauma and male external genital trauma (nonpenetrating injuries, penetrating injuries, and avulsion injuries). Part II. *AUA Update Series* 2000; vol XIX, lesson 11, pp 82-87, figure 7, 8.

Jordan GH: Lower genitourinary tract trauma and male external genital trauma (anatomy, nonpenetrating injuries). Part I. *AUA Update Series* 2000; vol XIX, lesson 10, pp 74-79.

Jordan GH: Lower genitourinary tract trauma and male external genital trauma (avulsion injuries, burn injuries, penile laceration with membranous urethral injuries). Part III. *AUA Update Series* 2000, vol XIX, lesson 12, pp 90-95.

Jordan GH: Peyronie's disease. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 25, pp 818-838.

Jordan GH: Scrotal trauma and reconstruction. In: Graham SD, Glenn JF and Keane TE, eds. *Glenn's Urologic Surgery, 6th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect VII, chap 68, pp 5518-5529.

Joseph DB: Current approaches to the urologic care of children with spina bifida. *Curr Urol Rep* 2008; 9: 151-157.

## eLearning Urology Core Curriculum

Joseph DB: Megaureter. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5<sup>th</sup> Edition*. London, Informa Healthcare UK Ltd; 2007: sec IV, chap 39, pp 577-591.

Josephson DY: Technique of robot-assisted laparoscopic cystoprostatectomy, extended pelvic lymphadenectomy and orthotopic neobladder (AUA DVD V1921, 2007).

Joudi FN, Kuehn DM and Williams RD: Maximizing clinical information obtained by CT. *Urol Clin North Am* 2006; 33: 287-300.

Joyner BD: An historical review of graduate medical education and a protocol of Accreditation Council for Graduate Medical Education compliance. *J Urol* 2004; 172: 34-39.

## K

---

Kalb B, Votaw JR, Salman K, Sharma P and Martin DR: Magnetic resonance nephrourography: current and developing techniques. *Radiol Clin North Am* 2008; 46: 11-24.

Kallestrup EB, Jorgensen SS, Nordling J and Hald T: Treatment of interstitial cystitis with Cystistat: a hyaluronic acid product. *Scand J Urol Nephrol* 2005; 39: 143-147.

Kalman D and Varenhorst E: The role of arterial embolization in renal cell carcinoma. *Scand J Urol Nephrol* 1999; 33: 162-170.

Kalorin CM, Zabinski A, Okpareke I, White M and Kogan BA: Pediatric urinary stone disease—does age matter? *J Urol* 2009; 181: 2267.

Kalra MK, Singh S and Blake MA: CT of the urinary tract: turning attention to radiation dose. *Radiol Clin North Am* 2008; 46: 1-9.

Kamperis K, Hagstroem S, Rittig S and Djurhuus JC: Combination of the enuresis alarm and desmopressin: second line treatment for nocturnal enuresis. *J Urol* 2008; 179: 1128-1131.

Kanao K, Nakashima J, Nakagawa K, Asakura H, Miyajima A Oya M et al: Preoperative nomograms for predicting stone-free rate after extracorporeal shock wave lithotripsy *J Urol* 2006; 176: 1453-1457.

Kaplan SA, Roehrborn CG, Rovner ES, Carlsson M, Bavendam T and Guan Z: Tolterodine and tamsulosin for treatment of lower urinary tract symptoms and overactive bladder: a randomized controlled trial. *JAMA* 2006; 296: 2319-2328.

Kapoor R, Solanki F, Singhanian P, Andankar M and Pathak HR: Safety and efficacy of percutaneous nephrolithotomy in the pediatric population. *J Endourol* 2008; 22: 637-640.

Karnes RJ and Blute ML: Surgery insight: management of renal cell carcinoma with associated inferior vena cava thrombus. *Nat Clin Pract Urol* 2008; 5: 329-339.

Karpman E and Kurzrock EA: Adverse reactions of nitrofurantoin, trimethoprim and sulfamethoxazole in children. *J Urol* 2004; 172: 448-458.

Kaschina E and Unger T: Angiotensin AT1/AT2 receptors: regulation, signaling and function. *Blood Press* 2003; 12: 70-88.

Kato T, Sato K, Abe R and Moriyama M: The role of embolization/chemoembolization in the treatment of renal cell carcinoma. *Prog Clin Biol Res* 1989; 303: 697-705.

Kattan MW, Ficarra V, Artibani W, Cunico S, Fandella A, Martignoni G et al.: Nomogram predictive of cancer specific survival in patients undergoing partial or total amputation for squamous cell carcinoma of the penis. *J Urol* 2006; 175: 2103.

Katz S and Rosen M: MR imaging and MR spectroscopy in prostate cancer management. *Radiol Clin North Am* 2006; 44:723-734.

Kausik S, Segura JW and King BF Jr: Classification and management of simple and complex renal cysts. *AUA Update Series* 2002; vol XXI, lesson 11, pp 82-87.

Kavanagh EC, Ryan S, Awan A, McCoubrey S, O'Connor R and Donoghue V: Can MRI replace DMSA in the detection of renal parenchymal defects in children with urinary tract infections? *Pediatr Radiol* 2005; 35: 275-281.

Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect VIII, chap 36, pp 1156-1192.

Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 68, pp 2251-2271.

Kawamoto S and Fishman EK: Urolithiasis. In: Silverman SG and Cohan RH, eds. *CT Urography: An Atlas*. Philadelphia, Lippincott Williams & Wilkins; 2007: chap 5, pp 50-78

Kaye JD, Levitt SB, Friedman SC, Franco I, Gitlin J and Palmer LS: Neonatal torsion: a 14-year experience and proposed algorithm for management. *J Urol* 2008; 79: 2377-2383.

Keating MA: Ureteral duplication anomalies: ectopic ureters and ureteroceles. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5<sup>th</sup> Edition*. London, Informa Healthcare UK Ltd; 2007: sec IV, chap 40, pp 593-647.

Keay S and Warren JW: A hypothesis for the etiology of interstitial cystitis based upon inhibition of bladder epithelial repair. *Med Hypotheses* 1998; 51:79-83.

Keeley FX, Kulp DA, Bibbo M, McCue PA and Bagley DH: Diagnostic accuracy of ureteroscopic biopsy in upper tract transitional cell carcinoma. *J Urol* 1997; 157: 33-37.

Keith P: The role of the accountant in your practice. *Urol Clin North Am* 2005; 32: 263-269.

Kennedy CC, Jaeschke R, Keitz S, Newman T, Montori V, Wyer PC et al: Tips for teachers of evidence-based medicine: adjusting for prognostic imbalances (confounding variables) in studies on therapy or harm. *J Gen Intern Med* 2008; 23: 337-343.

Kenny PJ: CT evaluation of urinary lithiasis. *Radiol Clin North Am* 2006; 41: 979-999.  
Keppler-Noreuil K, Gorton S, Foo F, Yankowitz J and Keegan C: Prenatal ascertainment of OEIS complex/cloacal exstrophy - 15 new cases and literature review. *Am J Medl Genetics* 2007; 143A: 2122-2128.

Keren R: Imaging and treatment strategies for children after first urinary tract infection. *Curr Opin Pediatr* 2007; 19: 705-710.

Kessler T, Burkhard F and Studer U: Clinical indications and outcomes with nerve-sparing cystectomy in patients with bladder cancer. *Urol Clin North Am* 2005; 32: 165-175.

Khan S, Win Z, Szyszko T, Lloyd C, Dunn J, Alavi A et al: PET imaging for pheochromocytoma. *PET Clin* 2008; 2: 341-349.

Khoury A and Bagli DJ: Reflux and megaureter. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 117, pp 3423-3481.

Kiddoo DA, Canning DA, Snyder HM 3rd and Carr MC: Urethral dilation as treatment for neurogenic bladder. *J Urol* 2006; 176: 1831-1833.

Kijvikai K, Haleblan GE, Preminger GM and de la Rosette J: Shock wave lithotripsy or ureteroscopy for the management of proximal ureteral calculi: an old discussion revisited. *J Urol* 2007; 178: 1157-1159.

Kikuchi E, Margulis V, Karakiewicz PI, Roscigno M, Mikami S, Lotan Y et al: Lymphovascular invasion predicts clinical outcomes in patients with node-negative upper tract urothelial carcinoma. *J Clin Oncol* 2008; 27: 612-618.

Kim DK, Thomas CA, Smith C and Chancellor MB: The case for bladder botulinum toxin application. *Urol Clin North Am* 2006; 33: 503-510.

Kim HH and Schlegel PN: Endocrine manipulation in male infertility. *Urol Clin North Am* 2008; 35: 303-318.

Kim HH: Surgical management of obstruction of the ejaculatory ducts. (AUA Digital Video Library V1061, 2008)

Kim HL, Lam JS and Beldegrun AS: The role of lymphadenectomy in renal cell carcinoma. *Curr Urol Rep* 2004; 5: 25-29.

Kim IY and Clayman RV: Surgical renal anatomy. *AUA Update Series* 2006; vol 25, lesson 40, pp 362-367.

Kim SC and Lingeman JE: Percutaneous access to the urinary tract. In: Nakada SY and Pearle MS, eds. *Advanced Endourology*. New York, Springer; 2006: chap 3, pp 43-60.

Kim SC, Tinmouth WW, Kuo RL, Paterson RF and Lingeman JE: Using and choosing a nephrostomy tube after percutaneous nephrolithotomy for large or complex stone disease: a treatment strategy. *J Endourol* 2005; 19: 348-352.

King LR and Kramer SA, eds. *Clinical Pediatric Urology, 4th Edition*. London, Martin Dunitz Ltd.; 2002: chap 1, pp 11-13.

King MB: Falls. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 54, pp 659-669.

Kirby R and Lepor H: Evaluation and non-surgical management of benign prostatic hyperplasia. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 87, pp 2727-2765.

Kirby RS: The natural history of benign prostatic hyperplasia: what have we learned in the last decade? *Urology* 2000; 56: 3-6.

Kishi R, Sata F, Yoshioka E, Ban S, Sasaki S, Konishi K et al: Exploiting gene-environment interaction to detect adverse health effects of environmental chemicals on the next generation. *Basic Clin Pharmacol Toxicol* 2008; 102: 191-203.

Kissane JM: Renal cysts in pediatric patients: a classification and overview. *Pediatr Nephrol* 1990; 4: 69-77.

Kitchens DM, DeFoor W, Minevich E, Reddy P, Polsky E, McGregor A et al: End cutaneous ureterostomy for the management of severe hydronephrosis. *J Urol* 2007; 177: 1501-1504.

Klatte T and Pantuck AJ: Molecular biology of renal cortical tumors. *Urol Clin North Am* 2008; 35: 573-580.

Klein EA, Kupelian P, Mahadevan A and Dreicer R: Management of locally advanced prostate cancer. *AUA Update Series* 2004; vol 23, lesson 32.

Klein EA, Platz EA and Thompson IM: Epidemiology, etiology, and prevention of prostate cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 90, pp 2854-2873.

Kleinman A, Eisenberg L and Good B: Culture, illness, and care: clinical lessons from anthropologic and cross cultural research. *Ann Intern Med* 1978; 88: 251-258.

Kleppe S, Schmitt J, Geipel A, Gembruch U, Hansmann M, Bartmann P et al: Impact of prenatal urinomas in patients with posterior urethral valves and postnatal renal function. *J Perinatal Med* 2006; 34: 425-428.

Klotz L: Active surveillance with selective delayed intervention for favorable risk prostate cancer. *Urol Oncol* 2006; 24: 46.

Knudsen BE and Denstedt JD: Intracorporal lithotriptors. In: Smith AD, Badlani GH, Bagley DH, Clayman RV and Docimo SG, eds. *Smith's Textbook of Endourology, 2nd ed*. Hamilton, Ontario: BC Decker Inc; 2007: chap 5.

Ko YJ and Atkins MB: Chemotherapies and immunotherapies for metastatic kidney cancer. *Curr Urol Rep* 2005; 6: 35-42.

Koch WF, Ezz El Din K, de Wildt MJ, Debruyne FM and de la Rosette JJ: The outcome of renal ultrasound in the assessment of 556 consecutive patients with benign prostatic hyperplasia. *J Urol* 1996; 155: 186-189.

Koff SA, Gigax MR and Jayanthi VR: Nocturnal bladder emptying: a simple technique for reversing urinary tract deterioration in children with neurogenic bladder. *J Urol* 2005; 174: 1629-1631.

Kohn IJ and Te AE: Electrical stimulation and neuromodulation in the treatment of lower urinary tract dysfunction. *AUA Update Series* 2003; vol XXII, lesson 9, p 66.

Kohn LT, Corrigan JM and Donaldson MS, eds: *To Err is Human: Building a Safer Health System*. Washington, D.C: Committee on Quality of Health Care in America, Institute of Medicine: The National Academy Press; 200: p 26.

Kokorowski PJ: Lessons learned from comparison of adult and pediatric robotic assisted laparoscopic pyeloplasties (AUA DVD V1072, 2009).

Kolettis P: Restructuring reconstructive techniques—advances in reconstructive techniques. *Urol Clin North Am* 2008; 35: 229-234.

Kolon TF and Lamb DJ: The molecular basis of intersex conditions. *AUA Update Series* 2001; vol XX, lesson 14.

Kolon TF: Cryptorchidism. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect VI, chap 74, pp 1295-1304.

Kolon TF: Disorders of sexual development. *Curr Urol Rep* 2008; 9: 172-177.

Kondagunta GV, Sheinfeld J, Mazumdar M, Mariani TV, Bajorin D, Bacik J et al: Relapse-free and overall survival in patients with pathologic stage II nonseminomatous germ cell cancer treated with etoposide and cisplatin adjuvant chemotherapy. *J Clin Oncol* 2004; 22: 464-467.

Kondo T, Nakazawa H, Ito F, Hashimoto Y, Toma H and Tanabe K: Impact of the extent of regional lymphadenectomy on the survival of patients with urothelial carcinoma of the upper urinary tract. *J Urol* 2007; 178: 1212-1217.

Konety BR and Getzenberg RH: Urine based markers of urologic malignancy. *J Urol* 2001; 165: 600.

## eLearning Urology Core Curriculum

Koppie TM and Bochner BH: Bladder cancer staging. In: Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM and Linehan WM: *Genitourinary Oncology*, 3<sup>rd</sup> Edition. Philadelphia, Lippincott, Williams & Wilkins; 2006: part II, chap 22, pp 411-416.

Koyle MA and Caldamone AA: Part 4: considerations regarding the medical management of VUR: what have we really learned? *Curr Med Res Opin* 2007; suppl 4, 23: S21-S25.

Koyun M, Güven AG, Filiz S, Akman S, Akbas H, Baysal YE et al: Screening for hypercalciuria in schoolchildren: what should be the criteria for diagnosis? *Pediatr Nephrol* 2007; 22: 1297-1301.

Koziol JA, Clark DC, Gittes RF and Tan EM: The natural history of interstitial cystitis: a survey of 374 patients. *J Urol* 1993; 149: 465.

Koziol JA: Epidemiology of interstitial cystitis. *Urol Clin North Am* 1994; 21: 7-20.

Kraft JC: A cystoscopic atlas of interstitial cystitis and bladder ulcers (AUA Video V1669, 2006).

Kraft KH and Pattaras JG: Medical management of urolithiasis. *AUA Update Series* 2007; vol 26, lesson 36.

Krambeck A and Lingeman JE: Clinical implications and bioeffects of shock wave lithotripsy. *AUA Update Series* 2009; vol 28, lesson 25, pp 230-232.

Krambeck AE, Gettman MT, Rohlinger AL, Lohse CM, Patterson DE and Segura JW: Diabetes mellitus and hypertension associated with shock wave lithotripsy of renal and proximal ureteral stones at 19 years of followup. *J Urol* 2006; 175: 1742-1747.

Krambeck AE, Thompson RH, Lohse CM, Patterson DE, Elliott DS and Blute ML: Imperative indications for conservative management of upper tract transitional cell carcinoma. *J Urol* 2007; 178: 792-797.

Kramer BA: Tips and tricks of laparoscopic adrenalectomy (AUA DVD V2059, 2006).

Kramer BA: Tips and tricks of laparoscopic adrenalectomy. (AUA DVD V2059, 2009).

Kramer BS, Hagerty KL, Justman S, Somerfield MR, Albertsen PC, Blot WJ et al: Use of 5 $\alpha$ -reductase inhibitors for prostate cancer chemoprevention: American Society of

Kramer SA, Rathbun SR, Elkins D, Karnes RJ and Husmann DA: Double-blind placebo controlled study of alpha-adrenergic receptor antagonists (doxazosin) for treatment of voiding dysfunction in the pediatric population. *J Urol* 2005; 173: 2121-2124.

Kravet SJ, Howell E and Wright SM: Morbidity and mortality conference, grand rounds, and the ACGME core competencies. *J Gen Int Med* 2006; 21: 1192-1194.

Krieger JN and Riley DE: Bacteria in the chronic prostatitis chronic pelvic pain syndrome: molecular approaches to critical research questions. *J Urol* 2002; 167: 2574.

Krieger JN, Lee SW, Jeon J, Cheah PY, Liong ML and Riley DE: Epidemiology of prostatitis. *Int J Antimicrob Agents*, suppl., 2008; 31: S85-S90.

Krieger JN, Ross SO and Riley DE: Chronic prostatitis: epidemiology and role of infection. *Urology* 2002; 60: 8-12.

Krieger JN, Nyberg L Jr and Nickel JC: NIH consensus definition and classification of prostatitis. *JAMA* 1999; 282: 236-237.

Krieger JN: Sexually transmitted diseases. In: Tanagho EA and McAninch JW, eds. *Smith's General Urology 17th Edition*. New York, McGraw-Hill Professional; 2007: chap 15, pp 235-245.

Krieger JN: Urologic implications of AIDS and HIV infection. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect IV, chap 12, pp 386-404.

Krishnan A, de Souza A, Konijeti R and Baskin LS: The anatomy and embryology of posterior urethral valves. *J Urol* 2006; 175: 1214-1220.

Kroog GS and Motzer RJ: Systemic therapy for metastatic renal cell carcinoma. *Urol Clin North Am* 2008; 35: 687-701.

Kropp BP and Cheng EY: Bladder augmentation: current and future techniques. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect V, chap 56, pp 871-903.

Kropp BP and Zwischenberger JB: Tissue-engineered autologous bladders: new possibilities for cystoplasty. *Nat Clin Pract Urol* 2006; 3: 588-589.

Kruger TF, Acosta AA, Simmons KF, Swanson RJ, Matta JF and Oehninger S: Predictive value of abnormal sperm morphology in vitro fertilization. *Fertil Steril* 1988; 49: 112-117.

Krupski TL, Dahm P, Fesperman SF and Schardt CM: How to perform a literature search. *J Urol* 2008; 179: 1264-1270.

Kuan JK, Porter J and Wessells H: Imaging for genitourinary trauma. *AUA Update Series* 2006; vol 25, lesson 4, pp 26-29.

Kuchel GA: Aging and homeostatic regulation. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 51, pp 621-629.

Kumar A and Carson JL: Perioperative anemia in the elderly. *Clin Geriatr Med* 2008; 24: 641-648.

Kumar R: Adrenocortical positron emission tomography/PET-CT imaging. *PET Clin* 2008; 2: 331-339.

Kumar V, Abbas AK and Fausto N, eds. *Robbins and Cotran Pathologic Basis of Disease, 7th Edition*. Philadelphia, WB Saunders Elsevier; 2005.

Kunkle DA, Egleston BL and Uzzo RG: Excise, ablate or observe: the small renal mass dilemma—a meta-analysis and review. *J Urol* 2008; 179: 1227-1233.

Kuo MF, Tsai Y, Hsu WM, Chen RS, Tu YK and Wang HS: Tethered spinal cord and VACTERL association. *J Neurosurg* 2007; 106: 201-204.

Küpeli B, Irkilata L, Gürocak S, Tunç L, Kiraç M, Karaoğlan U et al: Does tamsulosin enhance lower ureteral stone clearance with or without shock wave lithotripsy? *Urology* 2004; 64: 1111-1115.

Kurhanewicz J and Vigneron DB: Advances in MR spectroscopy of the prostate. *Magn Reson Imaging Clin N Am* 2008; 16: 697-710.

Kurtz SM, Silverman J and Draper J: *Teaching and Learning Communication Skills in Medicine*. Abingdon, Oxon, UK: Radcliffe Medical Press, Ltd: 1998.

Kutikov A and Uzzo RG: The R.E.N.A.L. nephrometry score: a comprehensive standardized system of quantitating renal tumor size, location and depth. *J Urol* 2009; 182: 844-853.

Kuznetsov DD and Kobashi KC: Bladder outlet obstruction in females. *AUA Update Series* 2005; vol 24, lesson 7, pp 53-60.

## L

---

Lachs MS: Elder mistreatment. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and

Lackgren G, Lottmann H, Hensle T and Stenberg A: Endoscopic treatment of vesicoureteral reflux and urinary incontinence in children. *AUA Update Series* 2003; vol XXII, lesson 37, pp 294-300.

Lai HH and Boone TB: Urological management of spinal cord injury. *AUA Update Series* 2008; vol 27, lesson 25.

Lam JS, Breda A, Belldegrun AS and Figlin RA: Evolving principles of surgical management and prognostic factors for outcome in renal cell carcinoma. *J Clin Oncol* 2006; 24: 5565-5575.

Lam JS, Pisters LL and Belldegrun AS: Cryotherapy for prostate cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 101, pp 3032-3052.

Lam PN, Wong C, Mulholland TL, Campbell JB and Kropp BP: Pediatric laparoscopic pyeloplasty: 4-year experience. *J Endourol* 2007; 21: 1467-1471.

Lamm DL, Blumenstein BA, Crawford ED, Montie JE, Scardino P, Grossman HB et al: A randomized trial of intravesical doxorubicin and immunotherapy with bacilli Calmette-Guérin for transitional-cell carcinoma of the bladder. *N Engl J Med* 1991; 325: 1205-1209.

Lamm DL, Blumenstein BA, Crissman JD, Montie JE, Gottesman JE, Lowe BA et al: Maintenance bacillus Calmette-Guerin immunotherapy for recurrent TA, T1 and carcinoma in situ transitional cell carcinoma of the bladder: a randomized Southwest Oncology Group Study. *J Urol* 2000; 163: 1124-1129.

Lamm DL: Complications of bacillus Calmette-Guérin immunotherapy. *Urol Clin North Am* 1992; 19: 565-572.

Lane BR, Kattan MW and Novick AC: Prediction models of renal cell carcinoma. *AUA Update Series* 2006; vol 25, lesson 7, pp 58-60.

Lane BR, Rini BI, Campbell SC and Novick AC: Molecularly targeted therapy for renal cancer. *AUA Update Series* 2007; vol 26, lesson 10, pp 98-101.

Lane BR, Samplaski MK, Herts BR, Zhou M, Novick AC and Campbell SC: Renal mass biopsy—a renaissance? *J Urol* 2008; 179: 20-27.

Larson WJ, ed. *Human Embryology, 3rd Edition*. Philadelphia, Churchill Livingstone Elsevier; 2001.

Larson WJ: Development of the urogenital system. In: *Human Embryology, 3rd Edition*. Philadelphia, Churchill Livingstone Elsevier; 2001: chap 10, pp 265-314.

Lau KK, Stoffman JM, Williams S, McCusker P, Brandao L, Patel S et al: Canadian Pediatric Thrombosis and Hemostasis Network; neonatal renal vein thrombosis: review of the English-language literature between 1992 and 2006. *Pediatrics* 2007; 120: e1278-e1284.

Laumann EO, Paik A and Rosen RC: The epidemiology of erectile dysfunction: results from the National Health and Social Life Survey. *Int J Impot Res* 1999; suppl 1, 11: S60.

Lautin EM, Freeman NJ, Schoenfeld AH, Bakal CW, Haramati N, Friedman AC et al: Radiocontrast associated renal dysfunction: a comparison of lower-osmolality and conventional high-osmolality contrast media. *AJR Am J Roentgenol* 1991; 157:59-65.

Leach DC: Changing education to improve patient care. *Postgrad Med J* 2008; 84: 437-441.

Leach DC: Changing education to improve patient care. *Qual Health Care*, suppl., 2001; 10: 54-58.

Leder RA: Radiologic approach to renal cysts and the Bosnick classification system. *Curr Opin Urol* 1999; 9:129-133.

Lee CT, Hollenbeck B and Wood DP: Ureter, bladder, penis, and urethra. In: Chang A, Ganz PA, Hayes DF, Kinsella T, Pass HI, Schiller JH et al, eds. *Oncology: An Evidence-Based Approach*. New York, Springer-Verlag; 2006: chap 47, pp 816-817.

Lee DI: Robotic prostatectomy. In: Bishoff JT and Kavoussi LR, eds: *Atlas of Laparoscopic Retroperitoneal Surgery*. Philadelphia: Saunders Elsevier; 2007: chap 24.

Lee EY: CT imaging of mass-like renal lesions in children. *Pediatr Radiol* 2007; 37:896-907.

Lee HJ: LapEd ureteroscopy training model (AUA DVD Video V1394, 2007).

Lee BR, Ost MC and Smith AD: Technique blind percutaneous access, use of the Chiba needle to gain access in absence retrograde access (AUA DVD V929, 2006).

Lee JH, Choi HS, Kim JK, Won HS, Kim KS, Moon DH et al: Nonrefluxing neonatal hydronephrosis and the risk of urinary tract infection. *J Urol* 2008; 179: 1524-1528.

Lee MW and Greenfield SP: Intractable high-pressure bladder in female infants with spina bifida: clinical characteristics and use of vesicostomy. *Urology* 2005; 65: 568-571.

Lee R, Saini R, Kaplan SA and Te AE: A review of transurethral microwave thermotherapy. *AUA Update Series* 2007; vol 26, lesson 28, pp 278-283 (include references).

Lee RS, Retik AB, Borer JG and Peters CA: Pediatric robot assisted laparoscopic dismembered pyeloplasty: comparison with a cohort of open surgery. *J Urol* 2006; 175: 683-687.

Lehman DS and Landman J: Kidney cancer ablative therapy: indications and patient selection. *Curr Urol Rep* 2008; 9: 34-43.

- Leibovich BC and Blute ML: Lymph node dissection in the management of renal cell carcinoma. *Urol Clin North Am* 2008; 35: 673-678.
- Leibovich BC and Blute ML: Surgical management of renal cell carcinoma. *Semin Oncol* 2006; 33: 552-562.
- Leijte JAP, Gallee M, Antonini N and Horenblas S: Evaluation of current TNM classification of penile carcinoma. *J Urol* 2008; 180: 933.
- Leiner T and Michaely H: Advances in contrast-enhanced MR angiography of the renal arteries. *Magn Reson Imaging Clin N Am* 2008; 16: 561-572.
- Lemelle JL, Guillemin F, Aubert D, Guys JM, Lottmann H, Lortat-Jacob S et al: A multicenter evaluation of urinary incontinence management and outcome in spina bifida. *J Urol* 2006; 175: 208-212.
- Lendvay T, Elderwy A and Marshall F: Renal angiomyolipoma. *AUA Update Series* 2007; vol 26, lesson 32.
- Leng WW and Morrisroe SN: Sacral nerve stimulation. *Urol Clin North Am* 2006; 33: 491-501.
- Lepor H: Natural history, evaluation and nonsurgical management of benign prostatic hyperplasia. In: Walsh PC, Retik AB, Vaughan ED Jr and Wein AJ, eds. *Campbell Walsh-Urology, 8th Edition*. Philadelphia, WB Saunders Elsevier; 2002: sect VIII, chap 47, pp 227-229.
- Lepor H: The pathophysiology of lower urinary tract symptoms in the aging male population. In: *Prostatic Diseases*. Philadelphia, WB Saunders Co; 2000: pp 163-168.
- Lerman L and Textor SC: Pathophysiology of ischemic nephropathy. *Urol Clin North Am* 2001; 28: 793-803.
- Lerman SE, McAleer IM and Kaplan GW: Embryology of the genitourinary tract. In: Belman AB, King LR and Kramer SA, eds. *Clinical Pediatric Urology, 4th Edition*. London, Martin Dunitz Ltd.; 2002: chap 1, pp 11-13.
- Leskinen MJ, Kilponen A, Lukkarinen O and Tammela TL: Transurethral needle ablation for the treatment of chronic pelvic pain syndrome (category III prostatitis): a randomized, sham-controlled study. *Urology* 2002; 60: 300.
- Leslie JA and Cain MP: Pediatric urologic emergencies and urgencies. *Pediatr Clin North Am* 2006; 53: 513-527.
- Leuschner I: Rhabdomyosarcoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, p 139.

Levin HS: Neoplasms of the testis. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 10, pp 534-622.

Levin HS: Nonneoplastic diseases of the testis. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 46, pp 2133-2166.

Levin HS: Non-neoplastic disorders of the testis. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 9, pp 477-533.

Levin SJ, Like RC and Gottlieb JE: ETHNIC: A framework for culturally competent ethical practice. *Patient Care* 2000; 34: 188-189

Levin TL, Soghier L, Blitman NM, Vega-Rich C and Nafday S: Megacystis-microcolon-intestinal hypoperistalsis and prune belly: overlapping syndromes. *Pediatr Radiol* 2004; 34: 995-998.

Levine LA and Greenfield JM: Establishing a standardized evaluation of the man with Peyronie's disease. *Int J Impot Res* 2003; suppl 5, 15: S103-S112.

Levine LA, ed: *Peyronie's Disease: A Guide to Clinical Management*. Totowa, New Jersey, Humana Press; 2007.

Levine M, Ioannidis JP, Haines A and Guyatt G: Harm (observational studies). In: Guyatt G, Rennie D, Meade MO, and Cook DJ, eds. *Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice, 2nd Edition*. Chicago: American Medical Association; 2008: part C, chap 12, pp 363-381

Lewis JM and Kaplan WE: Anatomy and embryology of the male reproductive tract and gonadal development. In: Lipshultz LI, Howards SS and Niederberger CS, eds. *Infertility in the Male, 4th Edition*. New York, Cambridge University Press; 2009: chap 1, pp 1-13.

Lewis RW and Munarriz R: Vascular surgery for erectile dysfunction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 24, pp 802-817.

Liedberg F, Chebil G and Mansson W: Urothelial carcinoma in the prostatic urethra and prostate: current controversies. *Expert Rev Anticancer Ther* 2007; 7: 383-390.

Lifshitz DA, Shikanov S, Jeldres C, Deklaj T, Karakiewicz PI, Zorn KC et al: Laparoscopic partial nephrectomy: predictors of prolonged warm ischemia. *J Urol* 2009; 182: 860-865.

Lindau ST: Sexuality, sexual function, and the aging woman. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 47, pp 567-581.

Linehan WM, Pinto PA, Srinivasan R, Merino M, Choyke P et al: Identification of the genes for kidney cancer: opportunity for disease-specific targeted therapeutics. *Clin Cancer Res* 2007; 13: 671s-679s.

Linehan WM, Walther MM and Zbar B: The genetic basis of cancer of the kidney. *J Urol* 2003; 170: 2163-2172.

Lingeman JE, Matlaga BR and Evan AP: Surgical management of upper urinary tract calculi. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XI, chap 44.

Link RE: Cutaneous diseases of the external genitalia. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, chap 13, pp 405-435.

Lipshultz LI, Thomas AJ and Khera M: Surgical management of male infertility. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 20, pp 654-717.

Lipworth L, Tarone RE and McLaughlin JK: The epidemiology of renal cell carcinoma. *J Urol* 2006; 176: 2353-2358.

Lissauer D, Morris RK and Kilby MD: Fetal lower urinary tract obstruction. *Semin Fetal Neonatal Med* 2007; 12: 464-470.

Litwiler SE, Frohman EM and Zimmern PE: Multiple sclerosis and the urologist. *J Urol* 1999; 161: 743-757.

Litwin MS, McNaughton-Collins M, Fowler FJ Jr, Nickel JC, Calhoun EA, Pontari MA et al: The NIH Chronic Prostatitis Symptom Index: development and validation of a new outcome measure. Chronic Prostatitis Collaborative Research Network. *J Urol* 1999; 162: 369-375.

Liu DB and Maizels M: Office ultrasonography. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5<sup>th</sup> Edition*. London, Informa Healthcare UK Ltd; 2007: sec I, chap 4, pp 37-40.

Liu L, Qian J and Bostwick DG: Immunohistology of the prostate, bladder, testis and kidney. In: Dabbs DJ, ed. *Diagnostic Immunohistochemistry, 2<sup>nd</sup> Edition*. Churchill Livingstone Elsevier; 2006: chap 14, pp 509-610.

Liverman CT and Blazer DG: National Research Council (U.S.) Committee on Assessing the Need for Clinical Trials of Testosterone Replacement Therapy: *Testosterone and Aging: Clinical Research Directions*. Washington DC, National Academics Press; 2004.

Lloyd J and Huffines R: Nutrition and aging. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 5, pp 48-58.

Lo B. *Resolving Ethical Dilemmas: A Guide for Clinicians, 2nd Edition*. Philadelphia, PA: Lippincott Williams & Wilkins; 2000.

Lo B: Addressing ethical issues. In: Hulley SB, Cummings SR, Browner WS, Grady DG and Newman TB, eds. *Designing Clinical Research, 3rd Edition*. Philadelphia: Lippincott Williams & Wilkins; 2007: section 3, chap 14, pp 225-240.

Lokhandwalla M and Sturtevant B: Fracture mechanics model of stone comminution in ESWL and implications for tissue damage. *Phys Med Biol* 2000; 4: 1923-1940.

Lont AP, Gallee MPW, Meinhardt W, van Tinteren H and Horenblas S: Penis conserving treatment for T1 and T2 penile carcinoma: clinical implications of a local recurrence. *J Urol* 2006; 176: 575.

Lont AP, Kroon BK, Gallee MPW, van Tinteren H, Moonen LM and Horenblas S: Pelvic lymph node dissection for penile carcinoma: extent of inguinal lymph node involvement as an indicator for pelvic lymph node involvement and survival. *J Urol* 2007; 177: 947.

Looijenga LH, Hersmus R, Oosterhuis JW, Cools M, Drop SL and Wolffenbuttel KP: Tumor risk in disorders of sex development (DSD). *Best Prac Res Clin Endocrinol Metab* 2007; 21: 480-495.

Lopez-Beltran A, Sauter G and Gasser T et al: Infiltrating urothelial carcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, p 96, 98.

Lord DJ and Burrows PE: Pediatric varicocele embolization. *Tech Vasc Interv Radiol* 2003; 6: 169-175.

Losek RL and Mauro LS: Efficacy of tamsulosin with extracorporeal shock wave lithotripsy for passage of renal and ureteral calculi. *Ann Pharmacother* 2008; 42: 692-697.

Loughlin KR and McAleer SJ: Management of urologic problems in pregnancy: a rationale and strategy. *AUA Update Series* 2005; vol 24, lesson 5.

Loughlin KR: Urological radiology during pregnancy. *Urol Clin North Amer* 2007; 34: 23-26.

Low PA and Dotson RM: Symptomatic treatment of painful neuropathy. *JAMA* 1998; 280: 1863-1864.

Lue TF and Broderick GA: Evaluation and nonsurgical management of erectile dysfunction and premature ejaculation. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds.

## eLearning Urology Core Curriculum

*Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 22, pp 750-787.

Lue TF, Basson R, Rosen R et al: *Second International Consultation on Sexual Medicine: Sexual Dysfunctions in Men and Women*. Paris, Health Publications; 2004.

Lue TF: Physiology of penile erection and pathophysiology of erectile dysfunction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 21, pp 718-749.

Lunenfeld B and Nieschlag E: Testosterone therapy in the aging male. *Aging Male* 2007; 10: 139.

Luyckx VA and Brenner BM: Low birth weight, nephron number, and kidney disease. *Kidney Int* 2005; 97: S68-S77.

Lynch DF Jr: Urethral cancer. *AUA Update Series* 2006; vol 25, lesson 12, pp 109-116.

Lynch DF: Penectomy and ilioinguinal lymphadenectomy. In: Ritchie JP and D'Amico AV, eds. *Urologic Oncology*. Philadelphia, WB Saunders Elsevier; 2005: chap 45, pp 723-735.

Lyons WL and Coleman EA: Transitions. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 16, pp 197-207.

## M

---

Macedo A: DeCastro neophalloplasty for children with congenital aphalia: a new approach for a complex dilemma (AUA Video V1050, 2007).

Macedo A: Sigmoid neovaginoplasty for androgen insensitivity syndrome (AIS): the ideal technique for the pediatric urologist? (AUA Video V1049, 2007).

MacLaughlin DT and Donahoe PK: Sex determination and differentiation. *N Engl J Med* 2004; 350: 367-378.

MacLellan DL and Diamond DA: Recent advances in external genitalia reconstruction. *Pediatr Clin North Am* 2006; 53: 449-464.

Madaan S and Joyce AD: Limitations of extracorporeal shock wave lithotripsy. *Curr Opin Urol* 2007; 17: 109-113.

Maduro MR and Lamb DJ: Understanding new genetics of male infertility. *J Urol* 2002; 168: 2197-2205

Magi-Galluzzi C, Zhou M and Epstein JI: Neoplasms of the urinary bladder. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 4, pp 154-224.

Magi-Galluzzi C, Zhou M and Epstein JI: Non-neoplastic diseases of the prostate. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 1, pp 1-55.

Maitra A and Abbas AK: The endocrine system. In: Kumar V, Abbas AK and Fausto N, eds. *Robbins and Cotran Pathologic Basis of Disease, 7th Edition*. Philadelphia, WB Saunders Elsevier; 2005: chap 24, pp 1217-1223.

Maki JH, Wilson GJ, Eubank WB, Glickerman DJ, Millan JA and Hoogeveen RM : Navigator-gated MR angiography of the renal arteries: a potential screening tool for renal artery stenosis. *AJR Am J Roentgenol* 2007; 188: W540-W546.

Makoul G: Essential elements of communication in medical encounters: the Kalamazoo Consensus Statement. *Acad Med* 2001; 76: 390-393.

Malani PN, Vaitkevicius PV and Orringer MB: Perioperative evaluation and management. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 35, pp 407-416.

Malek RS and Nahen K: Photoselective vaporization of the prostate: KTP laser therapy of obstructive benign prostatic hyperplasia. *AUA Update Series* 2004; vol 23, lesson 20, pp 153-159.

Maloney ME, Springhart WP, Ekeruo WO, Young MD, Enemchukwu CU and Preminger GM:

Ethnic background has minimal impact on the etiology of nephrolithiasis. *J Urol* 2005; 173: 2001.

Manakas CM and Nakada SY: Computerized tomography: fundamentals of image acquisition and clinical usefulness. *AUA Update Series* 2009; vol 28, lesson 13.

Mancini V, Battaglia M, Ditonno P, Palazzo S, Lastilla G, Montironi R et al: Current insights in renal cell cancer pathology. *Urol Oncol* 2008; 26: 225-238.

Manunta A: Laparoscopic partial adrenalectomy (AUA Digital Video Library V2056, 2009).

Manzoni G, Bracka A, Palminteri E and Marrocco G: Hypospadias surgery: when, what and by whom? *BJU Int* 2004; 94: 1188-1195.

Marberger M and Mauermann J: Ablative therapy of renal tumors. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XII, chap 52, pp 1810-1818.

Marcovich R and Smith AD: Renal pelvic stones: choosing shock wave lithotripsy or percutaneous nephrolithotomy. *Int Braz J Urol* 2003; 29: 195-207.

Margulis V, Matin SF and Wood CG: Cytoreductive nephrectomy in metastatic renal cell carcinoma. *Curr Opin Urol* 2008; 18: 474-480.

Marinkovic SP and Badlani G: Voiding and sexual dysfunction after cerebrovascular accidents. *J Urol* 2001; 165: 359-370.

Marinkovic SP and Stanton SL: Incontinence and voiding difficulties associated with prolapsed. *J Urol* 2004; 171: 1021-1028. <http://download.journals.elsevierhealth.com/pdfs/journals/0022-5347/PIIS0022534705624068.pdf>

Marker PC, Donjacour AA, Dahiya R and Cunha GR: Hormonal, cellular and molecular control of prostatic development. *Dev Biol* 2003; 253: 165-174.

Markiewicz MR, Lukose MA, Margarone JE 3rd, Barbagli G, Miller KS and Chuang SK: The oral mucosa graft: a systematic review. *J Urol* 2007; 178: 387-394.

Marks LS, Roehrborn CG and Andriole GL: Prevention of benign prostatic hyperplasia disease. *J Urol* 2006; 176: 1299-1306.

Marks SD, Gordon I and Tullus K: Imaging in childhood urinary tract infections: time to reduce investigations. *Pediatr Nephrol* 2008; 23: 9-17.

Mármol Navarro S, Napal Lecumberri S and Rajab R: Calcification of seminal vesicles and deferent duct. *Arch Esp Urol* 1992; 10:1043-44.

Marotte JB, Lee KL and Shortliffe LMD: Cystitis in infants and children. *AUA Update Series* 2005; vol 24, lesson 19, pp 162-172.

Martignoni G and Amin MB: Angiomyolipoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, p 65-66.

Martinez-Aguayo A, Rocha A, Rojas N, Garcia C, Parra R, Lagos M for the Chilean Collaborative Testicular Adrenal Rest Tumor Study Group: Testicular adrenal rest tumors and Leydig and Sertoli cell function in boys with classical congenital adrenal hyperplasia. *J Clin Endocrinol Metab* 2007; 92: 4583-4589.

Marx A and Woodward PJ: Lymphoma and plasmacytoma of the testis and paratesticular tissues. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 4, p 264.

Master V and Turek PJ: Ejaculatory physiology and dysfunction. *Urol Clin North Am* 2001; 28: 363.

Matalga BR, Kawamoto S and Fishman E: Dual source computed tomography: a novel technique to determine stone composition *Urology* 2008; 72: 1164-1168.

Matin SF and Ahrar K: Nephron-sparing probe ablative therapy: long-term outcomes. *Curr Opin Urol* 2008; 18: 150-156.

Matin SF, Yost A and Strem SB: Extracorporeal shock-wave lithotripsy: a comparative study of electrohydraulic and electromagnetic units. *J Urol* 2001; 166: 2053-2056.

Matlaga BR and Assimos DG: Changing indications of open stone surgery. *Urology* 2002; 59: 490.

Matlaga BR, Coe FL, Evan AP, Lingeman JE et al: The role of Randall's plaques in the pathogenesis of calcium stones. *J Urol* 2007; 177: 31.

Matoka D: Pediatric robotic assisted laparoscopic ureterocalycostomy (AUA DVD V1073, 2009).

Matsui F, Shimada K, Matsumoto F and Takano S: Late recurrence of symptomatic hydronephrosis in patients with prenatally detected hydronephrosis and spontaneous improvement. *J Urol* 2008; 180: 322-325.

Matsumoto ED and Cadeddu JA: Laparoscopic access: one goal, many choices. *AUA Update Series* 2006; vol 25, lesson 5, pp 34-43.

Matsumoto ED, Heller HJ, Adams-Huet B, Brinkley LJ, Pak CY and Pearle MS: Effect of high and low calcium diets on stone forming risk during liberal oxalate intake. *J Urol* 2006; 176: 132.

Matsumoto F, Shimada K, Kawagoe M, Matsui F and Nagahara A: Delayed decrease in differential renal function after successful pyeloplasty in children with unilateral antenatally detected hydronephrosis. *Intl J Urol* 2007; 14: 488-490.

Matsuoka H, Nakashima Y and Oshima K: Prognostic significance of the number of renal glomeruli in reflux nephropathy. *BJU Int* 2006; 98:172-176.

Mauck KF, Mangarrez EC and Cohn SL: Perioperative cardiac evaluation: assessment risk reduction, and complication management. *Clin Geriatr Med* 2008; 24: 585-605.

Mayer R, Propert KJ, Peters KM, Payne CK, Zhang Y, Burks D et al: A randomized controlled trial of intravesical bacillus Calmette-Guerin for treatment refractory interstitial cystitis. *J Urol* 2005; 173: 1186-1191.

Maynard G, O'Malley CW and Kirsh SR: Perioperative care of the geriatric patient with diabetes or hyperglycemia. *Clin Geriatr Med* 2008; 24: 649-665.

McAninch JW and Santucci RA: Renal and ureteral trauma. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect IX, chap 39, pp 1274-1292.

McCallum RW and Colapinto V: The role of urethrography in urethral disease. Part I. Accurate radiological localization of the membranous urethra and distal sphincters in normal male subjects. *J Urol* 1979; 122: 607-618.

McCammon KA and Jordan GH: Congenital penile curvature. *AUA Update Series* 2004; vol 23, lesson 10.

McCammon KA: Implantation of the AdVance male sling (AUA DVD V348, 2008).

McCarron JP Jr, Mills C and Vaughn ED Jr: Tumors of the renal pelvis and ureter: current concepts and management. *Semin Urol* 1983; 1: 75-81.

McConnell J, Denis L, Akaza H, Khoury S and Schalken J, eds. *Prostate Cancer. 6th International Consultation on New Developments in Prostate Cancer and Prostate Diseases*. Paris, Health Publications Ltd, 2006.

McConnell JD, Bruskewitz R, Walsh P, Andriole G, Lieber M, Holtgrewe HL et al: The effect of finasteride on the risk of acute urinary retention and the need for surgical treatment in men with benign prostatic hyperplasia. Finasteride Long-Term Efficacy and Safety Study Group. *New Engl J Med* 1998; 338: 557-563.

McConnell JD, Roehrborn CG, Bautista OM, Andriole GL Jr, Dixon CM, Kusek JW for the Medical Therapy of Prostatic Symptoms (MTOPS) Research Group: The long-term effects of

doxazosin, finasteride, and the combination on the clinical progression of BPH. *N Engl J Med* 2003; 349: 2387-2398.

McConnell JD: Epidemiology, etiology, pathophysiology, and diagnosis of benign prostatic hyperplasia. In: Walsh PC, Retik AB, Vaughan ED Jr and Wein AJ, eds. *Campbell Walsh-Urology, 8th Edition*. Philadelphia, WB Saunders Elsevier; 2002: sect VIII, chap 46, pp 223-226.

McDermott DF and Atkins MB: Immunotherapy of metastatic renal cell carcinoma. *Cancer J* 2008; 14: 320-324.

McDougall EM and Sala LG: Surgical simulation. *AUA Update Series* 2005; vol 24, lesson 26, pp 226-231.

McKiernan JM, Motzer RJ, Bajorin DF, Bacik J, Bosl GJ and Sheinfeld J: Reoperative retroperitoneal surgery for nonseminomatous germ cell tumor: clinical presentation, patterns of recurrence, and outcome. *Urology* 2003; 62: 732-736.

McLaughlin JK, Lipworth L and Tarone RE: Epidemiologic aspects of renal cell carcinoma. *Semin Oncol* 2006; 33: 527-533.

McLaughlin JK, Silverman DT, Hsing AW, Ross RK, Schoenberg JB, Yu MC et al: Cigarette smoking and cancers of the renal pelvis and ureter. *Cancer Res* 1992; 52: 254.

McLean TW and Castellino SM: Pediatric genitourinary tumors. *Curr Opin Oncol* 2008; 20: 315-320.

McLellan DL, Gaston MV, Diamond DA, Lebowitz RL, Mandell J, Atala A et al: Anterior urethral valves and diverticula in children: a result of ruptured Cowper's duct cyst? *BJU Int* 2004; 94: 375-378.

McMahon CG, Althof S, Waldinger MD, Porst H, Dean J, Sharlip I et al: An evidence-based definition of lifelong premature ejaculation: report of the International Society for Sexual Medicine Ad Hoc Committee for the Definition of Premature Ejaculation. *BJU Int* 2008; 102: 338-350.

McMahon CG, McMahon CN, Leow LJ, Winestock CG: Efficacy of type-5 phosphodiesterase inhibitors in the drug treatment of premature ejaculation: a systematic review. *BJU Int* 2006; 98: 259.

McMahon CG, Abdo C and Hull E: Disorders of orgasm and ejaculation in men. In: Lue TF, Basson R and Rosen R, eds. *Sexual Medicine: Sexual Dysfunctions in Men and Women*, Paris, Health Publications 2004; pp 241-286.

McNaughton-Collins M, Fowler FJ Jr, Elliott DB, Albertsen PC and Barry MJ: Diagnosing and treating chronic prostatitis: do urologists use the four-glass test? *Urology* 2000; 55: 403.

McNaughton-Collins M, Pontari MA, O'Leary MP, Calhoun EA, Santanna J, Landis JR et al: Quality of life is impaired in men with chronic prostatitis: the Chronic Prostatitis Collaborative Research Network. *J Gen Intern Med* 2001; 16; 656.

McNeal JE and Bostwick DG: Intraductal dysplasia: a pre-malignant lesion of the prostate. *Hum Pathol* 1986; 17: 64-71.

McNeal JE, Villers AA, Redwine EA, Freiha FS and Stamey TA: Histologic differentiation, cancer volume, and pelvic lymph node metastasis in adenocarcinoma of the prostate. *Cancer* 1990; 66:1225-1233.

McPherson RA, Ben-Ezra J and Zhao S: Basic examination of urine. In: McPherson RA and Pincus RW, eds. *Henry's Clinical Diagnosis and Management by Laboratory methods, 21st Edition*. Philadelphia, WB Saunders Elsevier; 2007: sect III, chap 27, pp 393-425, 533-534, 541.

McVary KT: Alfuzosin for symptomatic benign prostatic hyperplasia: long-term experience. *J Urol* 2006; 175: 35-42 (include references).

Mehdizadeh JF: Laparoscopic nerve-sparing retroperitoneal lymphadenectomy: step-by-step approach (AUA DVD V1917, 2006).

Meigs JB and Barry MJ: Natural history of benign prostatic hyperplasia. In: Kirby R, McConnell JD, Fitzpatrick JM, Roehrborn CG and Boyle P, eds. *Textbook of Benign Prostatic Hyperplasia*. Oxford, Isis Medical Media Ltd; 1996: pp 341-378.

Melamed MR and Reuter VE: Pathology and staging of urothelial tumors of the kidney and ureter. *Urol Clin North Am* 1993; 20: 333.

Mendez-Torres FR and Thomas R: Retrograde ureteroscopic endopyelotomy for ureteropelvic junction obstruction. In: Smith AR, Badlani G, Bagley D, Clayman RV, Docimo SG, Jordan GH, eds. *Smith's Textbook of Endourology 2nd Edition*. Ontario, BD Decker Inc; 2007: vol 1, part 3, chap 34a, pp 281-284.

Meng MV and Carroll PR: Treatment of locally advanced prostate cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 102, pp 3053-3068.

Merguerian P, Cartwright L and Khoury AE: Genitourinary rhabdomyosarcoma and other bladder tumors. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect V, chap 60, pp 969-991.

Messing EM, Young TB, Hunt VB, Roecker EB, Vaillancourt AM, Hisgen WJ et al: Home screening for hematuria: results of a multiclinic study. *J Urol* 1992; 148: 289.

Messing EM: Urothelial tumors of the bladder. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 75, pp 2407-2446.

Messinger Y, Sheaffer JW, Mrozek J, Smith CM and Sinaiko AR: Renal outcome of neonatal renal venous thrombosis: review of 28 patients and effectiveness of fibrinolytics and heparin in 10 patients. *Pediatrics* 2006; 118: e1478-e1484.

Metcalf PD and Cain MP: Incontinent and continent urinary diversion. In: Gerheart JP, Rink RC and Mouriquand PDE. *Pediatric Urology, 2nd Edition*. Philadelphia, WB Saunders Elsevier; 2009: part X, chap 56, pp 737-743.

Metcalf PD and Rink RC: Bladder augmentation: complications in the pediatric population. *Curr Urol Rep* 2007; 8: 152-156.

Metcalf PD, Cain MP, Kaefer M, Gilley DA, Meldrum KK, Misseri R et al: What is the need for additional bladder surgery after bladder augmentation in childhood? *J Urol* 2006; 176: 1801-1805.

Metcalf PD, Luerssen TG, King SJ, Kaefer M, Meldrum KK, Cain MP et al: Treatment of the occult tethered spinal cord for neuropathic bladder: results of sectioning the filum terminale. *J Urol* 2006; 176: 1826-1829.

Meyer-Bahlburg HF: Gender identity outcome in female-raised 46,XY persons with penile agenesis, cloacal exstrophy of the bladder, or penile ablation. *Arch Sex Behav* 2005; 34: 423-438.

Meyers KE: Evaluation of hematuria in children. *Urol Clin North Am* 2004; 3: 559-573.

Mezentsev VA: Extracorporeal shock wave lithotripsy in the treatment of renal pelvicaliceal stones in morbidly obese patients. *Int Braz J Urol* 2005; 31: 105-110.

Micali S, Grande M, Sighinolfi MC, De Stefani S and Bianchi G: Efficacy of expulsive therapy using nifedipine or tamsulosin, both associated with ketoprofene, after shock wave lithotripsy of ureteral stones. *Urol Res* 2007; 35: 133-137.

Michel K and deKernion JB: Urinary diversions and continent reservoirs. In: Gillenwater JY, Grayhack JT, Howards SS and Mitchell ME: *Adult and Pediatric Urology 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2007: chap 31, p 1363-1400.

Mickelson JJ, MacNeily AE and Blair GK: The posterior urethra in anorectal malformations. *J Pediatr Surg* 2007; 42: 585-587.

Mifflin BM, Campbell CB and Price DA: A conceptual framework to guide the development of self-directed, lifelong learning in problem-based medical curricula. *Med Educ* 2001; 34: 299-306.

Miller DC, Montie JE and Faerber GJ: Evaluating the ACGME core clinical competencies: techniques and feasibility in a urology training program. *J Urol* 2003; 170: 1312-1317.

Miller DC, Sandler H and Wei JT: Complications of permanent interstitial brachytherapy for carcinoma of the prostate. *AUA Update Series* 2004; vol 23, lesson 2.

Miller KL and Griebeling TL: Gynecologic disorders. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 48, pp 583-594.

Miller LJ, Fischer KA, Goralnick SJ, Litt M, Burleson JA, Albertsen P et al: Nerve growth factor and chronic prostatitis/chronic pelvic pain syndrome. *Urology* 2002; 59: 603.

Miller M: Disorders of fluid balance. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 88, pp 1047-1058.

Miller NL and Lingeman JE: Management of kidney stones. *BMJ* 2007; 334: 468-472.

Miller NL, Evan AP, Lingeman JE: Pathogenesis of renal calculi. *Urol Clin North Am* 2007; 34: 295-313.

Miller NL, Matlaga BR and Lingeman JE: Techniques for fluoroscopic percutaneous renal access. *J Urol* 2007; 178: 15-23.

Miller NL: Holmium laser enucleation of the prostate (HoLEP) following failed laser ablation of the prostate for the treatment of BPH (AUA Video V876, 2007).

Miller RA: Biology of aging and longevity. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 1, pp 3-14.

Mills JN and Meacham RB: Nonsurgical treatment of male infertility: specific therapy. In: Lipshultz LI, Howards SS and Niederberger CS, eds. *Infertility in the Male, 4<sup>th</sup> Edition*. New York, Cambridge University Press; 2009: chap 24, pp 430-437.

Mills RD and Studer UE: Metabolic consequences of continent urinary diversion. *J Urol* 1999; 161: 1057-1066.

Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004.

Milosevic MF, Warde PR, Banerjee D, Gospodarowicz MK, McLean M, Catton PA et al: Urethral carcinoma in women: results of treatment with primary radiotherapy. *Radiother Oncol* 2009; 56: 29-35.

Mingin GC, Nguyen HT, Baskin LS and Harlan S: Abnormal dimercapto-succinic acid scans predict an increased risk of breakthrough infection in children with vesicoureteral reflux. *J Urol* 2004; 172: 1075-1077.

Minogiannis P, El-Mansoury M, Betances JA, Sant GR and Theoharides TC: Hydroxyine inhibits neurogenic bladder mast cell activation. *Int J Immunopharmacol* 1998; 20: 553-563.

Minor LD, Picken MM and Campbell SC: Benign renal tumors. *AUA Update Series* 2003; vol XXII, lesson 22, p 170-174, differential diagram, table 1.

Mir S and Serdaroglu E: Quantification of hypercalciuria with the urine calcium osmolality ratio in children. *Pediatr Nephrol* 2005; 20: 1562-1565.

Misseri R, Cain MP, Casale AJ, Kaefer M, Meldrum KK and Rink RC: Small intestinal submucosa bladder neck slings for incontinence associated with neuropathic bladder. *J Urol* 2005; 174: 1680-1682.

Misseri R, Casale AJ, Cain MP and Rink RC: Alternative uses of dextranomer/hyaluronic acid copolymer: the efficacy of bladder neck injection for urinary incontinence. *J Urol* 2005; 174: 1691-1693.

Mitchell ME: Bladder exstrophy repair: complete primary repair of exstrophy. *Urology* 2005; 65: 5-8.

Moch H, Artibani W, Delahunt B, Ficarra V, Knuechel R, Montorsi F et al: Reassessing the current UICC/AJCC TNM staging for renal cell carcinoma. *Eur Urol* 2009; 56: 636-643.

Modi S and Maxwell T: Care for the elderly patient at the end of life. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 59, pp 476-486.

Moe O, Baum M, Berry C and Rector F: Renal transport of glucose, amino acids, sodium, chloride and water. In: Brenner BM, ed. *Brenner and Rector's The Kidney, 7<sup>th</sup> Edition*. Philadelphia, WB Saunders; 2004: pp 413-452.

Mohler J, Amling CL, Bahnson RR, Boston B, D'Amico A, Eastham JA et al for the NCCN Prostate Cancer Panel : Prostate cancer. National Comprehensive Cancer Network, V.2.2009. Available at: [http://www.nccn.org/professionals/physician\\_gls/f\\_guidelines.asp](http://www.nccn.org/professionals/physician_gls/f_guidelines.asp). Accessed 01.15.09.

Mokhmalji H, Braum PM, Martinez-Portillo FJ, Siegsmond M, Alken P and Köhrmann KU: Percutaneous nephrostomy versus ureteral stents for diversion of hydronephrosis caused by stones: a prospective, randomized clinical trial. *J Urol* 2001; 165: 1088-1091.

Mokhmalji H, Braun PM, Martinez Portillo FJ, Siegsmund M, Alken P and Köhrmann KU: Percutaneous nephrostomy versus ureteral stents for diversion of hydronephrosis caused by stones: a prospective, randomized clinical trial. *J Urol* 2001; 165: 1088.

Moldwin RM and Sant GR: Interstitial cystitis: a pathophysiology and treatment update. *Clin Obstet and Gynecol* 2002; 45: 259-272.

Montague DK, Jarow J, Broderick GA, Dmochowski RR, Heaton JP, Lue TF et al, for the AUA Erectile Dysfunction Guideline Update Panel: AUA guideline on the pharmacologic management of premature ejaculation. *J Urol* 2004; 172: 290-294.

Montague DK, Jarow J, Broderick GA, Dmochowski RR, Heaton JP, Lue TF et al, for members of the Erectile Dysfunction Guideline Update Panel: American Urological Association guideline on the management of priapism. *J Urol* 2003; 170: 1318-1324.

Montague DK, Jarow JP, Broderick GA, Dmochowski RR, Heaton JPW, Lue TF et al., for the AUA Erectile Dysfunction Guideline Update Panel: Management of Erectile Dysfunction: Revised (2006). American Urological Association Education and Research, Inc. Available at: <http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines.cfm?sub=ed>. Accessed January 6, 2010.

Montague DK, Jarow JP, Broderick GA, Dmochowski RR, Heaton JPW, Lue TF et al., for the AUA Erectile Dysfunction Guideline Update Panel: Pharmacologic Management of Premature Ejaculation (2004). American Urological Association Education and Research, Inc. Available at: <http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines.cfm?sub=pme>. Accessed January 6, 2006.

Montague DK, Jarow JP, Broderick GA, Dmochowski RR, Heaton JPW, Lue TF et al., for the AUA Erectile Dysfunction Guideline Update Panel: Management of Priapism (2003, reviewed and validity confirmed 2008). American Urological Association Education and Research, Inc. Available at: <http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines.cfm?sub=priapism>. Accessed January 6, 2006.

Montague DK: Prosthetic surgery for erectile dysfunction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 23, pp 788-801.

Montie JE, Clark PE, Eisenberger MA, El-Galley R, Greenberg RE, Herr HW et al for the NCCN Bladder Cancer Panel : Bladder cancer. National Comprehensive Cancer Network, V.1.2010. Available at: [http://www.nccn.org/professionals/physician\\_gls/f\\_guidelines.asp](http://www.nccn.org/professionals/physician_gls/f_guidelines.asp). Accessed 01.15.09.

Moon TD, Hagen L and Heisey DM: Urinary symptomatology in younger men. *Urology* 1997; 50: 700-703.

Moore EE, Malangoni MA, Cogbill TH, Peterson NE, Champion HR, Jurkovich GJ et al: Organ injury scaling VII: cervical vascular, peripheral vascular, adrenal, penis, testis, and scrotum. *Trauma* 1996; 41: 523-524, Table 4-6.

Morales A, Eidinger D and Bruce AW: Intracavitary bacillus Calmette-Guérin in the treatment of superficial bladder tumors. *J Urol* 1976; 116: 180-183.

Morales A, Emerson L, Nickel JC and Lundie M: Intravesical hyaluronic acid in the treatment of refractory interstitial cystitis. *J Urol* 1996; 156: 45-48.

Morales A, James B and Wyllie MG: A review of the current status of topical treatments for premature ejaculation. *BJU Int* 2007; 100: 493-501.

Morales A, Morley J and Heaton JPW: Androgen deficiency in the aging male. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 27, pp 850-862.

Morey A, Nitahara KS and McAninch JW: Modified anastrophic nephrolithotomy for the management of staghorn calculi: is renal function preserved? *J Urol* 1999; 162: 670.

Morey AF and Rozanski TA: Genital and lower urinary tract trauma. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 83, p 2659.

Morey AF, Metro MJ, Carney KJ, Miller KS and McAninch JW: Consensus on genitourinary trauma: external genitalia. *BJU Int* 2004; 94: 507-515.

Morgan TO, Jacobsen SJ, McCarthy WF, Jacobson DJ, McLeod DG and Moul JW: Age-specific reference ranges for prostate-specific antigen in black men. *N Engl J Med* 1996; 335: 304-310.

Morley JE, Patrick P and Perry HM: Evaluation of assays available to measure free testosterone. *Metabolism* 2002; 51: 554-559.

Morris MJ and Scher HI: The clinical state of the rising PSA level after definitive local therapy: a practical approach. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 103, pp 3069-3081.

Morris P and Knechtle S: Results of renal transplantation. In: *Kidney Transplantation: Principles and Practice, 6<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2008: chap 37.

Morrisroe SN, O'Connor RC, Nanigian DK, Kurzrock EA and Stone AR: Vesicostomy revisited: the best treatment for the hostile bladder in myelodysplastic children? *BJU Int* 2005; 96: 397-400.

Motzer RJ, Agarwal N, Beard C, Bhayani S, Bolger G, Boston B et al for the NCCN Kidney Cancer Panel: Kidney cancer. National Comprehensive Cancer Network, V.2.2010. Available at: [http://www.nccn.org/professionals/physician\\_gls/f\\_guidelines.asp](http://www.nccn.org/professionals/physician_gls/f_guidelines.asp) . Accessed 01.15.09.

Motzer RJ, Agarwal N, Beard C, Bhayani S, Bolger G, Boston B et al for the NCCN Testicular Cancer Panel: Testicular cancer. National Comprehensive Cancer Network, V.1.2010. Available at: [http://www.nccn.org/professionals/physician\\_gls/f\\_guidelines.asp](http://www.nccn.org/professionals/physician_gls/f_guidelines.asp). Accessed 01.15.09.

Motzer RJ, Sheinfeld J, Mazumdar M, Bains M, Mariani T, Bacik J et al: Paclitaxel, ifosfamide, and cisplatin second-line therapy for patients with relapsed testicular germ cell cancer. *J Clin Oncol* 2000; 18: 2413-2418.

Motzer RJ, Sheinfeld J, Mazumdar M, Bajorin DF, Bosl GJ, Herr H et al: Etoposide and cisplatin adjuvant therapy for patients with pathologic stage II germ cell tumors. *J Clin Oncol* 1995; 13: 2700-2704.

Moul, JW, MD, FACS: Timely Diagnosis of Testicular Cancer. *Urol Clin North Am* 2007; 34: 109-286.

Movassaghi M and Turek PJ: The cost effectiveness of treatments for male infertility. *Exp Rev Pharmacoeconomics Outcomes Res* 2008; 8: 197-205.

Moy ML and Wein AJ: Additional therapies for storage and emptying failure. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 70, pp 2288-2304.

Mueller E, Kenton K, Scarpero H, Albo M and Winters JC for Urodynamics Curriculum for Urology Residents, Modules I and II. Available at: <http://www.sufuorg.com>. Accessed December 2, 2009.

Mulhall JP: Deciphering erectile dysfunction drug trials. *J Urol* 2003; 170: 353-358.

Mulhall JP: Expanding the paradigm for plaque development in Peyronie's disease. *Int J Impot Res* 2003; suppl 5, 15: S93.

Mulhall JP: Surgical treatment of Peyronie's disease. In: Porst H and Buvat J, eds: *Standard Practice in Sexual Medicine*. Hoboken, New Jersey, Blackwell Publishing; 2006: chap 14, pp 165-173, chap 15, pp 180-187.

Mulholland SG, Sant GR, Hanno P, Staskin DR and Parsons L: Pentosan polysulfate sodium for therapy of interstitial cystitis. A double-blind placebo-controlled clinical study. *Urology* 1990; 35: 552-558.

Munoz JJ and Ellison LM: Upper tract urothelial neoplasms: incidence and survival the last 2 decades. *J Urol* 2000; 164: 1523-1525.

Murai M and Oya M: Renal cell carcinoma: etiology, incidence and epidemiology.

Murer L, Benetti E and Artifoni L: Embryology and genetics of primary vesico-ureteric reflux and associated renal dysplasia. *Pediatr Nephrol* 2007; 22: 788-797.

Murphy WM, Grignon DJ and Perlman EJ: *AFIP Atlas of Tumor Pathology Series 4. Tumors of the Kidney, Bladder and Related Urinary Structures*. Washington DC, American Registry of Pathology; 2004.

Murphy WM, Grignon DJ and Perlman EJ: Kidney tumors in adults. In: *AFIP Atlas of Tumor Pathology Series 4. Tumors of the Kidney, Bladder and Related Urinary Structures*. Washington DC, American Registry of Pathology; 2004: chap 2, pp 1-240.

Murphy WM, Grignon DJ and Perlman EJ: Kidney tumors in children. In: *AFIP Atlas of Tumor Pathology Series 4. Tumors of the Kidney, Bladder and Related Urinary Structures*. Washington DC, American Registry of Pathology; 2004: chap 1, pp 14-25, 35-37, 48-50, 59-67.

Murphy WM, Grignon DJ and Perlman EJ: Tumors of the ureters and renal pelves. In: *AFIP Atlas of Tumor Pathology Series 4. Tumors of the Kidney, Bladder and Related Urinary Structures*. Washington DC, American Registry of Pathology; 2004: chap 5, pp 375-382.

Murphy WM, Grignon DJ and Perlman EJ: Tumors of the urinary bladder. In: *AFIP Atlas of Tumor Pathology Series 4. Tumors of the Kidney, Bladder and Related Urinary Structures*. Washington DC, American Registry of Pathology; 2004: chap 3, pp 241-361.

Musa AA: Use of double-J stents prior to extracorporeal shock wave lithotripsy is not beneficial: results of a prospective randomized study. *Int Urol Nephrol* 2008; 40: 19-22.

Myers RP: Practical pelvic anatomy pertinent to radical retropubic prostatectomy. *AUA Update Series* 1994; vol XIII, lesson 4.

N

---

N, Cote RJ, Suster S and Weiss LM, eds. *Modern Surgical Pathology*. Philadelphia, WB Saunders Elsevier; 2003, vol 2, sect VI, chap 34, pp 1215-1251.

Nabhan ZM and Lee PA: Disorders of sex development. *Curr Opin Obstet Gynecol* 2007; 19: 440-445.

Nabi G, Yong SM, Ong E, McPherson G, Grant A and N'Dow J: Is orthotopic bladder replacement the new gold standard? Evidence from a systematic review. *J Urol* 2005; 174: 21-28.

Nadasdy T and Silva FG: Adult renal diseases. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 41, pp 1919-1924.

Nagele U: Laparoscopic nerve- sparing cystectomy and orthotopic bladder replacement in female patients (AUA DVD V1915, 2007).

Nakada SY, Jerde TJ, Bjorling DE and Saban R: Selective cyclooxygenase-2 inhibitors reduce ureteral contraction in vitro: a better alternative for renal colic? *J Urol* 2000; 163: 607.

Narchi H and Jones KV: Are routine urine cultures helpful in the management of asymptomatic infants or preschool children with a previous urinary tract infection? *Arch Dis Child* 2005; 90: 103.

NASPGHAN Nutrition Report Committee, Michail S, Sylvester F, Fuchs G and Issenman R: Clinical efficacy of probiotics: review of the evidence with focus on children. *J Pediatr Gastroenterol Nutr* 2006; 43: 550-557s.

National Cancer Institute, Early Detection Research Network: Information for cancer researchers, scientists, doctors, and clinicians. Available at: <http://edrn.nci.nih.gov/researchers/> Accessed January 15, 2010.

National Institutes of Health Office of Extramural Research, Protecting Human Research Participants. Available at <http://phrp.nihtraining.com/users/login.php> Accessed March 18, 2010.  
National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases. Washington, D.C.: US Government Publishing Office, 2004: NIH Publication 04-5512, pp 3-39.

National Kidney Foundation NKF K/DOQI Guidelines. Clinical Practice Guidelines on Hypertension and Antihypertensive Agents in Chronic Kidney Disease. Guideline 4: Evaluation for Renal Artery Disease. Available at: [http://www.kidney.org/Professionals/kdoqi/guidelines\\_bp/guide\\_4.htm](http://www.kidney.org/Professionals/kdoqi/guidelines_bp/guide_4.htm). Accessed December 1, 2009.

Nawfel RD and Silverman SG: Radiation considerations. In: Silverman SG and Cohan RH, eds. *CT Urography: An Atlas*. Philadelphia, Lippincott Williams & Wilkins; 2007: pp 23-27.

## eLearning Urology Core Curriculum

Nawotniak RH: Competency 3: patient care. In: Rider EA, Nawotniak RH and Smith G. *A Practical Guide to Teaching and Assessing the ACGME Core Competencies*. Marblehead, Massachusetts, HCPro, Inc; 2007: chap 3, pp 105-115.

Nazif O and MacNeily AE: Agenesis of the bladder with solitary renal dysplasia: management of a challenging condition. *Can J Urol* 2004; 11: 2220-2222.

Neal DE: Complicated urinary tract infections. *Urol Clin North Am* 2008; 35: 13-22.

Nehra A: Peyronie's disease: pathophysiology and medical management. In: Porst H and Buvat J, eds: *Standard Practice in Sexual Medicine*. Hoboken, New Jersey, Blackwell Publishing; 2006: chap 14, pp 158-164.

Nelson CP and Chow JS: Dextranomer/hyaluronic acid copolymer (Deflux) implants mimicking distal ureteral calculi on CT. *Pediatr Radiol* 2008; 38: 104-106.

Nelson CP and Sanda MG: Contemporary diagnosis and management of renal angiomyolipoma. *J Urol* 2002; 168: 1315-1325.

Nelson JB: Hormone therapy for prostate cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 104, pp 3082-3100.

Netter FH: Pelvis and perineum. In: *Atlas of Human Anatomy 4th Edition*. Philadelphia, WB Saunders Elsevier; 2006: sect 5, pp 330-361, 466-467, 510.

Netter NH: *Atlas of Anatomy 4th Edition*. Philadelphia, Saunders Elsevier; 2006.

Neveus T and Tullus K: Tolterodine and imipramine in refractory enuresis; a placebo-controlled crossover study. *Pediatr Nephrol* 2008; 23: 263-267.

Neveus T, von Gontard A, Hoebeke P, Hjalmas K, Bauer S, Bower W et al: The standardization of terminology of lower urinary tract function in children and adolescents: report from the Standardization Committee of the International Children's Continence Society. *J Urol* 2006; 176: 314-324.

Ng CS, Wood CG, Silverman PM, Tannir NM, Tamboli P and Sandler CM: Renal cell carcinoma: diagnosis, staging, and surveillance. *AJR Am J Roentgenol* 2008; 191:1220-1232.

Nguyen CT, Campbell SC and Novick AC: Choice of operation for clinically localized renal tumor. *Urol Clin North Am* 2008; 35: 645-655.

Nguyen HT and Baskin LS: The fetal bladder: from embryology to developmental physiology. *AUA Update Series* 2000; vol XIX, lesson 15, pp 114-118.

Nguyen HT: Hernia, hydroceles, testicular torsion and varicocele: Greenbaum, L: Cystic kidney disease. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect V, chap 73, pp 1277-1282.

Nguyen MT, Pavlock CL, Zderic SA, Carr MC and Canning DA: Overnight catheter drainage in children with poorly compliant bladders improves post-obstructive diuresis and urinary incontinence. *J Urol* 2005; 174: 1633-1636.

Nguyen, HT: Hernia, hydroceles, testicular torsion and varicocele. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect VI, chap 73, pp 1271-1287.

Nickel JC and Sorensen R: Transurethral microwave thermotherapy for nonbacterial prostatitis: a randomized, double-blind, sham controlled study using new prostatitis specific assessment questionnaires. *J Urol* 1996; 155: 1950.

Nickel JC, Downey J, Hunter D and Clark J: Prevalence of prostatitis-like symptoms in a population based study using the National Institutes of Health Chronic Prostatitis Symptom Index. *J Urol* 2001; 165: 842-845.

Nickel JC: Inflammatory conditions of the male genitourinary tract: prostatitis and related conditions, orchitis, and epididymitis. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect IV, chap 9, pp 304-329.

Nickel JC: Interstitial cystitis: a chronic pelvic pain syndrome. *Med Clin North Am* 2004; 88: 467-481.

Nickel JC: Role of alpha1-blockers in chronic prostatitis syndromes. *BJU Int* 2008; 101: 11-16.

Nickel JC: The three As of chronic prostatitis therapy: antibiotics, alpha blockers and anti-inflammatories. What is the evidence? *BJU Int* 2004; 94: 1230.

Nickel, JC: Chronic prostatitis/chronic pelvic pain syndrome: a decade of change. *AUA Update Series* 2006; vol 25, lesson 34.

Nicolle LE, Bradley S, Colgan R, Nicolle LE, Bradley S, Colgan R et al: Infectious Diseases Society of America guidelines for the diagnosis and treatment of asymptomatic bacteriuria in adults. *Clin Infect Dis* 2005; 40: 643-654.

Nicolle LE: Uncomplicated urinary tract infection in adults including uncomplicated pyelonephritis. *Urol Clin North Am* 2008; 35:1-12.

Nicolle LE: Urinary tract infections. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 127, pp 1547-1559.

Nieder AM and Taneja SS: The role of partial nephrectomy for renal cell carcinoma in contemporary practice. *Urol Clin North Am* 2003; 30: 529-542.

Nieh PT and Marshall FF: Surgery of bladder cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 78, pp 2479-2505.

Nieschlag E, Swerdloff R, Behre HM, Gooren LJ, Kaufman JM, Legros JJ et al: Investigation, treatment, and monitoring of late-onset hypogonadism in males: ISA, ISSAM, and EAU recommendations. *J Androl* 2006; 27: 135.

NIH Consensus Development Panel on Impotence: NIH Consensus Conference: Impotence. *Jama* 1993; 270: 83-90.

Nishinakamura R: Stem cells in the embryonic kidney. *Kidney Int* 2008; 73: 913-917.

Nitti V and Blaivas J: Urinary incontinence: epidemiology, pathophysiology, evaluation and management overview. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 60, pp 2046-2078.

Nitti VW: Urodynamics. In: Morey AF and Shoskes DA, eds. *The American Urological Association Educational Review Manual in Urology, 1st Edition*, New York, Castle Connolly Graduate Medical Publishing, Ltd.; 2007: chap X, pp 187-202.

Noe HN and Jones DP: Renal disease in childhood. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 111, pp 3221-3224.

Noor S and Usmani A: Postoperative renal failure. *Clin Geriatr Med* 2008; 24: 721-729.

Novack DH, Plumer R, Smith RL, Ochitill H, Morrow GR and Bennett JM: Changes in physician attitudes toward telling the cancer patient. *JAMA* 1979; 241: 897-900.

Novak TE and Schoenberg M: A new look at the ileal conduit. *AUA Update Series* 2006; vol 25, lesson 8, pp 70-75.

Novakovic K, Ersahin C, Picken M and Campbell SC: Malignant adrenal tumors. *AUA Update Series* 2004; vol 23, lesson 30, pp 242-247.

Novelline RA, ed. The imaging techniques. In: *Squire's Fundamentals of Radiology, 6th Edition*. Cambridge: Harvard University Press; 2004: chap 2.

Novick A: Long-term results of surgical revascularization for renal artery disease. *Urol Clin North Am* 2001; 28: 827-831.

Novick AC and Fergany A: Renovascular hypertension and ischemic nephropathy. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect VIII, chap 36, pp 1156-1192.

Novick AC and Derweesh I: Open partial nephrectomy for renal tumours: current status. *BJU Int*, suppl 2, 2005; 95: 35-40.

Novick AC and Fergany A: Renovascular hypertension and ischemic nephropathy. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect VIII, chap 36, pp 1170.

Novick AC, Campbell SC, Beldegrun A, Blute ML, Chow GK, Derweesh IH for the American Urological Association (AUA) Renal Mass Clinical Panel: Guideline for Management of the Clinical Stage 1 Renal Mass. Available at:

Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 55, pp 1891-1921.

Novick AC: Open surgery of the kidney. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XII, chap 50, pp 1686-1758.

Novick AC: Nephron-sparing surgery for renal cell carcinoma. *Annu Rev Med* 2002; 53: 393-407.

Nygaard I, Thom DH and Calhoun EA: Urinary incontinence in women. In: Litwin MS and Saigal CS, eds: *Urologic Diseases in America*. US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases. Washington, D.C.: US Government Publishing Office, 2007: NIH Publication 07-5512, pp 157-191.

O

---

O'Brien JG and Garrett S: Recognition and management of delirium. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 15, pp 171-175.

O'Brien JG: The mistreatment of older adults. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 47, pp 502-507.

O'Conner OJ, McSweeney SE and Maher MM: Imaging of hematuria. *Radiol Clin North Am* 2008; 46: 113-132.

O'Donnell MA: New therapeutic strategies for non muscle-invasive (superficial) bladder cancer. *AUA Update Series* 2003; vol 22, lesson 2, pp 10-15.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 1, pp 3-9.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 2, pp 11-19.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 3, pp 24-33.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 4, pp 35-38.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 5-8, pp 41-63, chap 21-23, pp 168-184.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 9, pp 65-77.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 10-12, pp 82-104.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 13, pp 109-118.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 14, pp 122-128.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 15, pp 129-134.

## eLearning Urology Core Curriculum

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 17-20, pp 142-164.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 24, pp 187-195.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 25, pp 199-205, 207-212.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 27, pp 213-222; chap 28, pp 223-231.

O'Neill CW, ed. *Atlas of Renal Ultrasonography 1st Edition*. Philadelphia, W.B. Saunders Co.; 2001: chap 29, pp 234-241.

Oates RD: The genetic basis of male reproductive failure. *AUA Update Series* 2008; vol 27, lesson 21.

Oates RD: The genetic basis of reproductive failure. *Urol Clin North Am* 2008; 35: 257-270.

Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 45, p 2091.

Ockrim J, Lalani E and Abel P: Therapy insight: parenteral estrogen treatment for prostate cancer – a new dawn for an old therapy. *Nat Clin Pract Oncol* 2006; 3: 552-563.

Oerlemans DJ and van Kerrebroeck PE: Sacral nerve stimulation for neuromodulation of the lower urinary tract. *Neurourol Urodyn* 2008; 27: 28-33.

Oesterling JE, Cooner WH, Jacobsen SJ, Guess HA and Lieber MM: Influence of patient age on the serum PSA concentration. An important clinical observation. *Urol Clin North Am* 1993; 20: 671-680.

Ogrine G, Headrick LA, Mutha S, Coleman MT, O'Donnell J and Miles PV: A framework for teaching medical students and residents about practice-based learning and improvement, synthesized from a literature review. *Acad Med* 2003; 78: 748-756.

Oh SJ, Stoffel JT and McGuire EJ: Pubovaginal sling. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 67, pp 2234-2250.

Ohl DA, Quallich SA, Sonksen J, Brackett NL and Lynne CM: Anejaculation and Retrograde Ejaculation. *Urol Clin North Am* 2008; 35: 211-220.

Oka Y, Tsuboi A, Kawakami M, Elisseeva OA, Nakajima H, Udaka K et al: Development of WT1 peptide cancer vaccine against hematopoietic malignancies and solid cancers. *Curr Med Chem* 2006; 13: 2345-2352.

Okada H, Eto H, Hara I, Fujisawa M, Kawabata G, Yamanaka N et al: Percutaneous treatment of transitional cell carcinoma of the upper urinary tract. In *J Urol* 1997; 4: 130-133.

Okada T, Yoshida H, Matsunaga T, Kouchi K, Ohtsuka Y, Saitou T et al: Nephron-sparing surgery for multilocular cyst of the kidney in a child. *J Pediatr Surg* 2003; 38:1689-1692.

Oken D: What to tell cancer patients: a study of medical attitudes. *JAMA* 1961; 175: 1120-1128.  
Oldenburg J, Alfsen GC, Lien HH, Aass N, Wæhre H and Fossa SD: Postchemotherapy retroperitoneal surgery remains necessary in patients with nonseminomatous testicular cancer and minimal residual tumor masses. *J Clin Oncol* 2003; 21: 3310-3317.

Olsen LH, Rawashdeh YF and Jorgensen TM: Pediatric robot assisted retroperitoneoscopic pyeloplasty: a 5-year experience. *J Urol* 2007; 178: 2137-2141.

Onur R, Littrup PJ, Pontes JE and Bianco FJ Jr: Contemporary impact of transrectal ultrasound lesions for prostate cancer detection. *J Urol* 2004; 172: 512-514.

Oppelt P, von Have M, Paulsen M, Strissel PL, Strick R, Brucker et al: Female genital malformations and their associated abnormalities. *Fertil Steril* 2007; 87: 335-342.

Oprea A and Kress M: Involvement of the pro-inflammatory cytokines tumor necrosis factor-alpha, IL-1 beta, and IL-6 but not IL-8 in the development of heat hyperalgesia: effects on heat-evoked calcitonin gene-related peptide release from rat skin. *J Neurosci* 2000; 20: 6289.

Optenberg SA, Clark JY, Brawer MK, Thompson IM, Stein CR and Friedrichs P: Development of a decision-making tool to predict risk of prostate cancer: the Cancer of the Prostate Risk Index (CAPRI) Test. *Urology* 1997; 50: 665-672.

Ornstein DK and Andriole GL: Screening for prostate cancer. *AUA Update Series* 1999; vol XVIII, lesson 1.

Osman M, Wendt-Nordahl G, Heger K, Michel MS, Alken P and Knoll T: Percutaneous nephrolithotomy with ultrasonography-guided renal access: experience from over 300 cases. *BJU Int* 2005; 96: 875-878.

Ost MC and Kavoussi LR: Image guided percutaneous treatment of renal masses: cryoablation and radio frequency ablation. *AUA Update Series* 2007; vol 26, lesson 13, pp 126-133.

Ost MC, Tan BJ and Lee BR: Urological laparoscopy: basic physiological considerations and immunological consequences. *J Urol* 2005; 174:1183-1188.

## **eLearning** **Urology Core Curriculum**

Ouslander JG, Diokno A, Griebing TL, O'Donnell PD and Reis RB: Case studies of incontinence in the elderly. Presented at annual meeting of American Urological Association, Atlanta, GA, May 23, 2006.

P

---

PA Singer, ED Pellegrino and M Siegler: Ethics Committees and Consultants. *J Clin Ethics* 1990; 1: 263-267/265-266.

Pace KT, Ghiculete D, Harju M and Honey RJ: Shock wave lithotripsy at 60 or 120 shocks per minute: a randomized, double-blind trial. *J Urol* 2005; 174: 595-599.

Pagani RL, Serafini PC and Srougi M: In-vitro fertilization and micromanipulation for male infertility. In: Lipshultz LI, Howards SS and Niederberger CS, eds. *Infertility in the Male, 4th Edition*. New York, Cambridge University Press; 2009: chap 29, pp 500-515.

Pais VM, Strandhoy JW and Assimos DG: Pathophysiology of urinary tract obstruction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect IX, chap 37, pp 1195-1226.

Pak CY, Moe OW, Sakhaee K, Peterson RD and Poindexter JR: Physicochemical metabolic characteristics for calcium oxalate stone formation in patients with gouty diathesis. *J Urol* 2005; 173: 1606.

Pak CY, Peterson R and Poindexter JR: Adequacy of a single stone risk analysis in the medical evaluation of urolithiasis. *J Urol* 2001; 165: 378-381.

Palma P: Expanding indications of injectables for pelvic floor dysfunctions (AUA Video V501, 2005).

Palmer LS: Pediatric urologic imaging. *Urol Clin North Am* 2006; 33: 410, 417-419.

Palmer MH and Busby-Whitehead J: Pressure ulcers: practical considerations in prevention and treatment. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 34, pp 369-379.

Pan CG: Evaluation of gross hematuria. *Pediatr Clin North Am* 2006; 53: 401-412.

Pansadoro V and Emiliozzi P: Internal urethrotomy in the management of anterior urethral strictures: long-term followup. *J Urol* 1996; 156:73-75.

Pappas PG, Rex JH, Sobel JD, Filler SG, Dismukes WE, Walsh TJ et al: Guidelines for treatment of Candidiasis. *Clin Infect Dis* 2004; 38: 161-89.

Pareek G, Hedican SP, Gee JR, Bruskevitz RC and Nakada SY: Meta-analysis of the complications of laparoscopic renal surgery: comparison of procedures and techniques. *J Urol* 2006; 175: 1208-1213.

Pareek G, Hedican SP, Lee FT and Nakada SY: Shock wave lithotripsy success determined by skin-to-stone distance on computed tomography. *Urology* 2005; 65: 941-946.

Pariser DM: Atlas of cutaneous diseases of the external male genitalia Part II: benign, viral, transistional, and malignant tumors. *AUA Update Series 1996*; vol XV, lesson 19, pp 158-163.

Park JM: Normal development of the urogenital system. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007; vol 4, sect XVII, chap 106, pp 3121-3148.

Park S and Pearle MS : Imaging for percutaneous renal access and management of renal calculi. *Urol Clin North Am* 2006; 33: 353-361.

Park S and Pearle MS: Pathophysiology and management of calcium stones. *Urol Clin North Am* 2007; 34: 323-334.

Park SY and Jamison JL: Mini-review: transcriptional regulation of gonadal development and differentiation. *Endocrinology* 2005; 146: 1035-1042.

Parkin J, Shea C and Sant GR: Intravesical dimethyl sulfoxide (DMSO) for interstitial cystitis—a practical approach. *Urology*, suppl 1, 1997; 49: 105-107.

Parkinson JP and Konety BR: Health related quality of life assessments for patients with bladder cancer. *J Urol* 2004; 172: 2130-2136.

Parks SM and Winter L: The elderly, their families, and their caregivers. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 56, pp 572-576.

Parsons CL, Benson G, Childs SJ, Hanno P, Sant GR and Webster G: A quantitative controlled method to study prospectively interstitial cystitis and demonstrate the efficacy of pentosan polysulfate. *J Urol* 1993; 150: 845.

Parsons CL: Successful downregulation of bladder sensory nerves with combination of heparin and alkalized lidocaine in patients with interstitial cystitis. *Urology* 2005; 65: 45-48.

Parsons CL: The role of the urinary epithelium in the pathogenesis of interstitial cystitis/prostatitis/urethritis. *Urology*, suppl 1, 2007; 69: S9-S16.

Parsons JK: Modifiable risk factors for benign prostatic hyperplasia and lower urinary tract symptoms: new approaches to old problems. *J Urol* 2007; 178: 395-401.

Partin AW and Oesterling JE: The clinical usefulness of prostate specific antigen: update 1994. *J Urol* 1994; 152: 1358-1368.

Partin AW, Yoo J, Carter HB, Pearson JD, Chan DW, Epstein JI et al: The use of prostate specific antigen, clinical stage and Gleason score to predict pathological stage in men with localized prostate cancer. *J Urol* 1993; 150: 110-114.

Patel A and Fuchs GJ: New techniques for the administration of topical adjuvant therapy after endoscopic ablation of upper tract transitional cell carcinoma. *J Urol* 1998; 159: 71-75.

Patel MI, DeConcini DT, Lopez-Corona E, Ohori M, Wheeler T, Scardino PT et al: An analysis of men with clinically localized prostate cancer who deferred definitive therapy. *J Urol* 2004; 171: 1520-1524.

Patil KK, Duffy PG, Woodhouse CR and Ransley PG: Long-term outcome of Fowler-Stephens orchiopexy in boys with prune-belly syndrome. *J Urol* 2004; 171: 1666-1669.

Patil KK, Green JS and Duffy PG: Laparoscopy for impalpable testes. *BJU Int* 2005; 95: 704-708.

Patil NN: Management of difficult anatomy during robotic assisted laparoscopic radical prostatectomy (AUA DVD V1434, 2008).

Patrick DL, Althof SE, Pryor JL, Rosen R, Rowland DL, Ho KF et al: Premature ejaculation: an observational study of men and their partners. *J Sex Med* 2005; 2: 358.

Pattaras JG and O'Keefe SC: Ureteroscopic lithotripsy. *AUA Update Series* 2003; vol XXII, lesson 19.

Paulhac P, Fourcade L, Lesaux N, Alain JL and Colombeau P: Anterior urethral valves and diverticula. *BJU Int* 2003; 92: 506-509.

Pavela G: Applying the Power of Association on Campus: A Model Code of Academic Integrity. Available at: [http://www.jpo.umd.edu/docs/toomuch2\\_wrk.pdf](http://www.jpo.umd.edu/docs/toomuch2_wrk.pdf) Accessed March 18, 2010.

Pavlica P, Barozzi L, Bartolone A, Gaudio C, Menchi M and Veneziano S: Nonspecific granulomatous prostatitis. *Ultraschall Med* 2005; 26: 203-208.

Pavlica P, Barozzi L and Menchi I: Imaging of male urethra. *Eur Radiol* 2003;13: 1583-1596.

Payne CK, Joyce GF, Wise M and Clemens JQ: Interstitial cystitis and painful bladder syndrome. *J Urol* 2007; 177: 2042-2049.

Payne CK: Conservative management of urinary incontinence: behavioral and pelvic floor therapy, urethral and pelvic devices. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 63, pp 2124-2146.

Pearle MS and Lotan Y: Urinary lithiasis etiology, epidemiology, and pathogenesis. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XI, chap 42, pp 1363-1392.

Pearle MS, Curhan GC and Calhoun EA: Urolithiasis. In: Litwin MS and Saigal CS, eds: *Urologic Diseases in America*. US Department of Health and Human Services, Public Health Service,

Pearle MS, Lingeman JE, Leveillee R, Kuo R, Preminger GM, Nadler RB et al: Prospective, randomized trial comparing shock wave lithotripsy and ureteroscopy for lower pole caliceal calculi 1 cm or less. *J Urol* 2005; 173: 2005-2009.

Pearle MS, Price HL, Miller GL, Summa JA, Mutz JM, Petty BA et al: Optimal method of urgent decompression of the collecting system for obstruction and infection due to ureteral calculi. *J Urol* 1998; 160: 1260-1264.

Pearle MS: Management of the acute stone event. *AUA Update Series* 2008; vol 27, lesson 30, pp 282-288.

Pedro RN, Hinck B, Hendlin K, Feia K, Canales BK and Monga M: Alfuzosin stone expulsion therapy for distal ureteral calculi: a double-blind, placebo controlled study. *J Urol* 2008; 179: 2244-2248.

Peeker R, Haghsheno M-A, Holmang S and Fall M: Intravesical bacillus Calmette-Guerin and dimethyl sulfoxide for treatment of classic and nonulcer interstitial cystitis: a prospective, randomized double-blind study. *J Urol* 2000; 164: 1912-1916.

Pellegrino ED: Toward a virtue-based normative ethics for the health professions. *Kennedy Institute of Ethics Journal* 1995; 5: 253-277.

Pena A, Levitt MA, Hong A and Midulla P: Surgical management of cloacal malformations: a review of 339 patients. *J Pediatr Surg* 2004; 39: 470-479.

Penson DF, Litwin MS and Aaronson NK : Health related quality of life in men with prostate cancer. *J Urol* 2003; 169: 1653.

Perini R, Pryma D and Divgi C: Molecular imaging of renal cell carcinoma. *Urol Clin North Am* 2008; 35: 605-611.

Perks AD, Schuler TD, Lee J, Ghiculete D, Chung DG, D'A Honey RJ et al: Stone attenuation and skin-to-stone distance on computed tomography predicts for stone fragmentation by shock wave lithotripsy. *Urology* 2008; 72: 765-769.

Perlman EJ, Faria P, Soares A, Hoffer F, Sredni S, Ritchey ML et al: Hyperplastic perilobar nephroblastomatosis: long-term survival of 52 patients. *Pediatr Blood and Cancer* 2006; 46: 203-221.

Perlman EJ, Grosfeld JL, Togashi K and Boccon-Gibod L: Nephroblastoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours*.

*Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, pp 49-51.

Perrotti M and Fair WR: Prostate cancer staging in the newly diagnosed patient. *AUA Update Series* 1997; vol XVI, lesson 30.

Peters CA: Perinatal urology. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 109, pp 3176-3197.

Peters KM and Konstandt D: Sacral neuromodulation decreases narcotic requirements in refractory interstitial cystitis. *BJU Int* 2004; 93: 777-779.

Peters KM, Carrico DJ, Kalinowski SE, Ibrahim IA and Diokno AC: Prevalence of pelvic floor dysfunction in patients with interstitial cystitis. *Urology* 2007; 70: 16-18.

Peters KM, Diokno AC and Steinert B: Preliminary study on urinary cytokine levels in interstitial cystitis: does intravesical bacille Calmette-Guerin treat interstitial cystitis by altering the immune profile in the bladder? *Urology* 1999; 54: 450-453.

Peters KM, Diokno AC, Steinert BW and Gonzalez JA: The efficacy of intravesical bacillus Calmette-Guerin in the treatment of interstitial cystitis: long-term followup. *J Urol* 1998; 159: 1483-1487.

Peters KM, Girdler B, Carrico DJ, Ibrahim IA and Diokno AC: Painful bladder syndrome/interstitial cystitis and vulvodynia: a clinical correlation. *Int Urogynecol J* 2008; 19: 665-669.

Peters KM, Killinger KA, Carrico DJ, Ibrahim IA, Diokno AC and Graziottin A: Sexual dysfunction and sexual distress in women with interstitial cystitis: a case-control study. *Urology* 2007; 70: 543-547.

Peters, KM, Kalinowski SE, Carrico DJ, Ibrahim IA and Diokno AC: Fact or fiction—is abuse prevalent in patients with interstitial cystitis? Results from a community survey and clinic population. *J Urol* 2007; 178: 891-895.

Peterson A and Webster G: Urodynamic and videourodynamic evaluation of voiding dysfunction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 58, pp 1986-2010.

Petras RE: Nonneoplastic intestinal diseases. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect VIII, chap 33, pp 1524-1525.

Petrylak DP, Tangen CM, Hussain MH, Lara PN Jr, Jones JA, Taplin ME et al: Docetaxel and estramustine compared with mitoxantrone and prednisone for advanced refractory prostate cancer. *N Engl J Med* 2004; 351: 1513.

Pettaway CA and Lynch DF Jr: Penile cancer: contemporary surgical management of the inguinal and pelvic nodes. *AUA Update Series* 2002; vol XXI, lesson 33, pp 258-263.

Pettaway CA, Lynch DF Jr and Davis JW: Tumors of the penis. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, chap 31, pp 959-992.

Pfaffenroth EC and Linehan WM: Genetic basis for kidney cancer: opportunity for disease-specific approaches to therapy. *Expert Opin Biol Ther* 2008; 8: 779-790.

Phillips CK and Taneja SS: The role of lymphadenectomy in the surgical management of renal cell carcinoma. *Urol Oncol* 2004; 22: 214-223.

Pienta KJ: Prostate cancer. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 96, pp 1149-1158.

Pietrow PK and Preminger GM: Evaluation and medical management of urinary lithiasis. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XI, chap 43, pp 1393-1430.

Pietrow PK, Auge BK, Weizer AZ, Delvecchio FC, Silverstein AD, Mathias B et al: Durability of the medical management of cystinuria. *J Urol* 2003; 169: 68.

Pilepich MV, Winter K, John MJ, Mesic JB, Sause W, Rubin P et al: Phase III radiation therapy oncology group (RTOG) trial 86-10 of androgen deprivation adjuvant to definitive radiotherapy in locally advanced carcinoma of the prostate. *Int J Radiat Oncol Biol Phys* 2001; 50:1243.

Pinthus JH, Hajek D and Trachtenberg J: Androgen deprivation therapy for prostate cancer. *AUA Update Series* 2006; vol 25, lesson 15.

Pirker ME, Colhoun E and Puri P: Renal scarring in familial vesicoureteral reflux: is prevention possible? *J Urol* 2006; 176: 1842-1846.

Pishchalnikov YA, McAteer JA and Williams JC Jr: Effect of firing rate on the performance of shock wave lithotrippers. *BJU Int* 2008; 102: 1681-1686.

Pishchalnikov YA, Neucks JS, VonDerHaar RJ, Pishchalnikova IV, Williams JC Jr and McAteer JA: Air pockets trapped during routine coupling in dry head lithotripsy can significantly decrease the delivery of shock wave energy. *J Urol* 2006; 176: 2706-2710.

Png KS, Lim EK, Chong KT, Sugiono M, Yip SK and Cheng CW: Prognostic factors for upper tract transitional cell carcinoma: a retrospective review of 66 patients. *Asian J Surg* 2008; 31: 20-24.

Pohl HG, Atala AA and Retik AB: 2-Stage hypospadias: historical perspectives and current practice. *AUA Update Series* 2004; vol 23, lesson 5.

Pokorny K, Yamazaki K and Swing S: ACGME Outcome Project. Available at: <http://www.acgme.org/outcome/>. Powerpoint slide presentation: [http://www.acgme.org/outcome/project/OPintrorev1\\_7-05.ppt](http://www.acgme.org/outcome/project/OPintrorev1_7-05.ppt). Accessed January 19, 2010.

Pokorny K, Yamazaki K and Swing S: ACGME Outcome Project: Toolbox of Assessment Methods. Available at: <http://www.acgme.org/outcome/assess/toolbox.asp> Accessed January 18, 2010.

Pontari MA, Joyce GF, Wise M and McNaughton-Collins M; Urologic Diseases in America Project: prostatitis. *J Urol* 2007; 177: 2050-2057.

Pontari MA: Chronic prostatitis/chronic pelvic pain syndrome in elderly men: toward better understanding and treatment. *Drugs Aging* 2003; 20: 1111-1125.

Pontes JE and Guay AT: Andropause: is it safe to treat? Presented at annual meeting of American Urological Association, Atlanta, GA, May 21, 2006.

Porpiglia F, Destefanis P, Fiori C, Scarpa RM and Fontana D: Role of adjunctive medical therapy with nifedipine and deflazacort after extracorporeal shock wave lithotripsy of ureteral stones. *Urology* 2002; 59: 835-838.

Porst H and Buvat J: *Standard Practice in Sexual Medicine*. Hoboken, New Jersey, Blackwell Publishing; 2006.

Porter CR, Latchamsetty KC and Genega EM: Urothelial neoplasms of the kidney and ureter: an epidemiologic, pathological and clinical review. *AUA Update Series* 2005; vol XXIV, lesson 10, p 79-84, Appendix 2.

Porter MP, Wei JT, and Penson DF: Quality of life issues in bladder cancer patients following cystectomy and urinary diversions. *Urol Clin North Am* 2005; 32: 207-216.

Potthast S and Maki JH: Non-contrast-enhanced MR imaging of the renal arteries. *Magn Reson Imaging Clin N Am* 2008; 16: 573-584.

Potts JM: Chronic pelvic pain syndrome: a non-prostatocentric perspective. *World J Urol* 2003; 21: 54-56.

Potts JM: Therapeutic options for chronic prostatitis/chronic pelvic pain syndrome. *Curr Urol Rep* 2005; 6: 313-317.

Poulakis V, Dahm P, Witzsch U, de Vries R, Remplik J and Becht E: Prediction of lower pole stone clearance after shock wave lithotripsy using an artificial neural network. *J Urol* 2003; 169: 1250-1256.

Pound CR, Partin AW, Eisenberger MA, Chan DW, Pearson JD and Walsh PC: Natural history of progression after PSA elevation following radical prostatectomy. *JAMA* 1999; 281: 1591-1597.

Powles T, Murray I, Brock C, Oliver T and Avril N: Molecular positron emission therapy and PET/CT imaging in urological malignancies. *Eur Urol* 2007; 51: 1511-1520.

Prais D, Straussberg R, Avitzur Y, Nussinovitch M, Harel L and Amir J: Bacterial susceptibility to oral antibiotics in community acquired urinary tract infection. *Arch Dis Child* 2003; 88: 215-218.

Preminger GM and Assimos DG for the AUA Staghorn Guidelines Panel: Report on the Management of Staghorn Calculi, 2005. Available at:

Preminger GM, Tiselius HG and Assimos DG for the EAU/AUA Nephrolithiasis Guideline Panel : 2007 Guideline for the Management of Ureteral Calculi. Available at :  
<http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines.cfm?sub=uc>.  
Accessed March 17, 2009.

Preminger GM: Management of lower pole renal calculi: shock wave lithotripsy versus percutaneous nephrolithotomy versus flexible ureteroscopy. *Urol Res* 2006; 34: 108-111.

Probert JL, Glew D and Gillatt DA: Magnetic resonance imaging in urology. *BJU Int* 1999; 83: 201-214.

Propert KJ, Mayer R, Nickel JC, Payne CK, Peters KM, Teal V et al: Did patients with interstitial cystitis who failed to respond to initial treatment with bacillus Calmette-Guerin or placebo in a randomized clinical trial benefit from a second course of open label bacillus Calmette-Guerin? *J Urol* 2007; 178: 886-890.

Puchalski CM and Romer AL: Taking a spiritual history allows clinicians to understand patients more fully. *J Palliat Med* 2000; 3: 129-37.

Putnam A: The care of the terminal patient. In: Chang A, Ganz PA, Hayes DF, Kinsella T, Pass HI, Schiller JH et al, eds. *Oncology: An Evidence-Based Approach*. New York, Springer-Verlag; 2006: chap 91, pp 1601-1611.

R

---

Raabe NK, Fossa SD and Bjerkehagan B: Carcinoma of the renal pelvis. *Scand J Urol Nephrol* 1992; 26: 357.

Rabbani F, Sheinfeld J, Farivar-Mohseni H, Leon A, Rentzepis MJ, Reuter VE et al: Low-volume nodal metastases detected at retroperitoneal lymphadenectomy for testicular cancer: pattern and prognostic factors for relapse. *J Clin Oncol* 2001; 19: 2020–2025.

Rabets JC and Novick AC: Evidence-based comparison of nephron-sparing treatment options for renal cell carcinoma. *AUA Update Series* 2006; vol 25, lesson 28, pp 254-257.

Rackley RR: Neuropathic bladder: voiding dysfunctions associated with neurological disease. In: Morey AF and Shoskes DA, eds. *The American Urological Association Educational Review Manual in Urology, 1<sup>st</sup> Edition*, New York, Castle Connolly Graduate Medical Publishing, Ltd.; 2007: chap XI, pp 203-222.

Radojicic ZI, Perovic SV and Milic NM: Is it reasonable to treat refractory voiding dysfunction in children with botulinum-A toxin? *J Urol* 2006; 176: 332-336.

Rahemtullah A and Oliva E: Nephrogenic adenoma: an update on an innocuous but troublesome entity. *Adv Anat Pathol* 2006; 13: 247-245.

Ramakumar S, Lancini V, Chan DY, Parsons JK, Kavoussi LR and Jarrett TW: Laparoscopic pyeloplasty with concomitant pyelolithotomy. *J Urol* 2002; 167: 1378.

Ramasamy R, Haviland M, Woodard JR and Barone JG: Patterns of inheritance in familial prune belly syndrome. *Urology* 2005; 65: 1227.

Ramey JR, Halpern EJ and Gomella LG: Ultrasonography and biopsy of the prostate. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 92, pp 2883-2892, Table 92-1

Ramírez ML and Evans CP: Current management of small renal masses. *Can J Urol*, suppl 1, 2007; 14: 39-47.

Raney B, Anderson J, Jenney M, Arndt C, Brecht I and Carli M et al: Late effects in 164 patients with rhabdomyosarcoma of the bladder/prostate region: a report from the international workshop. *J Urol* 2006; 176: 2190-2195.

Rankin S: Renal parenchymal disease including renal failure, renovascular disease and transplantation. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect 4, chap 39.

Rapp DE: Advance sling placement in treatment of post-prostatectomy urinary incontinence (AUA DVD V871, 2007)

Rastinehad AR, Ost MC, Vanderbrink BA, Greenberg KL, El-Hakim A, Marcovich R et al: A 20 year experience with percutaneous resection of upper tract transitional cell carcinoma: is there an oncological benefit with adjuvant bacillus Calmette Guerin therapy. *Urology* 2009; 73: 27-31.

Ratner V, Slade D and Greene G: Interstitial cystitis: a patient's perspective. *Urol Clin North Am* 1994; 21: 1-5.

Reddy PR and Minevich E: Renal calculus disease. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect III, chap 25, pp 387-399.

Redman JE: Applied anatomy of the groin. Part I. *AUA Update Series* 1989; vol. VIII, lesson 9.

Redman JE: Applied anatomy of the groin. Part II. *AUA Update Series* 1989; vol. VIII, lesson 10.

Reichel W, Arenson C and Scherger JE: Essential principles in the care of the elderly. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 1, pp 1-13.

Reiner WG: Pharmacotherapy in the management of voiding and storage disorders, including enuresis and encopresis. *J Am Acad Child Adolesc Psychiatry* 2008; 47: 491-498.

Reisner BS and Woods GL: Specimen collection and processing for microbiology. In: McClatchey KD, ed. *Clinical Laboratory Medicine, 2<sup>nd</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2002: sect IX, chap 50, pp 1071-1072.

Rendon RA and Jewett MA: Expectant management for the treatment of small renal masses. *Urol Oncol* 2006; 24: 62-67.

Residency Review Committee Urology - [http://www.acgme.org/acWebsite/navPages/nav\\_480.asp](http://www.acgme.org/acWebsite/navPages/nav_480.asp)

Resnick NM and Yalla SV: Geriatric incontinence and voiding dysfunction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 71, pp 2305-2321.

Reuben DB and Rosen S: Principles of geriatric assessment. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 11, pp 141-152.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Appropriate prescribing. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Assessment and approach. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 4-16.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Assessment instruments. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 244-251.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Delirium. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 52-65.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Incontinence: urinary and fecal. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 82-86, 107-130.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Kidney disorders. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 131-142.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Palliative and end-of-life care. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 179-185.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Preoperative and perioperative care. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 186-188.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Prostate disorders. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 193-197.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Sexual dysfunction. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 214-216.

Reuben DB, Herr KA, Pacala JT and Pollock BG, eds. Urinary and fecal. In: *Geriatrics at Your Fingertips 2008-2009, 10th Edition*. New York: The American Geriatrics Society; 2008: pp 107-112.

Reuter VE and Tickoo SK: Adult renal tumors. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 42, pp 1955-1999.

Reuter VE, Davis CJ and Moch H: Oncocytoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, p 42.

Reuter VE: Non-invasive high grade papillary urothelial carcinoma, high grade. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, pp 117-118.

Reuter VE: The pathology of renal epithelial neoplasms. *Semin Oncol* 2006; 33: 534-543.

Reuter VE: The urothelial tract: renal pelvis, ureter, urinary bladder, and urethra. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4<sup>th</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 44, pp 2036-2081.

Revel A and Revel-Vilk S: Pediatric fertility preservation: is it time to offer testicular tissue cryopreservation? *Mol Cell Endocrinol* 2008; 282: 143-149.

Rhoden EL and Morgentaler A: Risks of testosterone-replacement therapy and recommendations for monitoring. *N Engl J Med* 2004; 350: 482-492.

Rhodes T, Girman CJ, Jacobsen SJ, Roberts RO, Guess HA and Lieber MM: Longitudinal prostate growth rates during 5 years in randomly selected community men 40 to 79 years old. *J Urol* 1999; 161: 1174-1179.

Richardson I, Grotas AB and Nagler HM: Outcomes of varicocele treatment: An updated critical analysis. *Urol Clin North Am* 2008; 35: 191-209.

Richie JP and Steele GS: Neoplasms of the testis. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VII, chap 29, pp 893-935.

Rider EA and Keefer CH: Communication skills competencies: definitions and a teaching toolbox. *Med Educ* 2006; 40: 624-629.

Rider EA, Nawotniak R and Smith G. *A Practical Guide to Teaching and Assessing the ACGME Core Competencies*. Marblehead, Massachusetts, HCPro, Inc; 2007.

Rider EA, Nawotniak RH and Smith G: Competency 4: Practice-based learning and improvement. In: *A Practical Guide to Teaching and Assessing the ACGME Core Competencies*. Marblehead, Massachusetts, HCPro, Inc; 2007: chap 4, pp 141-163.

Rider EA, Nawotniak RH and Smith G: Professionalism. In: *A Practical Guide to Teaching and Assessing the ACGME Core Competencies*. Marblehead, Massachusetts, HCPro, Inc; 2007: chap 6, pp 189-216.

Rider EA: Competency 1: interpersonal and communication skills. In: Rider EA, Nawotniak RH and Smith G. *A Practical Guide to Teaching and Assessing the ACGME Core Competencies*. Marblehead, Massachusetts, HCPro, Inc; 2007: chap 1, pp 1-23.

Rifkin MD and Cochlin DL, eds. Embryology and normal anatomy of the lower male genital tract. In: *Imaging of the Scrotum and Penis*. London, Martin Dunitz Ltd; 2002, chap 1, pp 12-19.

Rifkin MD and Cochlin DL, eds. The painful scrotum. In: *Imaging of the Scrotum and Penis*. London, Martin Dunitz Ltd; 2002, chap 4, pp 98-116.

Rifkin MD and Cochlin DL, eds. The penis; erectile dysfunction. In: *Imaging of the Scrotum and Penis*. London, Martin Dunitz Ltd; 2002, chaps 10 and 12, pp 251-252 and 273-279.

Rifkin MD and Cochlin DL, eds. The penis; ultrasound of the male anterior urethra. In: *Imaging of the Scrotum and Penis*. London, Martin Dunitz Ltd; 2002, chap 11, 261-263.

Rifkin MD, ed: *Ultrasound of the Prostate: Imaging in the Diagnosis and Therapy of Prostatic Disease, 2nd Edition*. Philadelphia, Lippincott-Raven; 1997, chap 7.

Rigamonti W, Iafrate M, Milani C, Capizzi A, Bisogno G and Carli M: Orthotopic continent urinary diversion after radical cystectomy in pediatric patients with genitourinary rhabdomyosarcoma. *J Urol* 2006; 175: 1092-1096.

Rinaudo P and Turek PJ: The basics of assisted reproduction. *AUA Update Series* 2007; vol 26, lesson 2.

Rini BI and Flaherty K: Clinical effect and future considerations for molecularly-targeted therapy in renal cell carcinoma. *Urol Oncol* 2008; 26: 543-549.

Rink R and Kaefer M: Surgical management of intersexuality, cloacal malformations and other abnormalities of the genitalia in girls. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 129, pp 3852-3853, 3865-3866.

Rink RC, Metcalfe PD, Cain MP, Meldrum KK, Kaefer MA and Casale AJ: Use of the mobilized sinus with total urogenital mobilization. *J Urol* 2006; 176: 2205-2211.

Ritchey ML and Ferrer FA: Wilms' tumor. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect III, chap 32, pp 497-512.

Ritchey ML and Shamberger RC: Pediatric urologic oncology. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 130, pp 3878-3905.

Robboy SJ and Jaubert F: Neoplasms and pathology of sexual developmental disorders (intersex). *Pathology* 2007; 39: 147-163.

Robertson JM: Pediatric fluid management. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect I, chap 12, pp 223-230.

Robins JC and Carson SA: Female fertility: what every urologist must understand. *Urol Clin North Am* 2008; 35: 174.

Robinson JW, Donnelley BJ, Siever JE, Saliken JC, Ernst SD, Rewcastle JC et al: A randomized trial of external beam radiotherapy versus cryoablation in patients with localized prostate cancer. *Cancer* 2009; 115: 4695.

Robinson MR, Leitao VA, Haleblian GE, Scales CD Jr, Chandrashekar A, Pierre SA et al: Impact of long-term potassium citrate therapy on urinary profiles and recurrent stone formation. *J Urol* 2009; 181: 1145.

Robson WL, Leung AK and Norgaard JP: The comparative safety of oral versus intranasal desmopressin for the treatment of children with nocturnal enuresis. *J Urol* 2007; 178: 24-30.

Rochon RP, Tija J, Gill SS and Gurwitz JH: Appropriate approach to prescribing. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 24, pp 289-302.

Rodriguez-Iturbe B and Batsford S: Pathogenesis of poststreptococcal glomerulonephritis: a century after Clemons von Pirquet. *Kidney Int* 2007; 71: 1094-1104.

Roehrborn CG and McConnell JD: Benign prostatic hyperplasia: etiology, pathophysiology, epidemiology, and natural history. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 86, pp 2727-2765.

Roehrborn CG, Girman CJ, Rhodes T, Hanson KA, Collins GN, Sech SM et al: Correlation between prostate size estimated by digital rectal examination and measured by transrectal ultrasound. *Urology* 1997; 49: 548.

Roehrborn CG, Lukkarinen O, Mark S, Siami P, Ramsdell J and Zinner N: Long-term sustained improvement in symptoms of benign prostatic hyperplasia with the dual 5alpha-reductase inhibitor dutasteride: results of 4-year studies. *BJU Int* 2005; 96: 572 -577.

Roehrborn CG, McConnell J, Bonilla J, Rosenblatt S, Hudson PB, Malek GH et al: Serum prostate specific antigen is a strong predictor of future prostate growth in men with benign prostatic hyperplasia. PROSCAR long-term efficacy and safety study. *J Urol* 2000; 163: 13.

Rofeim O, Hom D, Freid RM and Moldwin RM: Use of the neodymium: YAG laser for interstitial cystitis: a prospective study. *J Urol* 2001; 166: 134-136

Rogers A, Kalakish S, Desai RA and Assimos DG: Management of cystinuria. *Urol Clin North Am* 2007; 34: 347-362.

Roma AA and Zhou M: Pathological classification and molecular genetics of renal cell carcinoma. *AUA Update Series* 2007; vol 26, lesson 9, pp 93-94.

Roscigno M, Shariat SF, Margulis V, Karakiewicz P, Remzi M, Kikuchi E et al: Impact of lymph node dissection on cancer specific survival in patients with upper tract urothelial carcinoma treated with radical nephroureterectomy. *J Urol* 2009; 181: 2482-2489.

Rosebud RO, Lieber MM, Rhodes T, Girman CJ, Bostwick DG and Jacobsen SJ: Prevalence of a physician-assigned diagnosis of prostatitis: the Olmsted County Study of Urinary Symptoms and Health Status Among Men. *Urology* 1998; 51: 578-584.

Rosen R, Jackson G and Kostis JB: Erectile dysfunction and cardiac disease: recommendations of the Second Princeton Conference. *Curr Urol Rep* 2006; 7: 490.

Rosen S, Peters CA, Chevalier RL and Huang WY: The kidney in congenital ureteropelvic junction obstruction: a spectrum from normal to nephrectomy. *J Urol* 2008; 179: 1257-1263.

Rosenberg AL and Wei JT: Clinical study designs in the urologic literature: a review for the practicing urologist. *Urology* 2000; 55: 468-476.

Rosenberg MT, Newman DK and Page SA: Interstitial cystitis/painful bladder syndrome: symptom recognition is key to early identification, treatment. *Cleve Clin J Med*, suppl 3, 2007; 74: S54-S62.

Ross JH: Testicular tumors. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect VI, chap 76, pp 1329-1337.

Roth CS, Watson KV and Harris IB: A communication assessment and skill-building exercise (CASE) for first-year residents. *Acad Med* 2002; 77: 746-747.

Rottenberg G and Rankin S: Renal masses. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5th Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect 4, chap 40.

Rottenberg G and Sandhu C: Radiology of the upper urinary tract. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect 4, chap 41.

Rovner ES and Wein AJ: Practical urodynamics: Part I. *AUA Update Series* 2002; vol XXI, lesson 19, pp 146-150.

Rovner ES and Wein AJ: Practical urodynamics: Part II. *AUA Update Series* 2002; vol XXI, lesson 20, pp 150-159.

Rovner ES, Banner MP, Ramchandani P and Wein AJ: Clinical videourodynamics. *AUA Update Series* 2003; vol 22, lesson 35, pp 278-283.

Rovner ES: Bladder and urethral diverticula. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 73, pp 2361-2390.

Rovner ES: Urinary tract fistula. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 72, pp 2322-2360.

Rubin S: *When Doctors Say No: The Battleground of Medical Futility*. Bloomington, IN: Indiana University Press; 1998.

Rueben DB and Rosen S: Principles of geriatric assessment. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 11, pp 141-152.

Ruggera L, Beltrami P, Ballario R, Cavalleri S, Cazzoletti L and Artibani W: Impact of anatomical pyelocaliceal topography in the treatment of renal lower caliceal stones with extracorporeal shock wave lithotripsy. *Int J Urol* 2005; 12: 525-532.

Ruggieri M, Braverman S and Pontari MA: Combined use of  $\alpha$ -adrenergic and muscarinic antagonists for the treatment of voiding dysfunction. *J Urol* 2005; 174: 1743-1748.

Rumack CM, Wilson SR, Charboneau JW and Johnson AM, eds. *Diagnostic Ultrasound 3rd Edition*. Philadelphia, Elsevier/Mosby; 2005: vol 1, chap 1, pp 3-34.

Rumack CM, Wilson SR, Charboneau JW and Johnson AM, eds. *Diagnostic Ultrasound 3rd Edition*. Philadelphia, Elsevier/Mosby; 2005: vol 1, chap 2, pp 35-54.

Rumack CM, Wilson SR, Charboneau JW and Johnson AM, eds. *Diagnostic Ultrasound 3rd Edition*. Philadelphia, Elsevier/Mosby; 2005: vol 1, chap 9, pp 322-380, 382-384.

Rumack CM, Wilson SR, Charboneau JW and Johnson AM, eds. *Diagnostic Ultrasound 3rd Edition*. Philadelphia, Elsevier/Mosby; 2005: vol 1, chap 11, pp 428-438.

Rumack CM, Wilson SR, Charboneau JW and Johnson AM, eds. *Diagnostic Ultrasound 3rd Edition*. Philadelphia, Elsevier/Mosby; 2005: vol 1, chap 24, pp 849-857, 874-878.

Russell M, Silliman RA and Burke J: Principles of fluid and electrolyte balance and renal disorders in the older patient. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 24, pp 254-265.

## eLearning Urology Core Curriculum

Russo P and Huang W: The medical and oncological rationale for partial nephrectomy for the treatment of T1 renal cortical tumors. *Urol Clin North Am* 2008; 35: 635-643.

Russo P and O'Brien MF: Surgical intervention in patients with metastatic renal cancer: metastasectomy and cytoreductive nephrectomy. *Urol Clin North Am* 2008; 35: 679-686.

Russo P: Partial nephrectomy achieves local tumor control and prevents chronic kidney disease. *Expert Rev Anticancer Ther* 2006; 6: 1745-1751.

Russo P: Renal cell carcinoma: presentation, staging, and surgical treatment. *Semin Oncol* 2000; 27: 160-176.

Rutherford R: Medical records management—steps toward a paperless environment. *Urol Clin North Am* 2005; 32: 275-284.

Rutz-Danielczak A, Pupek-Musialik D and Raszeja-Wanic B: Effects of extracorporeal shock wave lithotripsy on renal function in patients with kidney stone disease. *Nephron* 1998; 79: 162-166.

S

---

Sabnis SG, Ross WB, Pavlova Z and Koss MN: The non-neoplastic kidney. In: Weidner N, Cote RJ, Suster S and Weiss LM, eds. *Modern Surgical Pathology*. Philadelphia, WB Saunders Elsevier; 2003, vol 2, sect VI, chap 29, pp 1001-1006.

Sagalowsky AI and Jarrett TW: Management of urothelial tumors of the renal pelvis and ureter. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect XII, chap 49, pp 1653-1685.

Sakhaee K, Poindexter JR, Griffith CS and Pak CY: Stone forming risk of calcium citrate supplementation in healthy postmenopausal women. *J Urol* 2004; 172: 958.

Sakhaee K: Nephrolithiasis as a systemic disorder. *Curr Opin Nephrol Hypertens* 2008; 17: 304.  
Sakr WA, Montironi R, Epstein JI and Rubin MA: Prostatic intraepithelial neoplasia. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, pp 193-197.

Salam MA: Posterior urethral valve: outcome of antenatal intervention. *Int J Urol* 2006; 13: 1317-1322.

Salimbene S and Graczykowski JW: *10 Tips for Improving the Caregiver/Patient Relationship Across Cultures. When Two Cultures Meet: American Medicine and the Cultures of Diverse Patient Populations*; Book 1, What Language Does Your Patient Hurt In? An 8-Part Series of Practical Guides to the Care and Treatment of Patients from Other Cultures. Amherst, Mass: Amherst Educational Publishing; 1995: pp 23-25.

Salkeld G and Solomon MJ: An economic perspective on evidence-based patient choice in surgery. *Aust N Z J Surg* 2003; 73: 4217-430.

Salzman BE, Snyderman D and Perkel R: Ethical decision making in geriatric medicine. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 60, pp 608-615.

Santillo VM and Lowe FC: Phytotherapeutic agents for the treatment of benign prostatic hyperplasia. *AUA Update Series* 2006; vol 25, lesson 10, pp 89-95 (include references).

Santillo VM and Lowe FC: The management of chronic prostatitis in men with HIV. *Curr Urol Rep* 2006; 7: 313-319.

Santucci RA and McAninch JW: Renal and ureteral trauma. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sec IX, chap 39, figure 39-1, 39-4 and table 39-1.

Santucci RA, Wessells H, Bartsch G, Descotes J, Heyns CF, McAninch JW et al.: Evaluation and management of renal injuries: consensus statement of the renal trauma subcommittee. *BJU Int* 2004; 93: 937-954, figure 3a-c and table 4.

Santucci RA: Combined buccal mucosa graft and penile flap for urethral reconstruction in failed hypospadias repair (AUA Video V883, 2008).

Sarhan O, Zaccaria I, Macher MA, Muller F, Vuillard E, Delezoide AL et al: Long-term outcome of prenatally detected posterior urethral valves: single center study of 65 cases managed by primary valve ablation. *J Urol* 2008; 179: 307-312.

Sarvis JA and Thompson IM: Prostate cancer chemoprevention: update of the Prostate Cancer Prevention Trial findings and implications for clinical practice, *Curr Oncol Rep* 2008; 10: 529-532.

Sato Y, Tanda H, Kato S, Ohnishi S, Nakajima H, Nanbu A et al: Shock wave lithotripsy for renal stones is not associated with hypertension and diabetes mellitus. *Urology* 2008; 71: 586-591. Saunders Elsevier; 2007: vol 1, sect IV, chap 8, pp 223-303.

Sauter G: Inverted papilloma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, p 114.

Scales CD JR, Curtis LH, Norris RD, Springhart WP, Sur RL, Schulman KA et al: Changing gender prevalence of stone disease. *J Urol* 2007; 177: 979.

Scales CD Jr, Dahm P, Sultan S, Campbell-Scherer D and Devereaux PJ: How to use an article about a diagnostic test. *J Urol* 2008; 180: 469-476.

Scales CD Jr, Peterson B, and Dahm P: Interpreting statistics in the urological literature. *J Urol* 2006; 176: 1938-1945.

Scales CD Jr, Preminger GM, Keitz SA and Dahm P: Evidence-based clinical practice: a primer for urologists. *J Urol* 2007; 178: 775-782.

Scardino P: Update: NCCN prostate cancer clinical practice guidelines. *J Natl Compr Canc Netw* 2005; 3: S29-S33.

Scarpero HM, Kaufman MR, Koski M and Dmochowski RR: Urodynamics best practices. *AUA Update Series* 2009; vol 28, lesson 9, pp 74-83.

Scélo G and Brennan P: The epidemiology of bladder and kidney cancer. *Nat Clin Pract Urol* 2007; 4: 205-217.

Schaeffer AJ and Schaeffer EM: Infections of the urinary tract-. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect IV, chap 8, pp 293-296.

Schaeffer AJ, Knauss JS, Landis JR, Propert KJ, Alexander RB, Litwin MS et al: Leukocyte and bacterial counts do not correlate with severity of symptoms in men with chronic prostatitis: the National Institutes of Health Chronic Prostatitis Cohort Study. *J Urol* 2002; 168: 1048.

Schaeffer EM and Schaeffer AJ: Antimicrobial prophylaxis in urology: principles and practice. *AUA Update Series* 2007; vol 26, lesson 29.

Schäfer W, Abrams P, Liao L, Mattiasson A, Pesce F, Spangberg A et al: Good urodynamic practices: uroflowmetry, filling cystometry and pressure-flow studies. *Neurourol Urodyn* 2002; 21: 261-274.

Schatz SM and Lieber MM: Update on oncocytoma. *Curr Urol Rep* 2003; 4: 30-35.

Schedl A: Renal abnormalities and their developmental origin. *Nat Rev Genet* 2007; 8: 791-802.

Schlanger L, Sands JM and Bailey JL: Renal disease. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 86, pp 1017-1034.

Schlegel PN, Hardy MP and Goldstein M: Male reproductive physiology. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 18, pp 577-608.

Schlesinger C, Bostwick DG and Iczkowski KA: High-grade prostatic intraepithelial neoplasia and atypical small acinar proliferation: predictive value for cancer in current practice. *Am J Surg Pathol* 2005; 29: 1201-1207.

Schlüssel RN and Retik AB: Ectopic ureter, ureterocele, and other anomalies of the ureter. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sec XVII, chap 116, pp 3387-3409.

Schmidt RA, Jonas U, Oleson KA, Janknegt RA, Magdy M, Hassouna SW et al: Sacral nerve stimulation for treatment of refractory urinary urge incontinence. *J Urol* 1999; 162: 352-357.

Schneck FX and Bellinger MF: Abnormalities of the testes and scrotum and their surgical management. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 127, pp 3761-3791.

Schned AR and Cozzolino DJ: Idiopathic dense calcification of the seminal vesicles. *J Urol* 1997; 157: 2263.

Schneiderman L and Jecker N: *Wrong Medicine: Doctors, Patients, and Futile Treatment* Baltimore: Johns Hopkins University Press: 2000.

Schoenberg MP and Gonzalgo ML: Management of invasive and metastatic bladder cancer. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 77, pp 2468-2478.

Schreuder MF, Langemeijer ME, Bökenkamp A, Delemarre-Van de Waal HA and Van Wijk JA: Hypertension and microalbuminuria in children with congenital solitary kidneys. *J Paediatr Child Health* 2008; 44: 363-368.

Schröder FH, Hugosson J, Roobol MJ, Tammela TMJ, Ciatto S, Nelen V et al: Screening and prostate-cancer mortality in a randomized European study. *N Engl J Med* 2009; 360: 1320-1328.

Schuler TD, Ray JA, Pace KT and Honey RJD'A: Optimizing shock wave lithotripsy. *AUA Update Series* 2009; vol 28, lesson 16.

Schulman CC: Testosterone deficiency: a challenge for the urologist. Presented at annual meeting of American Urological Association, Anaheim, CA May 22, 2007. (webcast)

Schulte-Baukloh H, Knispel HH, Stolze T, Weiss C, Michael T and Miller K: Repeated botulinum-A toxin injections in treatment of children with neurogenic detrusor overactivity. *Urology* 2005; 66: 865-870.

Schultheiss D: Urogenital infections and male sexuality: effects on ejaculation and erection. *Andrologia* 2008; 40: 125-129.

Schwab CW, III and Casale P: Pediatric urologic laparoscopy. *AUA Update Series* 2005; vol 24, lesson 27, p 234-243.

Schwaibold HE, Treiber U and Kuebler H: Second transurethral resection detects histopathological changes worsening the prognosis in 25% of patients with T1 bladder cancer. *J Urol* 2000; 163: 153.

Scott RH, Stiller CA, Walker L and Rahman N: Syndromes and constitutional chromosomal abnormalities associated with Wilms tumour. *J Med Genet* 2006; 43:705-715.

Scott RH, Walker L, Olsen OE, Levitt G, Kenney I, Maher E et al: Surveillance for Wilms tumour in at-risk children: pragmatic recommendations for best practice. *Arch Dis Child* 2006; 91: 995-999.

Scwab CW III and Casale P: Pediatric urologic laparoscopy. *AUA Update Series* 2005; vol 24, lesson 27.

Secin FP: Extended laparoscopic pelvic lymph node dissection (LND) for prostate cancer (AUA DVD V346, 2007)

Sedberry-Ross S and Pohl HG: Urinary tract infections in children. *Curr Urol Rep* 2008; 2: 165-171.

Segerman D and Miles KA: Radionuclide imaging: general principles. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5th Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect I, chap 7.

Seibel NL, Li S, Breslow NE, Beckwith JB, Green DM and Haase GM et al: Effect of duration of treatment on treatment outcome for patients with clear cell sarcoma of the kidney: a report from the National Wilms' Tumor Study Group. *J Clin Oncol* 2004; 22: 468-473.

Seibold J: Meatal mobilization (MEMO) technique for distal hypospadias repair: how to do it, results and long-term follow-up (AUA Video V882, 2008).

Seki N, Masuda K, Kinukawa N, Senoh K and Naito S: Risk factors for febrile urinary tract infection in children with myelodysplasia treated by clean intermittent catheterization. *Int J Urol* 2004; 11: 973-977.

Semins MJ and Matlaga BR: Complications of ureteroscopy. *AUA Update Series* 2008; vol 27, lesson 27.

Semins MJ, Trock BJ and Matlaga BR: The effect of shock wave rate on the outcome of shock wave lithotripsy: a meta-analysis. *J Urol* 2008; 179: 194-197.

Sesterhenn IA, Chevillet J and Woodward PJ: Sex cord/gonadal stromal tumours. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 4, pp 250-255.

Sesterhenn IA: Urothelial carcinoma in situ. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 2, p 119.

Seyam RM, Bissada NK, Mokhtar AA, Mourad WA, Aslam M, Elkum N et al.: Outcome of penile cancer in circumcised men. *J Urol* 2006; 175: 557-561.

Shackelford RE for PathologyOutlines.com, a free, no-registration website with a comprehensive, regularly updated textbook of surgical and clinical pathology. Available at: <http://www.pathologyoutlines.com/index.html>. Accessed December 4, 2009.

Shah G and Upadhyay J: Controversies in the diagnosis and management of urinary tract infections in children. *Paediatr Drugs* 2005; 7: 339-346.

Shah RB and Amin MB: Disorders of the penis, urethra, and scrotum. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 8, pp 419-448, 459, 469-470.

Shahed AR and Shoskes DA: Oxidative stress in prostatic fluid of patients with chronic pelvic pain syndrome: correlation with gram positive bacterial growth and treatment response. *J Androl* 2000; 21: 669-675.

Shamberger RC, Haase GM, Argani P, Perlman EJ, Cotton CA, Takashima J et al: Bilateral Wilms' tumors with progressive or nonresponsive disease. *J Pediatr Surg* 2006; 41: 652-657.

Shamshirsaz AA, Reza Bekheirnia M, Kamgar M, Johnson AM, McFann K, Cadnapaphornchai M et al: Autosomal-dominant polycystic kidney disease in infancy and childhood: progression and outcome. *Kidney Int* 2005; 68: 2218-2224.

Sharp DS and Angermeier KW: Surgery of penile and urethral carcinoma. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VII, chap 32, pp 993-1022.

Shaw AS and Dixon AK: Multidetector computed tomography. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5th Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect I, chap 5.

Shayegan B, Carver BS, Stasi J, Motzer RJ, Bosl GJ and Sheinfeld J: Clinical outcome following post-chemotherapy retroperitoneal lymph node dissection in men initially diagnosed with intermediate and poor-risk nonseminomatous testicular germ cell tumor. *BJU Int* 2007; 99: 993-997.

Sheinfeld J, Bartsch G and Bosl GJ: Surgery of testicular tumors. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VII, chap 30, pp 936-958.

Sheinfeld J, Motzer RJ, Rabbani F, McKiernan J, Bajorin D and Bosl GJ: Incidence and clinical outcome of patients with teratoma in the retroperitoneum following primary retroperitoneal lymph node dissection for clinical stages I and IIA nonseminomatous germ cell tumors. *J Urol* 2003; 170: 1159-1162.

Shekarriz B and Stoller ML: Uric acid nephrolithiasis: current concepts and controversies. *J Urol* 2002; 168: 1307.

Sheldon CA and DeFoor WR Jr: Anorectal malformation and cloaca. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect VI, chap 69, pp 1161-1184.

Shetty SD, Rivers K and Menon M: A practical approach to the evaluation and treatment of nephrolithiasis. *AUA Update Series* 2000; vol XIX, lesson 30, p 234-236, 238.

Sheynkin YR, Bhalla R and Goldstein M: Fertility issues in pediatric urology - part I. *AUA Update Series* 2003; vol XXII, lesson 27.

Sheynkin YR, Schulsinger, DA and Goldstein M: Fertility issues in pediatric urology - part II, *AUA Update Series* 2003; vol XXII, lesson 28.

Shindel AW, Mann MW, Lev RY, Sengelmann R, Petersen J, Hruza GJ et al.: Mohs micrographic surgery for penile cancer: management and long-term followup. *J Urol* 2007; 178: 1980.

Shipley WU, Zietman AL, Kaufman DS, Coen JJ and Sandler HM: Selective bladder preservation by trimodality therapy for patients with muscularis propria-invasive bladder cancer and who are cystectomy candidates—the Massachusetts General Hospital and Radiation Therapy Oncology Group experiences. *Semin Radiat Oncol* 2005; 15: 36-41.

Shortliffe LM: Infection and inflammation of the pediatric urinary tract. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 112, pp 3232-3268.

Shoskes DA and McMahon AW: Renal physiology and pathophysiology. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sect VIII, chap 35, pp 1131-1155.

Shoskes DA, Lee CT, Murphy D, Kefer J and Wood HM: Incidence and significance of prostatic stones in men with chronic prostatitis/chronic pelvic pain syndrome. *Urology* 2007; 70: 235-238.

Shoskes DA, Zeitlin SI, Shahed A and Rajfer J: Quercetin in men with category III chronic prostatitis: a preliminary prospective, double-blind, placebo-controlled trial. *Urology* 1999; 54: 960.

Shoskes DA, Thomas KD and Gomez E: Anti-nanobacterial therapy for men with chronic prostatitis/chronic pelvic pain syndrome and prostatic stones: preliminary experience. *J Urol* 2005; 173: 474-477.

Shuch B, La Rochelle JC, Pantuck AJ and Belldegrun AS: The staging of renal cell carcinoma. *Curr Opin Urol* 2008; 18: 455-461.

Shukla AR, Cooper J, Patel RP, Carr MC, Canning DA, Zderic SA et al: Prenatally detected primary megaureter: a role for extended followup. *J Urol* 2005; 173: 1353-1356.

Shukla AR, Woodard C, Carr MC, Huff DS, Canning DA, Zderic SA et al: Experience with testis sparing surgery for testicular teratoma. *J Urol* 2004; 171: 161-163.

Siddiqui SA: Robotic-assisted laparoscopic sacrocolpopexy tips and techniques to reduce operative time and prevent complications (AUA DVD V1941, 2008).

Siener R, Schade N, Nicolay C, von Unruh GE and Hesse A: The efficacy of dietary intervention on urinary risk factors for stone formation in recurrent calcium oxalate stone patients. *J Urol* 2005; 173: 1601.

Sievert K-D: Implantation of two InterStim® II neurostimulators using abdominal or buttock positioning (AUA Video V1397, 2007).

Sievert K-D: Fast implantation of an artificial urethral sphincter through a peno-scrotal approach. (AUA DVD V1396, 2007).

Sigman M and Jarow JP: Endocrine evaluation of infertile men. *Urology* 1997; 50; 659-664.

Sigman M and Jarow JP: Male infertility. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 1, sect VI, chap 19, pp 609-653.

Sigman M, Lipshultz LI and Howards SS: Office evaluation of the subfertile male. In: Lipshultz LI, Howards SS and Niederberger CS, eds. *Infertility in the Male, 4<sup>th</sup> Edition*. New York, Cambridge University Press; 2009: chap 10, pp 153-176.

Silverman J, Kurtz SM and Draper J: *Skills for Communicating with Patients*. Abingdon, Oxon, UK: Radcliffe Medical Press, Ltd: 1998.

Silverman SG and Cohan RH, eds. *CT Urography: An Atlas*. Philadelphia, Lippincott Williams & Wilkins; 2007.

Silverman SG, Gan YU, Morteale KJ, Tuncali K and Cibas ES: Renal masses in the adult patient: the role of percutaneous biopsy. *Radiology* 2006; 240: 6-22.

Silverstein JH and Rooke GA: Anesthesia. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 36, pp 417-429.

Simmons MN and Jones SJ: Male genital morphology and function: an evolutionary perspective. *J Urol* 2007; 177: 1625-1631.

Simmons MN, Herts BR and Campbell SC: Image based approaches to the diagnosis and treatment of renal masses. *AUA Update Series* 2007; vol 26, lesson 39, pp 382-389.

Singh A: Laparoscopic management of vascular complications in urological surgery (AUA DVD V1387, 2006).

Singh AK and Sahani DV: Imaging of the renal donor and transplant recipient. *Radiol Clin North Am* 2008; 46: 79-93.

Singh-Grewal D, Macdessi J and Craig J: Circumcision for the prevention of urinary tract infection in boys: a systematic review of randomized trials and observational studies. *Arch Dis Child* 2005; 90: 853-858.

Sinha MD, Gibson P, Kane T and Lewis MA: Accuracy of ultrasonic detection of renal scarring in different centres using DMSA as the gold standard. *Nephrol Dial Transplant* 2007; 22: 2213-2216.

Sjostrom S, Sillen U, Bachelard M, Hansson S and Stokland E: Spontaneous resolution of high grade infantile vesicoureteral reflux. *J Urol* 2004; 172: 694-698.

Skaper SD: Nerve growth factor: a neurokine orchestrating neuroimmune-endocrine functions. *Mol Neurobiol* 2001; 24: 183.

Skinner EC, Lieskovsky G and Skinner DG: The technique of radical cystectomy. *AUA Update Series* 1990; vol IX, lesson 7, pp 50-55.

Skolarikos A and de la Rosette J: Prevention and treatment of complications following percutaneous nephrolithotomy. *Curr Opin Urol* 2008; 18: 229-234.

Skolarikos A, Alivizatos G and de la Rosette J: Extracorporeal shock wave lithotripsy 25 years later: complications and their prevention. *Eur Urol* 2006; 50: 981-990.

Smaldone MC, Cannon GM Jr, Wu HY, Bassett J, Polsky EG, Bellinger MF et al: Is ureteroscopy first line treatment for pediatric stone disease? *J Urol* 2007; 178: 2128-2131.

Smaldone MC, Corcoran AT, Docimo SG and Ost MC: Endourological management of pediatric stone disease: present status. *J Urol* 2009; 181:17-28.

Smetana GW and Conde MV: Preoperative pulmonary update. *Clin Geriatr Med* 2008; 24: 607-624.

Smith AD, Badlani GH, Bagley DH, Clayman RV, Docimo SG, Jordan GH et al: Part 9: Robotics. In: *Smith's Textbook of Endourology*. Hamilton, Ontario: BC Decker Inc.; 2007: chaps 104-112.

Smith AD, Badlani GH, Bagley DH, Clayman RV, Jordan GH, Kavoussi LR et al, eds. *Smith's Textbook of Endourology, 2<sup>nd</sup> Edition*. Canada, BC Decker 2007.

Smith AD, Badlani GH, Bagley DH, Clayman RV, Jordan GH, Kavoussi LR et al, eds. *Smith's Textbook of Endourology, 2<sup>nd</sup> Edition*. Canada, BC Decker, Inc. 2007: chaps 24-36.

Smith AK, Hansel DE and Jones JS: Role of cystitis cystic glandularis and intestinal metaplasia in development of bladder carcinoma. *Urology* 2008; 71: 915-918.

Smith CP and Chancellor MB: Emerging role of botulinum toxin in the management of voiding dysfunction. *J Urol* 2004; 171: 2128-2137.

Smith CP, Radziszewski P, Borkowski A, Somogvi GT, Boone TB and Chancellor MB: Botulinum toxin A has antinociceptive effects in treating interstitial cystitis. *Urology* 2004; 64: 871-875.

## eLearning Urology Core Curriculum

Smith G: Competency 2: medical knowledge. In: Rider EA, Nawotniak RH and Smith G. *A Practical Guide to Teaching and Assessing the ACGME Core Competencies*. Marblehead, Massachusetts, HCPro, Inc; 2007: chap 2, pp 85-99.

Smith JF, Walsh TJ and Turek PJ: Ejaculatory duct obstruction. *Urol Clin North Am* 2008; 35: 221-227.

Smith RC: *Patient-Centered Interviewing. An Evidence Based Method, 2<sup>nd</sup> Edition*. Philadelphia: Lippincott, Williams & Wilkins; 2002.

Snodgrass WT and Mitchell ME: Long-term follow-up of hypospadias repair. *AUA Update Series* 2002; vol XXI, lesson 34.

Snodgrass WT, Elmore J and Adams R: Bladder neck sling and appendicovesicostomy without augmentation for neurogenic incontinence in children. *J Urol* 2007; 177: 1510-1514.

Snodgrass WT, Shukla AR and Canning DA: Hypospadias. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect VI, chap 71, pp 1205-1235.

Snodgrass WT: Staged buccal graft hypospadias reoperation (AUA Video V747, 2005).

Sobin LH and Wittekind C: Urinary bladder. In: TNM: Classification of Malignant Tumours (UICC). New York, Wiley-Liss; 1997: pp 199-203.

Society of Pediatric Urology - <http://www.spuonline.org/>

Society of University Urologists- <http://www.suunet.org/>

Sokol RZ: Endocrinology of male infertility: evaluation and treatment. *Semin Reprod Med* 2009; 27: 149-158.

Somford DM, Fütterer JJ, Hambroek J and Barentsz JO: Diffusion and perfusion MR imaging of the prostate. *Magn Reson Imaging Clin N Am* 2008; 16: 685-695.

Soon SJ: Laparoscopic simple prostatectomy (AUA Video V873, 2007).

Sotelo RJ: Intraoperative non-vascular complications (AUA DVD V1389, 2006).

Sotelo RJ: Vascular complications during laparoscopic surgery (AUA DVD V1386, 2006).

Spears C: Negotiating insurance contracts—is there any hope? *Urol Clin North Am* 2005; 32: 271-273.

Spike JP: Assessment of decision making capacity. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 45, pp 487-493.

Spinal Cord Injury, Veterans Health Initiative, A Continuing Medical Education Program. 2001. Available at <http://www.publichealth.va.gov/docs/vhi/spinalcord.pdf>. Accessed March 7, 2010.

Spires SE, Banks ER, Cibull ML, Munch L, Delworth M and Alexander NJ: Adenocarcinoma of renal pelvis. *Arch Pathol Lab Med* 1993; 117: 1156.

Spreafico F and Bellani FF: Wilms' tumor: past, present and (possibly) future. *Expert Rev Anticancer Ther* 2006; 6: 249-258.

Sreedhar B, Yeung CK, Leung VY and Chu CW: Ultrasound bladder measurements in children with severe primary nocturnal enuresis: pretreatment and posttreatment evaluation and its correlation with treatment outcome. *J Urol* 2008; 179: 1568-1572.

Srigley JR and Moch H: Carcinoma of the collecting ducts of Bellini. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, pp 33-34.

Srinivasan AK, Freyle J, Gitlin JS and Palmer LS: Climatic conditions and the risk of testicular torsion in adolescent males. *J Urol* 2007; 178: 2585-2588.

Stapleton FB: Current approaches to pediatric stone disease. *AUA Update Series* 2000; vol XIX, lesson 40, p 314.

Starfield B: Is US health really the best in the world? *JAMA* 2000; 284: 483-485.

Staskin DR and Comiter CV: Surgical treatment of male sphincteric urinary incontinence: the male perineal sling and artificial urinary sphincter. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 74, pp 2391-2404.

StatSoft Electronic Statistics Textbook, Basic Statistics. Available at: <http://www.statsoft.com/textbook/stbasic.html> Accessed January 15, 2010.

Stauffer CM, van der Weg B, Donadini R, Ramelli GP, Marchand S and Bianchetti MG: Family history and behavioral abnormalities in girls with recurrent urinary tract infections: a controlled study. *J Urol* 2004; 171: 1663-1665.

Stauffer CM, van der Weg B, Donadini R, Ramelli GP, Marchand S and Bianchetti MG: Family history and behavioral abnormalities in girls with recurrent urinary tract infections: a controlled study. *J Urol* 2004; 171: 1663-1666.

Steers W: The downside of drug use in the elderly. Presented at annual meeting of American Urological Association, Anaheim, CA May 23, 2007.

Stein JP and Skinner DG: Invasive bladder cancer: Radical cystectomy. In: Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM and Linehan WM: *Genitourinary Oncology, 3<sup>rd</sup> Edition*. Philadelphia, Lippincott, Williams & Wilkins; 2006: part II, chap 26c, pp 486-499.

Stein JP and Skinner DG: Orthotopic urinary diversion. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9<sup>th</sup> Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XV, chap 82, pp 2613-2648.

Stein JP and Skinner DG: The role of lymphadenectomy in high-grade invasive bladder cancer. *Urol Clin North Am* 2005; 32: 187-197.

Stein JP, Lieskovsky G, Cote R, Groshen S, Feng AC, Boyd S et al: Radical cystectomy in the treatment of invasive bladder cancer: Long-term results in 1,054 patients. *J Clin Oncol* 2001; 19: 666-675.

Stein JP, Penson DF, Simon DW and Skinner DG: Pathological guidelines for orthotopic urinary diversion in women with bladder cancer: a review of the literature. *J Urol* 2007; 178: 756-760

Stein JP, Penson DF, Wu SD and Skinner DG: Pathological guidelines for orthotopic urinary diversion in women with bladder cancer: a review of the literature. *J Urol* 2007; 178: 756-760.

Stein JP: Preface: contemporary issues and management of bladder cancer. *Urol Clin North Am* 2005; 32: xiii-xiv.

Stein JP: The role of lymphadenectomy in high grade invasive bladder cancer. *AUA Update Series* 2004: vol 23, lesson 21, pp 164-166.

Stein, JP and Skinner DG: The role of lymphadenectomy in high-grade invasive bladder cancer. *Urol Clin North Am* 2005; 32: 187-197.

Steinbok P and MacNeily AE: Section of the terminal filum for occult tethered cord syndrome: toward a scientific answer. *Neurosurg Focus* 2007; 23: 1-4.

Stephenson AJ and Eastham JA: Role of salvage radical prostatectomy for recurrent prostate cancer after radiation therapy. *J Clin Oncol* 2005; 23: 8198-8203.

Stephenson AJ and Sheinfeld J: Management of pure seminoma: stage-for-stage. *AUA Update Series* 2006; vol 25, lesson 14, pp 125-131.

Stephenson AJ, Bosl GJ, Bajorin DF, Stasi J, Motzer RJ and Sheinfeld J: Retroperitoneal lymph node dissection in patients with low stage testicular cancer with embryonal carcinoma predominance and/or lymphovascular invasion. *J Urol* 2005; 174: 557-560.

Stephenson AJ, Bosl GJ, Motzer RJ, Bajorin DF, Stasi JP and Sheinfeld J: Non-randomized comparison of primary chemotherapy and retroperitoneal lymph node dissection for clinical stage IIA and IIB nonseminomatous germ cell testicular cancer. *J Clin Oncol* 2007; 25: 5997-5602.

Stephenson AJ, Bosl GJ, Motzer RJ, Kattan MW, Stasi J, Bajorin DF et al: Retroperitoneal lymph node dissection for nonseminomatous germ cell testicular cancer: impact of patient selection factors on outcome. *J Clin Oncol* 2005; 23: 2781-2788.

Stephenson AJ, Kattan MW, Eastham JA, Bianco FJ Jr, Yossepowitch O, Vickers AJ et al: Prostate cancer-specific mortality after radical prostatectomy for patients treated in the prostate-specific antigen era. *J Clin Oncol* 2009; 27: 4300.

Stephenson AJ, Russo P, Kaplinsky R and Sheinfeld J: Impact of unnecessary exploratory laparotomy on the treatment of patients with metastatic germ cell tumor. *J Urol* 2004; 171: 1474-1477.

Stephenson AJ, Scardino PT, Eastham JA, Bianco FJ Jr, Dotan ZA, DiBlasio CJ et al: Postoperative nomogram predicting the 10-year probability of prostate cancer recurrence after radical prostatectomy. *J Clin Oncol* 2005; 23: 7005-7012.

Stephenson AJ, Scardino PT, Kattan MW, Pisansky TM, Slawin KM, Klein EA et al: Predicting the outcome of salvage radiation therapy for recurrent prostate cancer after radical prostatectomy. *J Clin Oncol* 2007; 25: 2035-2041.

Sternberg CN and Vogelzang NJ: Gemcitabine, paclitaxel, pemetrexed and other newer agents in urothelial and kidney cancers. *Crit Rev Oncol Hematol*, suppl, 2003; 46: S105-15.

Sternberg CN: The status of neoadjuvant therapy for bladder cancer. *AUA Update Series* 2004; vol 23, lesson 22, pp 170-173.

Sterrett SP and Nakada SY: Medical expulsive therapy. *Semin Nephrol* 2008; 28: 192-196.

Stewart GD, Bariol SV, Grigor KM, Tolley DA and McNeill SA: A comparison of the pathology of transitional cell carcinoma of the bladder and upper urinary tract. *BJU Int* 2005; 95: 791-793.

Stewart JH, Hobbs MJ and McCredie MR: Morphologic evidence that analgesic-induced kidney pathology contributes to the progression of tumors of the renal pelvis. *Cancer* 1999; 86:1576-1582.

Stewart M, Brown JB, Weston WW, McWhinney IR, McWilliam CL and Freeman TR: *Patient-Centered Medicine: Transforming the Clinical Method*. Thousand Oaks, CA: Sage Publications; 1995: p 37.

Stewart RJ, Martelli H, Oberlin O, Rey A, Bouvet N, Spicer RD et al: Treatment of children with nonmetastatic paratesticular rhabdomyosarcoma: results of the Malignant Mesenchymal Tumors studies (MMT 84 and MMT 89) of the International Society of Pediatric Oncology. *J Clin Oncol* 2003; 21: 793-798.

Stone D, Patton B, Heen S and Fisher J: *Difficult Conversations*. 2000. New York: Penguin Books; 2000.

Störkel S, Martignoni and van den Berg E: Chromophobe renal cell carcinoma. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 1, pp 30-31.

Stourtzis S, Thibeau JF, Damry N, Raslan A, Vandendris M and Bellemans M: Radiologic investigation of renal colic: unenhanced helical CT compared with excretory urography. *AJR Am J Roentgenol* 1999; 172: 1491-1497.

Strasser H, Stenzel A, Hobisch A, Bartsch G and Poisel S: Anatomy and innervation of the male urethra, the rhabdosphincter, and the corpora cavernosa. Part II. *AUA Update Series* 2001; vol XX, lesson 16.

Strasser H, Stenzel A, Hobisch A, Bartsch G and Poisel S: Neuroanatomy of the retroperitoneum and the pelvis: operative implications. Part I. *AUA Update Series* 2001; vol. XX, lesson 15.

Strauss SE and Tinetti ME: Evaluation, management, and decision making with the older patient. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 10, pp 133-140.

Strope SA and Montie JE: The causal role of cigarette smoking in bladder cancer initiation and progression, and the role of urologists in smoking cessation. *J Urol* 2008; 180: 31-37.

Strup S and Warner B: Prostatitis, granulomatous. In: Gomella LG, ed. *5- Minute Urology Consult 2nd Edition*. Philadelphia, Lippicott Williams & Wilkins; 2009: pp 308-309.

Stuart MR and Leiberman JR: *The Fifteen-minute Hour: Applied psychotherapy for the Primary Care Physician, 2nd Edition*. New York: Praeger Publications; 1993.

Su LM and Smith JA: Laparoscopic and robotic-assisted laparoscopic radical prostatectomy and pelvic lymphadenectomy. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 99, pp 2985-3005.

Sudakoff GS, Dunn DP, Guralnick ML, Hellman RS, Eastwood D and See WA: Multidetector computerized tomography as the primary imaging modality for detecting urinary tract neoplasms in patients with asymptomatic hematuria. *J Urol* 2008; 179: 862-867.

Suh RS, Faerber GJ and Wolf JS Jr: Predictive factors for applicability and success with endoscopic treatment of upper tract urothelial carcinoma. *J Urol* 2003; 170: 2209-2216.

Sulaiman MN, Buchholz NP and Clark PB: The role of ureteral stent placement in the prevention of steinstrasse. *J Endourol* 1999; 13: 151-155.

Sultana C: Geriatric gynecology. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 27, pp 289-295.

Sur RL, Marguet CG and Preminger GM : Management of ureteral calculi *AUA Update Series* 2006; vol 25, lesson 18.

Sussman EM, Chudnovsky A and Niederberger CS: Hormonal evaluation of the infertile male: has it evolved? *Urol Clin North Am* 2008; 35: 147-155.

Sutherland DE and Jarrett TJ: Laparoscopic management of urinary calculi. *AUA Update Series* 2008; vol 27, lesson 29, pp 275-276.

Swaab DF: Sexual differentiation of the brain and behavior. *Best Pract Res Clin Endocrinol Metab* 2007; 21: 431-444.

Swagerty D and Evans J: Implications of an aging society. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 52, pp 543-551.

Swana HS, Sutherland RS and Baskin L: Prenatal intervention for urinary obstruction and myelomeningocele. *Int Braz J Urol* 2004; 30: 40-48.

Sweeney WE Jr and Avner ED: Molecular and cellular pathophysiology of autosomal recessive polycystic kidney disease (ARPKD). *Cell Tissue Res* 2006; 326: 671-685.

Swindle P, Eastham JA, Ohori M, Kattan MW, Wheeler T, Maru N et al: Do margins matter? The prognostic significance of positive surgical margins in radical prostatectomy specimens. *J Urol* 2005; 174: 903-907.

Swing SR: The ACGME Project: retrospective and prospective. *Med Teach* 2007; 29: 648-654.

Syllabus and DVD of Session I of AUA Segura Annual Urolithiasis Update 2008; Medical Management of Stones.

Sylvester JE, Blasko JC, Grimm PD, Meier R and Malmgren JA: Ten-year biochemical relapse-free survival after external beam radiation and brachytherapy for localized prostate cancer: the Seattle experience. *Int J Radiat Oncol Biol Phys* 2003; 57: 944.

Sylvester RJ, Oosterlinck W and van der Meijden AP: A single immediate postoperative instillation of chemotherapy decreases the risk of recurrence in patients with stage Ta T1 bladder cancer: a meta-analysis of published results of randomized clinical trials. *J Urol* 2004; 171: 2186-2190.

Sylvester RJ, van der Meijden AP and Lamm DL: Intravesical bacillus Calmette-Guerin reduces the risk of progression in patients with superficial bladder cancer: a meta-analysis of the published results of randomized clinical trials. *J Urol* 2002; 168: 1964-1970.

Sylvester RJ, van der Meijden AP, Oosterlinck W, Witjes JA, Bouffieux C, Denis L et al: Predicting recurrence and progression in individual patients with stage Ta T1 bladder cancer using EORTC risk tables: a combined analysis of 2596 patients from seven EORTC trials. *Eur Urol* 2006; 49: 466-475.

Sylvester RJ, van der Meijden AP, Witjes JA and Kurth K: Bacillus Calmette-Guerin versus chemotherapy for the intravesical treatment of patients with carcinoma in situ of the bladder: a meta-analysis of the published results of randomized clinical trials. *J Urol* 2005; 174: 86-92.

## T

---

Tabatabaei S and McDougal WS: Primary skin closure of large groin defects after inguinal lymphadenectomy for penile cancer using an abdominal cutaneous advancement flap. *J Urol* 2003; 169: 118-120.

Tabatabaei S and McDougal WS: Invasive carcinoma of the penis: management and prognosis. In: Ritchie JP and D'Amico AV, eds. *Urologic Oncology*. Philadelphia, WB Saunders Elsevier; 2005: chap 44, pp 710-722.

Taha MA, Shokeir AA, Osman HG, Abd El-Aziz Ael-A and Farahat SE: Obstructed versus dilated nonobstructed kidneys in children with congenital ureteropelvic junction narrowing: role of urinary tubular enzymes. *J Urol* 2007; 178: 640-646.

Tamboli P, Cubilla AL and Amin MB: Penis and scrotum. In: Weidner N, Cote RJ, Suster S and Weiss LM, eds. *Modern Surgical Pathology*. Philadelphia, WB Saunders Elsevier; 2003, vol 2, sect VI, chap 33, pp 1181-1207.

Tanagho EA: Embryological development of the urinary tract. *AUA Update Series* 1982; vol. I, lesson 25.

Taneja SS: ProstaScint(R) scan: contemporary use in clinical practice. *Rev Urol* 2004; 6: S19-S28.  
Tannenbaum M and Madden JF. *Diagnostic Atlas of Genitourinary Pathology*. Churchill Livingstone Elsevier; 2006.

Tannock IF, de Wit R, Berry WR, Horti J, Pluzanska A, Chi KN et al: Docetaxel plus prednisone or mitoxantrone plus prednisone for advanced prostate cancer. *N Engl J Med* 2004; 351: 1502.

Tanrikut C and McDougal WS: Fluid, electrolyte and acid-base abnormalities in urological practice. *AUA Update Series* 2006; vol 25, lesson 19.

Taran I and Elder JS: Results of orchiopexy for the undescended testis. *World J Urol* 2006; 24: 231-239.

Tash JA, Herzlinger DA and Vaughan ED Jr: The role of genes in aberrant renal development. *AUA Update Series* 2003; vol XXII, lesson 16.

Te AE, Ikeguchi EF and Choi J, Kaplan SA: Urodynamics and benign prostatic hyperplasia. In: Kirby R, McConnell JD, Fitzpatrick JM, Roehrborn CG and Boyle P, eds. *Textbook of benign prostatic hyperplasia*. Isis Medical Media Ltd; 1996: pp 241-253.

Tee JB, Acott PD, McLellan DH and Crocker JF: Phenotypic heterogeneity in pediatric autosomal dominant polycystic kidney disease at first presentation: a single-center, 20-year review. *Am J Kidney Dis* 2004; 43: 296-303.

Teegavarapu PS, Sahai A, Chandra A, Dasgupta P and Khan MS. Eosinophilic cystitis and its management. *Int J Clin Pract* 2005; 59: 356-360.

Teichman JMH and Nielsen-Omeis BJ: Potassium leak test predicts outcome in interstitial cystitis. *J Urol* 1999; 161: 1791-1796.

Tekin A, Tekgul S, Atsu N, Sahin A and Bakkaloglu M: Cystine calculi in children: the results of a metabolic evaluation and response to medical therapy. *J Urol* 2001; 165: 2328.

Teno JM, Clarridge BR, Casey V, Welch LC, Wetle T, Shield R et al: Family perspectives on end-of-life care at the last place of care. *JAMA* 2004; 291: 88-93.

Tenover JL: Sexuality, sexual function, androgen therapy, and the aging male. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 49, pp 595-606.

Tenover JS and Bremner WJ: The effects of normal aging on the response of the pituitary-gonadal axis to chronic clomiphene administration in men. *J Androl* 1991; 12: 258.

Terrell RB, Cheville JC, See WA and Cohen MB: Histopathologic features and p53 nuclear protein staining as predictors of survival and tumor recurrence in patients with transitional cell carcinoma of renal pelvis. *J Urol* 1995; 154: 1342-1347.

Tervalon M and Murray-Garcia J: Cultural humility versus cultural competence: a critical discussion in defining physician training outcomes in multicultural education. *J Health Care Poor Underserved* 1998; 9: 117-125.

Theodorescu D, Rabbani F and Donat SM: Follow-up of genitourinary malignancies for the office urologist: a practical approach. Part 1: prostate and bladder cancers. *AUA Update Series* 2004; vol 23, lesson 37, pp 301-302, 304-305.

Thiel DD and Winfield HN: State-of-the-art surgical management of renal cell carcinoma. *Expert Rev Anticancer Ther* 2007; 7: 1285-94.

Thoma A, Sprague S and Tandan V; Evidence-based Surgery Working Group: Users' guide to the surgical literature: how to use an article on economic analysis. *Can J Surg* 2001; 44: 347-354

Thomas DFM: Fetal urology and prenatal diagnosis. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect I, chap 3, pp 19-22, 24, 28-33.

Thomas JC and Brock JW 3rd: Vaginal substitution: attempts to create the ideal replacement. *J Urol* 2007; 178: 1855-1859.

Thomas JC and Elder JS: Management of neuropathic bladder in children: part II. *AUA Update Series* 2007; vol 26, lesson 18.

Thomas JC and Elder JS: Management of neuropathic bladder in children: part I. *AUA Update Series* 2007; vol 26, lesson 17, pp 174-191.

Thomas R and Cass AS: Extracorporeal shock wave lithotripsy in morbidly obese patients. *J Urol* 1993; 150: 30-32.

Thompson DF: Understanding financial conflicts of interest. *New Engl J Med* 1993; 329: 573-576.

Thompson I, Thrasher JB, Aus G, Burnett AL, Canby-Hagino ED, Cookson MS et al: Guideline for the management of clinically localized prostate cancer: 2007 update. *J Urol* 2007; 177: 2106-2131.

Thompson I, Thrasher JB, Aus G, Burnett AL, Canby-Hagino ED, Cookson MS et al: Guideline for the management of clinically localized prostate cancer: 2007 update. Available at: <http://www.auanet.org/content/guidelines-and-quality-care/clinical-guidelines/main-reports/psa09.pdf> . Accessed March 2, 2010.

Thompson IM Jr, Tangen CM, Paradelo J, Lucia MS, Miller G, Troyer D et al: Adjuvant radiotherapy for pathologically advanced prostate cancer: a randomized clinical trial. *JAMA* 2006; 296: 2329-2335.

Thompson IM, Ankerst DP, Chi C, Goodman PJ, Tangen MC, Lucia, SM et al: Assessing prostate cancer risk: results from the prostate cancer prevention trial. *J Natl Cancer Inst* 2006; 98: 529.

Thompson IM, Brand TC, Goodman P and Tangen C: Chemoprevention of prostate cancer. Part I: chemoprevention overview, preventive strategies and agents, and ongoing phase 3 clinical trials. *AUA Update Series* 2007; vol 26, lesson 20.

Thompson IM, Goodman PJ, Tangen CM, Lucia MS, Miller GJ, Ford LG et al: The influence of finasteride on the development of prostate cancer. *N Engl J Med* 2003; 349: 215.

Thompson IM, Pauler DK, Goodman PJ, Tangen CM, Lucia MS, Parnes HL et al: The prevalence of prostate cancer among men with a prostate-specific antigen level of 4.0 ng per milliliter or less. *N Engl J Med* 2004; 350: 2239-2246.

Thompson RH, Dicks D and Kramer SA: Clinical manifestations and functional outcomes in children with eosinophilic cystitis. *J Urol* 2005; 174: 2347-2349.

Thompson RH, Krambeck AE, Lohse CM, Elliott DS, Patterson DE and Blute ML: Endoscopic management of upper tract transitional cell carcinoma in patients with normal contralateral kidneys. *Urology* 2008; 7: 713-717.

Thomsen HS: European Society of Urogenital Radiology guidelines on contrast media application. *Curr Opin Urol* 2007; 17: 70-76

Thomson HS, Marckmann P and Logager VB: Update on nephrogenic systemic fibrosis. *Magn Reson Imaging Clin N Am* 2008; 16: 551-560.

Thor KB and Donatucci C: Central nervous system control of the lower urinary tract: new pharmacological approaches to stress urinary incontinence in women. *J Urol* 2004; 172: 27-33.

Thorsson AV, Christiansen P and Ritzen M: Efficacy and safety of hormonal treatment of cryptorchidism: current state of the art. *Acta Paediatr* 2007; 96: 628-630.

Tickoo SK and Gopalan A: Pathologic features of renal cortical tumors. *Urol Clin North Am* 2008; 35: 551-561.

Tickoo SK, Tamboli P and Amin MB: Testes and paratestis including spermatic cord. In: Weidner

Tillet JW and Carney KJ: Gunshot wounds of the male external genitalia. *AUA Update Series* 2008; vol 27, lesson 5, p 42-45.

Tiplinsky SI: Technique of nerve-sparing robotic cystoprostatectomy (AUA DVD V1925, 2007).

Tiryaki T, Aycan Z, Hucumenoglu S and Atayurt H: Testis sparing surgery for steroid unresponsive testicular tumors of the congenital adrenal hyperplasia. *Pediatr Surg Int* 2005; 21: 853-855.

Tissot, WD, Diokno AC and Peters KM: A referral center's experience with transitional cell carcinoma misdiagnosed as interstitial cystitis. *J. Urol* 2004; 172: 478-480.

Torre M, Buffa P, Jasonni V and Cama A: Long-term urologic outcome in patients with caudal regression syndrome, compared with meningomyelocele and spinal cord lipoma. *J Pediatr Surg* 2008; 43: 530-533.

Traish AM, Guay A, Feeley R and Saad F: The dark side of testosterone deficiency: I. Metabolic syndrome and erectile dysfunction. *J Androl* 2009; 30: 10-22.

Traxer O, Huet B, Poindexter J, Pak CY and Pearle MS: Effect of ascorbic acid consumption on urinary stone risk factors. *J Urol* 2003; 170: 397.

Trock BJ, Han M, Freedland SJ, Humphreys EB, DeWeese TL, Partin AW et al: Prostate cancer-specific survival following salvage radiotherapy vs observation in men with biochemical recurrence after radical prostatectomy. *JAMA* 2008; 299: 2760.

Tseng MH, Lin WJ, Lo WT, Wang SR, Chu ML and Wang CC: Does a normal DMSA obviate the performance of voiding cystourethrography in evaluation of young children after their first urinary tract infection? *J Pediatr* 2007; 150: 96-99.

Tsivian A: Laparoscopic partial nephrectomy (LPN) for hilar tumors (AUA DVD V502, 2009).

## eLearning Urology Core Curriculum

Turek PJ: Male infertility. In: Tanagho EA and McAninch JC, eds. *Smith's General Urology 17th Edition*. New York, McGraw-Hill Lange; 2008: chap 44, pp 684-716.

Turek PJ: Male infertility. In: Tanagho EA and McAninch JC. *Smith's General Urology, 16th Edition*. New York, McGraw Hill Companies; 2004: chap 42, p 678.

Turek PJ: Practical approach to the diagnosis and management of male infertility. *Nat Clin Pract Urol* 2005; 2: 1-13, 226-238.

Turna B, Aron M and Gill IS: Expanding indications for laparoscopic partial nephrectomy. *Urology* 2008; 72: 481-487.

Turna B, Kaouk JH, Frota R, Stein RJ, Kamoi K, Gill IS et al: Minimally invasive nephron sparing management for renal tumors in solitary kidneys. *J Urol* 2009; 182: 2150-2157.

Tyagi S, Thomas CA, Hayashi Y and Chancellor MB: The overactive bladder: epidemiology and morbidity. *Urol Clin North Am* 2006; 33: 433-438.

## U

---

Ulbright TM: Testicular and paratesticular tumors. In: Mills SE, Carter D, Greenson JK, Oberman HA, Reuter V and Stoler MH, eds. *Sternberg's Diagnostic Surgical Pathology, 4th Edition*. Philadelphia, Lippincott Williams & Wilkins; 2004: sect IX, chap 47, pp 2167-2232.

Umland EM, Sanoski CA and King A: Appropriate use of medications in the elderly. In: Arenson C, Busby-Whitehead J, Brummel-Smith K, O'Brien JG, Palmer MH and Reichel W, eds. *Reichel's Care of the Elderly: Clinical Aspects of Aging, 6th Edition*. New York, Cambridge University Press; 2009: chap 5, pp 48-58.

University of Maine, The Protection of Human Subjects of Research Tutorial. Available at: [http://www.umaine.edu/irb/table\\_of\\_contents.htm](http://www.umaine.edu/irb/table_of_contents.htm) Accessed January 15, 2010.

University of Pennsylvania, Penn Libraries: Research Basics. Available at: <http://www.library.upenn.edu/research/researchbasics.html>. Last update: November 30, 2009. Accessed January 15, 2010.

University of Minnesota, IACUC Animal Use Tutorial. Available at: <http://www.research.umn.edu/iacuc/training/animaltutorialx/index.cfm> Last Modified: Dec 16, 2008. Accessed January 15, 2010.

<http://www.library.upenn.edu/research/researchbasics.html>. Last update: November 30, 2009. Accessed January 15, 2010.

Upadhyay J, Bolduc S, Bagli DJ, McLorie GA, Khoury AE and Farhat W: Use of the dysfunctional voiding symptom score to predict resolution of vesicoureteral reflux in children with voiding dysfunction. *J Urol* 2003; 169: 1842-1846.

Uppot RN, Gervais DA and Mueller PR: Interventional uroradiology. *Radiol Clin North Am* 2008; 46:47-51, 62.

Uzoh CC, Uff JS and Okeke AA: Granulomatous prostatitis. *BJU Int* 2007; 99: 510-512.

Uzzo RG and Novick AC: Nephron sparing surgery for renal tumors: indications, techniques and outcomes. *J Urol* 2001; 168: 6-18.

V

---

Vakkalanka BK and Rini BI: Targeted therapy in renal cell carcinoma. *Curr Opin Urol* 2008; 18: 481-487.

van Balken M, Vandoninck V, Messelink BJ, Vergunst H, Heesakkers JPFA, Debruyne FMJ et al: Percutaneous tibial nerve stimulation as neuromodulative treatment of chronic pelvic pain. *Eur Urol* 2003; 43: 158-163.

van Balken MR, Vandoninck V, Gisolf KWH, Vergunst H, Kiemeney LALM, Debruyne FMJ et al: Posterior tibial nerve stimulation as neuromodulative treatment of lower urinary tract dysfunction. *J Urol* 2001; 166: 914-918.

van den Heuvel-Eibrink MM, Grundy P, Graf N, Pritchard-Jones K, Bergeron C, Patte C et al: Characteristics and survival of 750 children diagnosed with a renal tumor in the first seven months of life: a collaborative study by the SIOP/GPOH/SFOP, NWTSG, and UKCCSG Wilms tumor study groups. *Pediatr Blood Cancer* 2008; 50: 1130-1134.

van der Kwast TH, Collette L, Van Poppel H, Van Cangh P, Vekemans K, DaPozzo L et al: Impact of pathology review of stage and margin status of radical prostatectomy specimens (EORTC trial 22911). *Virchows Arch* 2006; 449: 428-434.

van der Meijden A, Oosterlinck W, Brausi M, Kurth KH, Sylvester R, de Balincourt C et al: Significance of bladder biopsies in Ta, T1 bladder tumors: a report from the EORTC Genito-Urinary Tract Cancer Cooperative Group. EORTC-GU Group Superficial Bladder Committee. *Eur Urol* 1999; 35: 267-271.

van der Meijden AP, Sylvester R, Oosterlinck W, Solsona E, Boehle A, Lobel B et al: EAU guidelines on the diagnosis and treatment of urothelial carcinoma in situ. *Eur Urol* 2005; 48: 363-371.

Van Hoeck KJ, Bael A, Lax H, Hirche H, Bernaerts K, Vandermaelen V et al: Improving the cure rate of alarm treatment for monosymptomatic nocturnal enuresis by increasing bladder capacity—a randomized controlled trial in children. *J Urol* 2008; 179: 1122-1126.

Van Hoeck KJ, Bael A, Van Dessel E, Van Renthergem D, Bernaerts K, Vandermaelen V et al: Do holding exercises or antimuscarinics increase maximum voided volume in monosymptomatic nocturnal enuresis? A randomized controlled trial in children. *J Urol* 2007; 178: 2132-2136.

Van Poppel H and Joniau S: Is surveillance an option for the treatment of small renal masses? *Eur Urol* 2007; 52: 1323-1330.

Vandoninck V, van Balken MR, Finazzi Agro E, Petta F, Micali F, Heesakker JP et al: Percutaneous tibial nerve stimulation in the treatment of overactive bladder: urodynamic data. *Neurourol Urodyn* 2003; 22: 227-232.

Varkarakis IM and Jarrett TW: Retroperitoneal fibrosis. *AUA Update Series* 2005; vol 24, lesson 3, p 18-19, 21-22.

Vasavada SP and Rackley RR: Electrical stimulation for storage and emptying disorders. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 64, pp 2147-2167.

Vaughan ED and Blumenfeld JD: Pathophysiology, evaluation, and medical management of adrenal disorders. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 2, sec XIII, chap 53, pp 1821-1867.

Vaughan ED: Diagnosis of surgical adrenal disorders. *AUA Update Series* 1997; vol XVI, lesson 39, p 306-308, 310-311.

Vaughn DJ and Malkowicz SB: Neoadjuvant chemotherapy in patients with muscle-invasive bladder cancer. *Urol Clin North Am* 2005; 32: 231-237.

Veltri R and Rodriguez R: Molecular biology, endocrinology, and physiology of the prostate and seminal vesicles. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sec XVI, chap 85, pp 2677-2726.

Venkatesh R, Landman J, Sundaram CP and Clayman RV: Prevention, recognition and management of laparoscopic complications in urologic surgery. *AUA Update Series* 2003; vol XXII, lesson 40, pp 322-331.

Vergouwe Y, Steyerberg EW, Eijkemans MJ, Albers P and Habbema JD: Predictors of occult metastasis in clinical stage I nonseminoma: a systematic review. *J Clin Oncol* 2003; 21: 4092-4099.

Vezzoli G, Soldati L and Gambaro G: Update on primary hypercalciuria from a genetic perspective. *J Urol* 2008; 179: 1676-1682.

Vieweg J, Weber HM, Miller K and Hautmann R: Female fertility following extracorporeal shock wave lithotripsy of distal ureteral calculi. *J Urol* 1992; 148: 1007-1010.

Virtanen HE, Bjerknes R, Cortes D, Jorgensen N, Rajpert-De Meyts E, Thorsson AV et al: Cryptorchidism: classification, prevalence and long-term consequences. *Acta Paediatr* 2007; 96: 611-616.

Virtanen HE, Cortes D, Rajpert-De Meyts E, Ritzen EM, Nordenskjold A, Skakkebaek N et al: Development and descent of the testis in relation to cryptorchidism. *Acta Paediatr* 2007; 96: 622-627.

## eLearning Urology Core Curriculum

Vogelzang NJ, Scardino PT, Shipley WU, Debruyne FM and Linehan WM, eds: *Comprehensive Textbook of Genitourinary Oncology 3<sup>rd</sup> Edition*. Philadelphia, Lippincott Williams & Wilkins; 2005: chaps 7-14.

Volpe A, Kachura JR, Geddie WR, Evans AJ, Gharajeh A, Saravanan A et al: Techniques, safety and accuracy of sampling of renal tumors by fine needle aspiration and core biopsy. *J Urol* 2007; 178: 379-386.

von der Maase H, Hansen SW, Roberts JT, Dogliotti L, Oliver T, Moore MJ et al: Gemcitabine and cisplatin versus methotrexate, vinblastine, doxorubicin, and cisplatin in advanced or metastatic bladder cancer: results of a large, randomized, multinational, multicenter, phase III study. *J Clin Oncol* 2000; 18: 3068-3077.

Vorhees R: Competency-based learning models: a necessary future. In: Vorhees R, ed. *Measuring What Matters: Competency based Learning Models in Higher Education: New Directions for Institutional Research (J-B IR Single Issue Institutional Research)*. Hoboken, Wiley; 2001: chap 1, pp 5-15.

W

---

Waldinger MD: Premature ejaculation: state of the art. *Urol Clin North Am* 2007; 34: 591.

Walmsey K and Kaplan SA: Transurethral microwave thermotherapy for benign prostate hyperplasia: separating truth from marketing hype. *J Urol* 2004; 172: 1249-1255.

Walmsley K, Gjertsen CK and Kaplan SA: Medical management of benign prostatic hyperplasia. *AUA Update Series* 2004; vol 23, lesson 27, pp 217-223.

Walsh PC and Partin AW: Anatomic radical retropubic prostatectomy. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XVI, chap 97, pp 2956-2978.

Walsh TJ and Joyner BD: Evaluation of the pediatric patient with a non-traumatic acute scrotum, *AUA Update Series* 2005; vol 24, lesson 12.

Walsh TJ, Dall'Era MA, Croughan MS, Carroll PR and Turek PJ: Prepubertal orchiopexy for cryptorchidism may be associated with lower risk of testicular cancer. *J Urol* 2007; 178: 1440-1446.

Walter LC: Principles of screening in older adults. In: Halter JB, Ouslander JG, Tinetti ME, Studenski S, High KP and Asthana S, eds. *Hazzard's Geriatric Medicine & Gerontology, 6th Edition*. New York: McGraw-Hill Professional; 2009: chap 14, pp 177-184.

Wan J and Park JM: Neurologic control of storage and voiding. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5th Edition*. London, Informa Healthcare UK Ltd; 2007: sect V, chap 52, pp 765-778.

Warden SS and Schellhammer PE: Unusual prostate cancers. *AUA Update Series* 1988; vol VII, lesson 18.

Warne S and Wilcox, DT: Persistent cloaca. In: Wilcox DT, Godbole PP and Koyle MA, eds. *Pediatric Urology: Surgical Complications & Management*. London, Wiley-Blackwell; 2008: sect VI, chap 30, pp 232-240.

Warne SA, Wilcox DT, Creighton S and Ransley PG: Long-term gynecological outcome of patients with persistent cloaca. *J Urol* 2003; 170: 1493-1496.

Warren JW, Abrutyn E, Hebel JR, Johnson JR, Schaeffer AJ and Stamm WE: Guidelines for antimicrobial treatment of uncomplicated acute bacterial cystitis and acute pyelonephritis in women. Infectious Disease Society of America (IDSA). *Clin Infect Dis* 1999; 29: 745-758.

Wasson JH, Reda DJ, Bruskewitz RC, Elinson J, Keller AM and Henderson WG: A comparison of transurethral surgery with watchful waiting for moderate symptoms of benign prostatic hyperplasia. The Veterans Affairs Cooperative Study Group on Transurethral Resection of the Prostate. *N Engl J Med* 1995; 332: 75-79.

Waterman BJ, Jerde T and Nakada SY: Ureteral physiology: implications in urological practice. *AUA Update Series* 2006; vol 25, lesson 17, p 154-157.

Waxman JA, Sulak PJ and Kuehl TJ: Cystoscopic findings consistent with interstitial cystitis in normal women undergoing tubal ligation. *J Urol* 1998; 160:1663-1667.

Weber M, Deng S, Olthoff K, Naji A, Barker CF, Shaked A et al: Organ transplantation in the twenty-first century. *Urol Clin North Am* 1998; 25: 51-61.

Wei H and Fischman AJ: Nuclear imaging in the genitourinary tract: recent advances and future directions. *Radiol Clin North Am* 2008; 46: 25-43.

Weidner N, Cote RJ, Suster S and Weiss LM, eds. *Modern Surgical Pathology*. Philadelphia, WB Saunders Elsevier; 2003.

Weidner W, Schiefer HG, Krauss H, Jantos C, Friedrich HJ and Altmannsberger M: Chronic prostatitis: a thorough search for etiologically involved microorganisms in 1,461 patients. *Infection*, suppl., 1991; 3: S119-S125.

Weight CJ, Chand D and Ross JH: Single system ectopic ureter to rectum subtending solitary kidney and bladder agenesis in newborn male. *Urology* 2006; 68: 1344.

Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007.

Wein AJ: Pathophysiology and classification of voiding dysfunction. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 57, pp 1973-1985, Table 57-6.

Wein AJ: Lower urinary tract dysfunction in neurologic injury and disease. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 59, pp 2011-2045.

Weinstein A, Goodman TR and Irigorri S: Simple multicystic dysplastic kidney disease: end points for subspecialty follow-up. *Pediatr Nephrol* 2008; 23: 111-116.

Weiss JM: Pelvic floor myofascial trigger points: manual therapy for interstitial cystitis and the urgency-frequency syndrome. *J Urol* 2001; 166: 2226-2231.

Weiss LM and Lau SK: Adrenal gland. In: Weidner N, Cote RJ, Suster S and Weiss LM, eds. *Modern Surgical Pathology*. Philadelphia, WB Saunders Elsevier; 2003, vol 2, sect IX, chap 45, pp 1755-1780.

Weiss MA and Mills SE, eds. *Atlas of Genitourinary Tract Disorders*. Oxford, Gower Medical Publishers; 1988.

Weiss RE and Fair WR: Urachal anomalies and urachal carcinoma. *AUA Update Series* 1998; vol XVII, lesson 38.

Weiss RM: Physiology and pharmacology of the renal pelvis and ureter. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sec XIV, chap 55, pp 1891-1921.

Weizer AZ, Zhong P and Preminger GM: new concepts in shock wave lithotripsy. *Urol Clin North Am* 2007; 34: 375-382.

Weizer AZ, Zhong P and Preminger GM: Shock wave lithotripsy: current technology and evolving concepts. *AUA Update Series* 2005; vol 24, lesson 36.

Weizer AZ: Tailoring technique of laparoscopic partial nephrectomy to tumor characteristics (AUA DVD V1913, 2006).

Wen CC and Nakada SY: Treatment selection and outcomes: renal calculi. *Urol Clin North Am* 2007; 34: 409-419.

Wessells H: Evaluation and management of renal trauma in the 21st century. *AUA Update Series* 2002; vol XXI, lesson 30, pp 234-239, figure 1, 3.

Wetter PA, Kavic MS, Levinson CJ, Kelley WE Jr, McDougall EM, Nezhat C, eds: *Prevention and Management of Laparoendoscopic Surgical Complications, 2<sup>nd</sup> Edition*. Miami, Florida: Society of Laparoendoscopic Surgeons; 2005: p 529.

Whelan CM: Robotic-assisted laparoscopic sacrocolpopexy: technique and experience (AUA DVD V1832, 2006).

Widmark A, Klepp O, Solberg A, Damber JE, Angelsen A, Fransson P et al: Endocrine treatment, with or without radiotherapy, in locally advanced prostate cancer (SPCG-7/SFUO-3): an open randomised phase III trial. *Lancet* 2009; 373: 301.

Wignall GR, Denstedt JD, Preminger GM, Cadeddu JA, Pearle MS, Sweet RM et al: Surgical simulation: a urological perspective. *J Urol* 2008; 179: 1690-1699.

Wilcox D and Snodgrass W: Long-term outcome following hypospadias repair. *World J Urol* 2006; 24: 240-243.

Wilkinson ID and Paley MNJ: Magnetic resonance imaging: basic principles. In: Adam A, Dixon AK, Grainger RG and Allison DJ, eds. *Grainger & Allison's Diagnostic Radiology 5th Edition*. Philadelphia, WB Saunders Elsevier; 2008: vol 1, sect I, chap 6.

Williams JC Jr, Saw KC, Paterson RF, Hatt EK, McAteer JA and Lingeman JE: Variability of renal stone fragility in shock wave lithotripsy. *Urology* 2003; 61: 1092-1096.

Williams RD, Konety B and Albertsen P: Prostate cancer in the elderly man: should we screen men after age 65? Presented at annual meeting of American Urological Association, Anaheim, CA May 23, 2007.

Williams SD, Stablein DM, Einhorn LH, Muggia FM, Weiss RB, Donohue JP et al: Immediate adjuvant chemotherapy versus observation with treatment at relapse in pathological stage II testicular cancer. *N Engl J Med* 1987; 317: 1433-1438.

Willingham E and Baskin LS: Candidate genes and their response to environmental agents in the etiology of hypospadias. *Nat Clin Pract Urol* 2007; 4: 270-279.

Wilmot CC and Galloway NTM: Late complications of female continence surgery. *AUA Update Series* 2007; vol 26, lesson 16, pp 161-172.

Wilson PD, Hay-Smith J, Nygaard I, Wyman J et al: Adult conservative management. In: Abrams P, Cardozo L, Khoury S and Wein A, eds. *Incontinence: 3rd International Consultation on Incontinence*. Paris, Health Publications Ltd; 2005: pp 857-964.

Wilson TS, Lemack GE and Zimmern PE: Management of intrinsic sphincter deficiency in women. *J Urol* 2003; 169: 1662-1669.

Windahl T and Andersson SO: Combined laser treatment for penile carcinoma: results after long-term followup. *J Urol* 2003; 169: 2118.

Winquist E, Kirchner TS, Segal R, Chin J, Lukka H for the Genitourinary Cancer Disease Site Group, Cancer Care Ontario Program in Evidence-based Care Practice Guidelines Initiative: Neoadjuvant chemotherapy for transitional cell carcinoma of the bladder: a systematic review and meta-analysis. *J Urol* 2004; 171: 561-569.

Winslow BH and Devine CJ Jr: Epispadias. *AUA Update Series* 1984; vol III, lesson 14.

Winters JC: Female urology and urinary incontinence. In: Morey AF and Shoskes DA, eds. *The American Urological Association Educational Review Manual in Urology, 1<sup>st</sup> Edition*, New York, Castle Connolly Graduate Medical Publishing, Ltd.; 2007: chap XII, pp 223-250.

Wolf JS Jr, Dash A, Hollenbeck BK, Johnston WK 3rd, Madii R and Montgomery JS: Intermediate follow-up of hand assisted laparoscopic nephroureterectomy for urothelial carcinoma: factors associated with outcomes. *J Urol* 2005; 173: 1102-1107.

Wolf JS Jr: Caliceal diverticulum and hydrocalix. Laparoscopic management. *Urol Clin North Am* 2000; 27: 655-660.

Wolf JS Jr: Treatment selection and outcomes: ureteral calculi. *Urol Clin North Am* 2007; 34: 421-430.

Wong MK: The current role of immunotherapy for renal cell carcinoma in the era of targeted therapeutics. *Curr Oncol Rep* 2008; 10: 259-263.

Wood HM and Elder JS: Cryptorchidism and testicular cancer: separating fact from fiction. *J Urol* 2009; 181: 452-461.

Woodhouse CR, North AC and Gearhart JP: Standing the test of time: long-term outcome of reconstruction of the exstrophy bladder. *World J Urol* 2006; 24: 244-249.

Wood HM, Lee UJ and Shoskes DA: Renovascular disease. In: Morey AF and Shoskes DA, eds. *The American Urological Association Educational Review Manual in Urology, 1st Edition*. New York, Castle Connolly Graduate Medical Publishing, Ltd.; 2007: chap VIII, pp 153-170.

Woodard JR: Prune-belly syndrome: a personal learning experience. *BJU Int* 2003; 92: Suppl 1, 10-11.34: 421-430.

Woodward PJ, Heidenreich A and Looijenga LHJ: Germ cell tumours. In: Eble JN, Sauter G, Epstein JI and Sesterhenn IA, eds. *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. France, IARC Press; 2004: chap 4, pp 229-240, 242-249.

Woogler JM: Preoperative testing and medication management. *Clin Geriatr Med* 2008; 24: 573-583.

Workowski KA and Berman SM: CDC sexually transmitted diseases treatment guidelines, 2006. Department of Health and Human Services, Centers for Disease Control and Prevention (CDC). *Morbidity and Mortality Weekly Report*, August 4, 2006; vol 55, No. RR-11, pp 1-94.

World Health Organization (WHO) Consensus Conference on Bladder Cancer, Hautmann RE, Abol-Enein H, Hafez K, Haro I, Mansson W et al: Urinary diversion. *Urology* 2007; 69: 17-49.

World Health Organization. *WHO Laboratory Manual for the Examination of Human Semen and Sperm-Cervical Mucus Interaction, 4th Edition*. Cambridge: Cambridge University Press; 1999.

World Health Organization: Testing for antibody-coating of spermatozoa. In: *WHO Laboratory Manual for the Examination of Human Semen and Sperm-Cervical Mucus Interaction, 4th Edition*. Cambridge: Cambridge University Press; 1999: chap 2, section 2.6, pp 23-25.

Wotkowicz C and Libertino JA: Renal cell cancer: radical nephrectomy. *BJU Int* 2007; 99: 1231-1238.

Wright JL, Hotaling J and Porter MP: Predictors of upper tract urothelial cell carcinoma after primary bladder cancer: a population based analysis. *J Urol* 2009; 181: 1035-1039.

Wszolek MF, Wotkowicz C and Libertino JA: Surgical management of large renal tumors. *Nat Clin Pract Urol* 2008; 5: 35-46.

**eLearning**  
**Urology Core Curriculum**

Wu H-Y and Snyder HMcC: Advances in pediatric urologic oncology. *AUA Update Series* 2003; vol XXII, lesson 4.

Wu H-Y, D'Angio GJ and Snyder HM III: Current controversies in Wilms tumor therapy. *AUA Update Series* 2007; vol 26, lesson 11.

Y

---

Yamada G, Satoh Y, Baskin LS and Cunha GR: Cellular and molecular mechanisms of development of the external genitalia. *Differentiation* 2003; 71: 445-460.

Yeung CK, Sihoe JDY and Bauer SB: Voiding dysfunction in children: non-neurogenic and neurogenic. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 4, sect XVII, chap 123, pp 3604-3653.

Yiee J and Wilcox D: Management of fetal hydronephrosis. *Pediatr Nephrol* 2008; 23: 347-353.

Yin-Goen Q, Dale J, Yang WL, Phan J, Moffitt R, Petros JA et al: Advances in molecular classification of renal neoplasms. *Histol Histopathol* 2006; 21: 325-339.

Yoshimura N and Chancellor MB: Current and future pharmacological treatment for overactive bladder. *J Urol* 2002; 168: 1897-1913.

Yoshimura N and Chancellor MB: Physiology and pharmacology of the bladder and urethra. In: Wein AJ, Kavoussi LR, Novick AC, Partin AW and Peters CA, eds. *Campbell Walsh-Urology, 9th Edition*. Philadelphia, WB Saunders Elsevier; 2007: vol 3, sect XIV, chap 56, pp 1922-1972.

Yosypiv IV and El-Dahr SS: Role of the renin-angiotensin system in the development of the ureteric bud and renal collecting system. *Pediatr Nephrol* 2005; 20: 1219-1229.

Yuan Z, Luo Q, Chen L, Zhu J and Zhu R: Clinical study of scrotum scintigraphy in 49 patients with acute scrotal pain: a comparison with ultrasonography. *Ann Nucl Med* 2001; 15: 225-229.

Yucel S and Baskin LS: Neuroanatomy of the male urethra and perineum. *BJU Int* 2003; 92: 624-630.

Yucel S, Akkaya E, Guntekin E, Kukul E, Akman S, Melikoglu M et al: Can alpha-blocker therapy be an alternative to biofeedback for dysfunctional voiding and urinary retention? A prospective study. *J Urol* 2005; 174: 1612-1615; discussion 1615.

**Z**

---

Zagars GK and von Eschenbach AC: Prostate-specific antigen—an important marker for prostate cancer treated by external beam radiation therapy. *Cancer* 1993; 72: 538-548.

Zderic SA and Canning DA: Posterior urethral valves. In: Docimo SG, Canning DA and Khoury AE, eds. *Kelalis-King-Belman Textbook of Clinical Pediatric Urology, 5<sup>th</sup> Edition*. London, Informa Healthcare UK Ltd; 2007: sec V, chap 63, pp 1059-1079.

Zderic SA: Sexual identity: shifting paradigms for the management of ambiguous genitalia. *AUA Update Series* 2002; vol XXI, lesson 21.

Zegarra Montes LZ, Sanchez Mejia AA, Loza Munarriz CA and Gutierrez EC: Semen and urine culture in the diagnosis of chronic bacterial prostatitis. *Int Braz J Urol* 2008; 34: 30-37.

Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007.

Zhou M, Magi-Galluzzi C and Epstein JI: Neoplasms of the prostate. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 2, pp 56-108.

Zhou M, Magi-Galluzzi C and Epstein JI: Non-neoplastic diseases of the urinary bladder. In: Zhou M and Magi-Galluzzi C, eds. *Genitourinary Pathology*. Philadelphia, Churchill Livingstone Elsevier; 2007, chap 3, pp 109-153.

Zhou Z, Hong L, Shen X, Rao X, Jin X, Lu G et al: Detection of nanobacteria infection in type III prostatitis. *Urology* 2008; 71: 1091-1095.

Ziegelbaum M, Novick AC, Stroom SB, Montie JE, Pontes JE and Straffon RA: Conservative surgery for transitional cell carcinoma of the renal pelvis. *J Urol* 1987; 138: 1146-1149.

Zielie PJ and Parulkar BG: Abdominal trauma Part I: evaluation. *AUA Update Series* 2003; vol XXII, lesson 29, pp 226-230.

Zietman AL, DeSilvio ML, Slater JD, Rossi CJ Jr, Miller DW, Adams JA et al: Comparison of conventional-dose vs high-dose conformal radiation therapy in clinically localized adenocarcinoma of the prostate: a randomized controlled trial. *JAMA* 2005; 294 : 1233.

Zincke H, Bergstralh EJ, Blute ML, Myers RP, Barrett DM, Lieber MM et al: Radical prostatectomy for clinically localized prostate cancer: long-term results of 1,143 patients from a single institution. *J Clin Oncol* 1994; 12: 2254-2263.

Zoltan E, Ferlise V and Hanno PM: Painful bladder syndrome/interstitial cystitis. *AUA Update Series* 2006; vol 25, lesson 9, pp 78-87.