

AQUA 12: BENIGN PROSTATE HYPERPLASIA: IPSS IMPROVEMENT AFTER DIAGNOSIS

STEWARD

AMERICAN UROLOGICAL ASSOCIATION

DESCRIPTION

Percentage of patients with NEW diagnosis of clinically significant BPH who had IPSS (international prostate symptoms score) or AUASS (American urological association symptom score) improvement by $\geq 20\%$

TYPE

Outcome

DATA SOURCE

Electronic Health Records: AQUA Registry Data

NUMERATOR STATEMENT

Number of patients with a new diagnosis of benign prostatic hyperplasia (BPH) with a baseline IPSS/AUASS ≥ 8 (defining at least "moderate" symptoms) who are documented to have an improvement (decrease) in IPSS/AUASS by at least 20% within 12 months of diagnosis

DENOMINATOR STATEMENT

Number of patients with a new diagnosis of benign prostatic hyperplasia (BPH) and baseline IPSS / AUASS ≥ 8

DENOMINATOR DETAILS

List Denominator codes

EXCLUSIONS

RISK ADJUSTMENT

No

INVERSE MEASURE

Yes

ALGORITHM

COPYRIGHT/DISCLAIMER

AMERICAN UROLOGICAL ASSOCIATION



American
Urological
Association

Advancing Urology™