

AUA Guideline on the Management of Benign Prostatic Hyperplasia: References

1. McConnell, J. D., Barry, M. J., Bruskewitz, R. C., Bueschen, A. J., Denton, S. E., Holtgrewe, H. L., et. al. "Benign prostatic hyperplasia: diagnosis and treatment." In: Clinical Practice Guideline. Rockville, MD: Agency for Health Care Policy and Research; 1994.
2. Roehrborn, C. G. and McConnell, J. D. "Etiology, pathophysiology, epidemiology and natural history of benign prostatic hyperplasia". In Campbell's Urology. Edited by P. C. Walsh, A. B. Retik, E. D. Vaughan, Jr. and A. J. Wein. Philadelphia, PA: W. B. Saunders Company, chapt 38, pp 1297-1330, 2002.
3. Berry, S. J., Coffey, D. S., Walsh, P. C., and Ewing, L. L. The development of human benign prostatic hyperplasia with age. *J Urol*, **132**: 474, 1984.
4. Barry, M. J., Fowler, F. J. Jr., O'Leary, M. P., Bruskewitz, R. C., Holtgrewe, H. L., and Mebust, W. K. Measuring disease-specific health status in men with benign prostatic hyperplasia. Measurement Committee of the American Urological Association. *Med Care*, **33**: AS145, 1995.
5. Garraway, W. M., Russell, E. B., Lee, R. J., Collins, G. N., McKelvie, G. B., Hehir, M., et. al. Impact of previously unrecognized benign prostatic hyperplasia on the daily activities of middle-aged and elderly men. *Br J Gen Pract*, **43**: 318, 1993.
6. Roberts, R. O., Rhodes, T., Panser, L. A., Girman, C. J., Chute, C. G., Oesterling, J. E., et. al. Natural history of prostatism: worry and embarrassment from urinary symptoms and health care-seeking behavior. *Urology*, **43**: 621, 1994.
7. Lee, C., Cockett, A., Cussenot, K., Griffiths, K., Isaacs, W., and Schalken. "Regulation of Prostate Growth". In: Proceedings of the Fifth International Consultation on Benign Prostatic Hyperplasia. Edited by C. Chatelain, L. Denis, K.T. Foo, S. Khoury, and J. McConnell. United Kingdom: Health Publications Ltd., chapt. 3, 79-106, 2001.
8. McNeal, J. E. Origin and evolution of benign prostatic enlargement. *Invest Urol*, **15**: 340, 1978.
9. Denis, L., McConnell, J., Khoury, S., Abrams, P., Barry, M., Bartsch, G., et. al. "Recommendations of the International Scientific Committee: the evaluation and treatment of lower urinary tract symptoms (LUTS) suggestive of benign prostatic obstruction." In: Proceedings of the Fourth International Consultation on Benign Prostatic Hyperplasia. Edited by L. Denis, K., Griffiths, S. Khoury, A.T.K. Cockett, J. McConnell, C. Chatelain, G. Murphy, and O. Yoshida. United Kingdom: Health Publications, Ltd., pp 669-684, 1998.
10. Eddy, D. M. Clinical decision making: from theory to practice. Guideline for policy statements: the explicit approach. *JAMA*, **263**: 2239, 1990a.
11. Eddy, D. M. "A manual for assessing health practices & designing practice policies: the explicit approach." In: A manual for assessing health practices & designing practice policies: the explicit approach. Edited by D. M. Eddy, Philadelphia: American College of Physicians, chapt 3, p 19, 1992.
12. Roehrborn, C. G., Girman, C. J., Rhodes, T., Hanson, K. A., Collins, G. N., Sech, S. M. et al. Correlation between prostate size estimated by digital rectal examination and measured by transrectal ultrasound. *Urology*, **49**: 548, 1997.

13. Roehrborn, C. G., Sech, S., Montoya, J., Rhodes, T., and Girman, C. J. Interexaminer reliability and validity of a three-dimensional model to assess prostate volume by digital rectal examination. *Urology*, **57**: 1087-92, 2001.
14. Foresman, W. H. and Messing, E. M. Bladder cancer: natural history, tumor markers, and early detection strategies. *Semin Surg Oncol*, **13**: 299, 1997.
15. Messing, E. M., Young, T. B., Hunt, V. B., Emoto, S. E., and Wehbie, J. M. The significance of asymptomatic microhematuria in men 50 or more years old: findings of a home screening study using urinary dipsticks. *J Urol*, **137**: 919, 1987.
16. Messing, E. M., Young, T. B., Hunt, V. B., Roecker, E. B., Vaillancourt, A. M., Hisgen, W. J., et. al. Home screening for hematuria: results of a multiclinic study. *J Urol*, **148**: 289, 1992.
17. Mohr, D. N., Offord, K. P., and Melton, L. J. 3rd. Isolated asymptomatic microhematuria: a cross-sectional analysis of test-positive and test-negative patients. *J Gen Intern Med*, **2**: 318, 1987.
18. Roehrborn, C. G., Boyle, P., Bergner, D., Gray, T., Gittelman, M., Shown, T., et. al. Serum prostate-specific antigen and prostate volume predict long-term changes in symptoms and flow rate: results of a four-year, randomized trial comparing finasteride versus placebo. PLESS Study Group. *Urology*, **54**: 662, 1999.
19. Roehrborn, C. G., Malice, M., Cook, T. J., and Girman, C. J. Clinical predictors of spontaneous acute urinary retention in men with LUTS and clinical BPH: a comprehensive analysis of the pooled placebo groups of several large clinical trials. *Urology*, **58**: 210, 2001.
20. Roehrborn, C. G., McConnell, J. D., Bonilla, J., Rosenblatt, S., Hudson, P. B., Malek, G. H., et. al. Serum prostate specific antigen is a strong predictor of future prostate growth in men with benign prostatic hyperplasia. PROSCAR long-term efficacy and safety study. *J Urol*, **163**: 13, 2000.
21. Carvalhal, G. F., Smith, D. S., Mager, D. E., Ramos, C., and Catalona, W. J. Digital rectal examination for detecting prostate cancer at prostate specific antigen levels of 4 ng/ml or less. *J Urol*, **161**: 835, 1999.
22. Catalona, W. J., Richie, J. P., Ahmann, F. R., Hudson, M. A., Scardino, P. T., Flanigan, R. C., et. al. Comparison of digital rectal examination and serum prostate specific antigen in the early detection of prostate cancer: results of a multicenter clinical trial of 6,630 men. *J Urol*, **151**: 1283, 1994.
23. Catalona, W. J., Smith, D. S., Ratliff, T. L., Dodds, K. M., Coplen, D. E., Yuan, J. J., et. al. Measurement of prostate-specific antigen in serum as a screening test for prostate cancer. *N Engl J Med*, **324**: 1156, 1991.
24. Mikolajczyk, S. D., Marks, L. S., Partin, A. W., and Rittenhouse, H. G. Free prostate-specific antigen in serum is becoming more complex. *Urology*, **59**: 797, 2002.
25. Polascik, T. J., Oesterling, J. E., and Partin, A. W. Prostate specific antigen: a decade of discovery—what we have learned and where we are going. *J Urol*, **162**: 293, 1999.
26. Barry, M. J., Fowler, F. J. Jr, O'Leary, M. P., Bruskewitz, R. C., Holtgrewe, H. L., Mebust, W. K., et. al. The American Urological Association symptom index for benign prostatic hyperplasia. The Measurement Committee of the American Urological Association. *J Urol*, **148**: 1549, 1992a.
27. Barry, M. J., Fowler, F. J. Jr, O'Leary, M. P., Bruskewitz, R. C., Holtgrewe, H. L., and Mebust, W. K. Correlation of the American Urological Association symptom index with

- self-administered versions of the Madsen-Iversen, Boyarsky and Maine Medical Assessment Program symptom indexes. Measurement Committee of the American Urological Association. *J Urol*, **148**: 1558, 1992b.
28. Donovan, J. L., Kay, H. E., Peters, T. J., Abrams, P., Coast, J., Matos-Ferreira, A., et. al. Using the ICSQoL to measure the impact of lower urinary tract symptoms on quality of life: evidence from the ICS-'BPH' Study. International Continence Society—Benign Prostatic Hyperplasia. *Br J Urol*, **80**: 712, 1997.
 29. Hald, T., Nordling, J., Andersen, J. T., Bilde, T., Meyhoff, H. H., and Walter, S. A patient weighted symptom score system in the evaluation of uncomplicated benign prostatic hyperplasia. *Scand J Urol Nephrol Suppl*, **138**: 59, 1991.
 30. Wasson, J. H., Reda, D. J., Bruskevitz, R. C., Elinson, J., Keller, A. M., and Henderson, W. G. A comparison of transurethral surgery with watchful waiting for moderate symptoms of benign prostatic hyperplasia. The Veterans Affairs Cooperative Study Group on Transurethral Resection of the Prostate. *N Engl J Med*, **332**: 75, 1995.
 31. Barry, M. J. Evaluation of symptoms and quality of life in men with benign prostatic hyperplasia. *Urology*, **58**: 25, 2001.
 32. Girman, C. J., Jacobsen, S. J., Rhodes, T., Guess, H. A., Roberts, R. O., and Lieber, M. M. Association of health-related quality of life and benign prostatic enlargement. *Eur Urol*, **35**: 277, 1999.
 33. Chatelain, Ch., Denis, L., Foo, J. K. T., Khoury, S., McConnell, J., Abrams, P., et. al. "Recommendations of the International Scientific Committee: evaluation and treatment of lower urinary tract symptoms (LUTS) in older men". In *Proceedings of the Fifth International Consultation on Benign Prostatic Hyperplasia*. Edited by C. Chatelain, L. Denis, K.T. Foo, S. Khoury, and J. McConnell. United Kingdom: Health Publications, Ltd., pp 519-534, 2001.
 34. Roehrborn, C. G., McConnell, J. D., Lieber, M., Kaplan, S., Geller, J., Malek, G. H., et. al. Serum prostate-specific antigen concentration is a powerful predictor of acute urinary retention and need for surgery in men with clinical benign prostatic hyperplasia. PLESS Study Group. *Urology*, **53**: 473, 1999.
 35. Hopkins, H. H. "Optical principles of the endoscope". In *Endoscopy*. Edited by G. Berci. New York: Appleton-Century-Crofts, chapt 1, pp 3-26, 1976.
 36. Mebust, W. K. "Transurethral surgery". In: *Campbell's Urology*. Edited by Walsh, P. C., Retik, A. B., Vaughan, E. D. Jr., and Wein, A. J., eds. Philadelphia, PA: W.B. Saunders Company, chapt 49, pp 1511-1528, 1998.
 37. Lepor, H. "Natural history, evaluation, and nonsurgical management of benign prostatic hyperplasia". In *Campbell's Urology*. P. C. Edited by Walsh, A. B. Retik, E. D. Vaughan, Jr., and A.J. Wein. Philadelphia, PA: W. B. Saunders Company, chapt 47, pp 1453-1477, 1998a.
 38. Lepor, H. Medical therapy for benign prostatic hyperplasia. *Urology*, **42**: 483, 1993.
 39. Caine, M. The present role of alpha-adrenergic blockers in the treatment of benign prostatic hypertrophy. *J Urol*, **136**: 1, 1986.
 40. Lepor, H. The pathophysiology of lower urinary tract symptoms in the ageing male population. *Br J Urol*, **81**: 29, 1998b.
 41. Lepor, H., Williford, W. O., Barry, M. J., Haakenson, C., and Jones, K. The impact of medical therapy on bother due to symptoms, quality of life and global outcome, and

- factors predicting response. Veterans Affairs Cooperative Studies Benign Prostatic Hyperplasia Study Group. *J Urol*, **160**: 1358, 1998.
42. Barry, M. J., Williford, W. O., Chang, Y., Machi, M., Jones, K. M., Walker-Corkery, E., et. al. Benign prostatic hyperplasia specific health status measures in clinical research: how much change in the American Urological Association symptom index and the benign prostatic hyperplasia impact index is perceptible to patients? *J Urol*, **154**: 1770, 1995.
 43. Botts, S. et al: Tamsulosin versus Doxazosin GITS, *Br J Urol* Feb 2003; in press.
 44. Lee, E. and Lee, C. Clinical comparison of selective and non-selective alpha 1A-adrenoreceptor antagonists in benign prostatic hyperplasia: studies on tamsulosin in a fixed dose and terazosin in increasing doses. *Br J Urol*, **80**: 606, 1997.
 45. de Mey, C. Orthostatic effects of alfuzosin twice daily vs. tamsulosin once daily in the morning. *J Urol*, **163**: 220, 2000.
 46. deReijke, T. M. and Klarskov, P. Doxazosin versus alfuzosin in benign prostatic hyperplasia: results of a multinational, randomised, double-blind European trial. *Eur Urol*, **37**: 473, 2000.
 47. ALLHAT Collaborative Research Group. Major cardiovascular events in hypertensive patients randomized to doxazosin vs. chlorthalidone: the antihypertensive and lipid-lowering treatment to prevent heart attack trial (ALLHAT). *JAMA*, **283**: 1967, 2000.
 48. Bartsch, G., McConnell, J. D., Mahler, C., Calais Da Silva, F., Klocker, H., Richard, F., et. al. "Endocrine treatment of benign prostatic hyperplasia". In Proceedings of the Fifth International Consultation on Benign Prostatic Hyperplasia. C. Chatelain, L. Denis, K.T. Foo, S. Khoury, and J. McConnell. United Kingdom: Health Publications, Ltd., chapt 11, pp 423-457, 2001.
 49. Gormley, G. J., Stoner, E., Bruskewitz, R. C., Imperato-McGinley, J., Walsh, P. C., McConnell, J. D., et. al. The effect of finasteride in men with benign prostatic hyperplasia. The Finasteride Study Group. *N Engl J Med*, **327**: 1185, 1992.
 50. Roehrborn, C. G., Boyle, P., Nickel, J., Hoefner, K., and Andriole, G. Efficacy and safety of a dual inhibitor of 5-alpha-reductase types 1 and 2 (dutasteride) in men with benign prostatic hyperplasia. *Urology*, **60**: 434, 2002.
 51. McConnell, J. D. and the MTOPS Steering Committee. The long term effects of medical therapy on the progression of BPH: Results from the MTOPS trial. *J Urol*, **167**: 1042, 2002.
 52. Kirby, R. S., Roehrborn, C., Boyle, P., Bartsch, G., Jardin, A., Cary, M. M., et. al. Efficacy and tolerability of doxazosin and finasteride, alone or in combination, in the treatment of symptomatic benign prostatic hyperplasia: the prospective European doxazosin and combination therapy (PREDICT) trial. *Urology*, **61**: 119, 2003.
 53. Lepor, H., Williford, W. O., Barry, M. J., Brawer, M. K., Dixon, C. M., Gormley, G., et. al. The efficacy of terazosin, finasteride, or both in benign prostatic hyperplasia. Veterans Affairs Cooperative Studies Benign Prostatic Hyperplasia Study Group. *N Engl J Med*, **335**: 533, 1996.
 54. Madersbacher, S., Schatzl, G., Djavan, B., Stulnig, T., and Marberger, M. Long-term outcome of transrectal high-intensity focused ultrasound therapy for benign prostatic hyperplasia. *Eur Urol*, **37**: 687, 2000.

55. Costello, A. J., Agarwal, D. K., Crowe, H. R., and Lynch, W. J. Evaluation of interstitial diode laser therapy for treatment of benign prostatic hyperplasia. *Tech Urol*, **5**: 202, 1999.
56. Greenberger, M. and Steiner, M. S. The University of Tennessee experience with the Indigo 830e laser device for the minimally invasive treatment of benign prostatic hyperplasia: interim analysis. *World J Urol*, **16**: 386, 1998.
57. Muschter, R., Schorsch, I., Danielli, L., Russel, C., Timoney, A., Yachia, D., et. al. Transurethral water-induced thermotherapy for the treatment of benign prostatic hyperplasia: a prospective multicenter clinical trial. *J Urol*, **164**: 1565, 2000.
58. Breda, G., and Isgro, A. Treatment of benign prostatic hyperplasia with water-induced thermotherapy: experience of a single institution. *J Endourol*, **16**: 123, 2002.
59. Wagrell, L., Schelin, S., Nordling, J., Richthoff, J., Magnusson, B., Schain, M., et. al. Feedback microwave thermotherapy versus TURP for clinical BPH—a randomized controlled multicenter study. *Urology*, **60**: 292, 2002.
60. Albala, D. M., Fulmer, B. R., Turk, T. M., Koleski, F., Andriole, G., Davis, B. E., et. al. Office-based transurethral microwave thermotherapy using the TherMatrix TMx-2000. *J Endourol*, **16**: 57, 2002.
61. Foster, R. S., Bihrlle, R., Sanghvi, N. T., Fry, F. J., and Donohue, J. P. High-intensity focused ultrasound in the treatment of prostatic disease. *Eur Urol*, **23**: 29, 1993.
62. McCullough, D. L. "Minimally invasive treatment of benign prostatic hyperplasia". In *Campbell's Urology*. P.C Walsh, A.B Retik, E.D. Vaughan, Jr., and A. J. Wein. Philadelphia, PA: W. B. Saunders Company, chapt 48, 1479-1509, 1998.
63. Schulman, C. C. and Vanden Bossche, M. Hyperthermia and thermotherapy of benign prostatic hyperplasia: a critical review. *Eur Urol*, **23**: 53, 1993.
64. Matzkin, H. Hyperthermia as a treatment modality in benign prostatic hyperplasia. *Urology*, **43**: 17, 1994.
65. Abbou, C. C., Payan, C., Viens-Bitker, C., Richard, F., Boccon-Gibod, L., Jardin, A., et. al. Transrectal and transurethral hyperthermia versus sham treatment in benign prostatic hyperplasia: a double-blind randomized multicentre clinical trial. *The French BPH Hyperthermia*. *Br J Urol*, **76**: 619, 1995.
66. Albala, D. M., Turk, T. M., Fulmer, B. R., Koleski, F., Andriole, G., Davis, B. E., et. al. Periurethral transurethral microwave thermotherapy for the treatment of benign prostatic hyperplasia: an interim 1-year safety and efficacy analysis using the Thermatrix TMx-2000. *Tech Urol*, **6**: 288, 2000.
67. FDA/Center for Devices and Radiological Health (CDRH) Public Health Notification. Serious injuries from microwave thermotherapy for benign prostatic hyperplasia. October 1, 2000. U.S. Food and Drug Administration Website. Available at: <http://www.fda.gov/cdrh/safety/bph.pdf>. Accessed January 25, 2003.
68. FDA/Center for Devices and Radiological Health (CDRH) resources page. U.S. Food and Drug Administration Website. Available at: <http://www.fda.gov/cdrh/pdf/P000043b.pdf>. Accessed January 15, 2003.
69. Naslund, M. J. Transurethral needle ablation of the prostate. *Urology*, **50**: 167, 1997.
70. Oesterling, J. E., Issa, M. M., Roehrborn, C. G., Bruskewitz, R., Naslund, M. J., Perez-Marrero, R., et. al. The long-term results of a prospective, randomized clinical trial comparing TUNA to TURP for the treatment of symptomatic BPH. *J Urol*, **157**: 328A, 1997.

71. Milroy, E. Chapple, C. R. The UroLume stent in the management of benign prostatic hyperplasia. *J Urol*, **150**: 1630, 1993.
72. Oesterling, J. E. The UroLume endoprosthesis: a summary of the European and North American experience. *Prog Clin Biol Res*, **386**: 561, 1994.
73. Oesterling, J. E., Kaplan, S. A., Epstein, H. B. , Defalco, A. J., Reddy, P. K., and Chancellor, M. B. The North American experience with the UroLume endoprosthesis as a treatment for benign prostatic hyperplasia: long-term results. The North American UroLume Study Group. *Urology*, **44**: 353, 1994.
74. Anjum, M. I., Chari, R., Shetty, A., Keen, M., and Palmer, J. H. Long-term clinical results and quality of life after insertion of a self-expanding flexible endourethral prosthesis. *Br J Urol*, **80**: 885, 1997.
75. Guazzoni, G., Montorsi, F., Bergamaschi, F., Consonni, P., Bellinzoni, P., and Rigatti, P. Prostatic spiral versus prostatic urolume wallstent for urinary retention due to benign prostatic hyperplasia. A long-term comparative study. *Eur Urol*, **24**: 332, 1993.
76. Guazzoni, G., Bergamaschi, F., Montorsi, F., Consonni, P., Galli, L., Matozzo, V., et. al. Prostatic uroLume wallstent for benign prostatic hyperplasia patients at poor operative risk: clinical, uroflowmetric and ultrasonographic patterns. *J Urol*, **150**: 1641, 1993.
77. Kletscher, B. A. and Oesterling, J. E. Prostatic stents. Current perspectives for the management of benign prostatic hyperplasia. *Urol Clin North Am*, **22**: 423, 1995.
78. Parikh, A. M. and Milroy, E. J. Precautions and complications in the use of the urolume wallstent. *Eur Urol*, **27**: 1, 1995.
79. Kaplan, S. A. and Te, A. E. Transurethral electrovaporization of the prostate: a novel method for treating men with benign prostatic hyperplasia. *Urology*, **45**: 566, 1995.
80. Orandi, A. Transurethral incision of prostate (TUIP): 646 cases in 15 years—a chronological appraisal. *Br J Urol*, **57**: 703, 1985.
81. Riehmman, M., Knes, J. M., Heisey, D., Madsen, P. O., and Bruskewitz, R. C. Transurethral resection versus incision of the prostate: a randomized, prospective study. *Urology*, **45**: 768, 1995.
82. Saporta, L., Aridogan, I. A., Erlich, N., and Yachia, D. Objective and subjective comparison of transurethral resection, transurethral incision and balloon dilatation of the prostate. A prospective study. *Eur Urol*, **29**: 439, 1996.
83. Sparwasser, C., Riehmman, M., Knes, J., and Madsen, P. O. Long-term results of transurethral prostate incision (TUIP) and transurethral prostate resection (TURP). A prospective randomized study. *Urologe A*, **34**: 153, 1995.
84. Gilling, P. J., Cass, C. B., Cresswell, M. D., and Fraundorfer, M. R. Holmium laser resection of the prostate: preliminary results of a new method for the treatment of benign prostatic hyperplasia. *Urology*, **47**: 48, 1996.
85. Gilling, P. J., Mackey, M., Cresswell, M., Kennett, K., Kabalin, J. N., and Fraundorfer, M. R. Holmium laser versus transurethral resection of the prostate: a randomized prospective trial with 1-year followup. *J Urol*, **162**: 1640, 1999.
86. Hochreiter, W. W., Thalmann, G. N., Burkhard, F. C., and Studer, U. E. Holmium laser enucleation of the prostate combined with electrocautery resection: the mushroom technique. *J Urol*, **168**: 1470, 2002.
87. Hurle, R., Vavassori, I., Piccinelli, A., Manzetti, A., Valenti, S., and Vismara, A. Holmium laser enucleation of the prostate combined with mechanical morcellation in 155 patients with benign prostatic hyperplasia. *Urology*, **60**: 449, 2002.

88. Kuntz, R. M. and Lehrich, K. Transurethral holmium laser enucleation versus transvesical open enucleation for prostate adenoma greater than 100 gm.: a randomized prospective trial of 120 patients. *J Urol*, **168**: 1465. 2002.
89. Das, A., Kennett, K., Fraundorfer, M., and Gilling, P. Holmium laser resection of the prostate (HoLRP): 2-year follow-up data. *Tech Urol*, **7**: 252, 2001.
90. Gilling, P. J., Kennett, K. M., and Fraundorfer, M. R. Holmium laser resection v transurethral resection of the prostate: results of a randomized trial with 2 years of follow-up. *J Endourol*, **14**: 757, 2000.
91. Goya, N., Ishikawa, N., Ito, F., Ryoji, O., Tokumoto, T., Toma, H., et. al. Ethanol injection therapy of the prostate for benign prostatic hyperplasia: preliminary report on application of a new technique. *J Urol*, **162**: 383, 1999.
92. Zvara, P., Karpman, E., Stoppacher, R., Esenler, A. C., and Plante, M. K. Ablation of canine prostate using transurethral intraprostatic absolute ethanol injection. *Urology*, **54**: 411, 1999.
93. Ditrolio, J., Patel, P., Watson, R. A., and Irwin, R. J. Chemo-ablation of the prostate with dehydrated alcohol for the treatment of prostatic obstruction. *J Urol*, **167**: 2100, 2002.
94. Nakamura, K., Baba, S., Saito, S., Tachibana, M., and Murai, M. High-intensity focused ultrasound energy for benign prostatic hyperplasia: clinical response at 6 months to treatment using Sonablate 200. *J Endourol*, **11**: 197, 1997.
95. Botto, H., Leuret, T., Barre, P., Orsoni, J. L., Herve, J. M., and Lugagne, P. M. Electro vaporization of the prostate with the Gyrus device. *J Endourol*, **15**: 313, 2001.
96. Lepor, H., Sypherd, D., Machi, G., and Derus, J. Randomized double-blind study comparing the effectiveness of balloon dilation of the prostate and cystoscopy for the treatment of symptomatic benign prostatic hyperplasia. *J Urol*, **147**: 639, 1992.
97. de Mey, C., Michel, M. C., McEwen, J., and Moreland, T. A double-blind comparison of terazosin and tamsulosin on their differential effects on ambulatory blood pressure and nocturnal orthostatic stress testing. *Eur Urol*, **33**: 481, 1998.
98. Grosse H. Frequency, localization and associated disorders in urinary calculi. Analysis of 1671 autopsies in urolithiasis. *Zeitschrift fur Urologie und Nephrologie*, **83**: 469, 1990.
99. O'Connor, R. C., Laven, B. A., Bales, G. T., and Gerber, G. S. Nonsurgical management of benign prostatic hyperplasia in men with bladder calculi. *Urology*, **60**: 288, 2002.
100. Holtgrewe, H. L., Mebust, W. K., Dowd, J. B., Cockett, A. T. K., Peters, P. C., and Proctor, C. Transurethral prostatectomies: practical aspects of the dominant operation in American urology. *J Urol*, **141**: 248, 1989.
101. Brendler, C. B. "Evaluation of the urologic patient: history, physical examination, and urinalysis". In: *Campbell's Urology*. P. C. Walsh, A. B. Retik, E. D. Vaughan, Jr., and A. J. Wein. Philadelphia, PA: W. B. Saunders Company, chapt 4, pp131-157, 1999.
102. Boyarsky S, Jones G, Paulson DF, Prout GR Jr. A new look at bladder neck obstruction by the food and drug administration regulators: guide lines for investigation of benign prostatic hypertrophy. *Trans Am Assoc Genitourin Surg*, **68**: 29,1976.
103. Madsen PO, Iversen P. A point system for selecting operative candidates. In: *Benign Prostatic Hypertrophy*. Edited by F. Hinman, Jr. New York: Springer Verlag, chapter 79, 763-765, 1983.
104. Sech SM, Montoya JD, Bernier PA, Barnboym E, Brown S, Gregory A, and Roehrborn CG. The so-called "placebo effect" in benign prostatic hyperplasia treatment trials

- represent partially a conditional regression to the mean induced by censoring. *Urology*, **52**: 242, 1998.
105. McNeill, S. A., Hargreave, T. B., Geffriaud-Ricouard, C., Santoni, J., and Roehrborn, C. G. Postvoid residual urine in patients with lower urinary tract symptoms suggestive of benign prostatic hyperplasia: pooled analysis of eleven controlled studies with alfuzosin. *Urology*, **57**: 459, 2001.
 106. Jacobsen, S. J., Girman, C. J., Guess, H. A., Panser, L. A., Chute, C. G., Oesterling, J. E., Lieber, M. M. Do prostate size and urinary flow rates predict health care-seeking behavior for urinary symptoms in men? *Urology*, **45**: 54, 1995.
 107. Jacobsen, S. J., Jacobson, D. J., Girman, C. J., Roberts, R. O., Rhodes, T., Guess, H. A., and Lieber, M. M. Natural history of prostatism: risk factors for acute urinary retention. *J Urol*, **158**: 481, 1997.
 108. Bruskewitz, R., Girman, C. J., Fowler, J., Rigby, O. F., Sullivan, M., Bracken, R. B., Fusilier, H. A., Kozlowski, D., Kantor, S. D., Johnson, E. L., Wang, D. Z., and Waldstreicher, J. Effect of finasteride on bother and other health-related quality of life aspects associated with benign prostatic hyperplasia. PLESS Study Group. Proscar Long-term Efficacy and Safety Study. *Urology*, **54**: 670, 1999.
 109. Roehrborn, C. G., Boyle, P., Gould, A. L., and Waldstreicher, J. Serum prostate-specific antigen as a predictor of prostate volume in men with benign prostatic hyperplasia. *Urology*, **53**: 581, 1999.
 110. Rhodes, T., Girman, C. J., Jacobsen, S. J., Roberts, R. O., Guess, H. A., and Lieber, M. M. Longitudinal prostate growth rates during 5 years in randomly selected community men 40 to 79 years old. *J Urol*, **161**: 1174, 1999.
 111. McConnell, J. D., Bruskewitz, R., Walsh, P., Andriole, G., Lieber, M., Holtgrewe, H. L., Albertsen, P., Roehrborn, C. G., Nickel, J. C., Wang, D. Z., Taylor, A. M., and Waldstreicher, J. The effect of finasteride on the risk of acute urinary retention and the need for surgical treatment among men with benign prostatic hyperplasia. Finasteride Long-Term Efficacy and Safety Study Group. *N Engl J Med*, **338**: 557, 1998.
 112. Roehrborn, C. G., Bruskewitz, R., Nickel, G. C., Glickman, S., Cox, C., Anderson, R., Kandzari, S., Herlihy, R., Kornitzer, G., Brown, B. T., Holtgrewe, H. L., Taylor, A., Wang, D., and Waldstreicher, J. Urinary retention in patients with BPH treated with finasteride or placebo over 4 years. Characterization of patients and ultimate outcomes. The PLESS Study Group. *Eur Urol*, **37**: 528, 2000.
 113. Hudson, P. B., Boake, R., Trachtenberg, J., Romas, N. A., Rosenblatt, S., Narayan, P., Geller, J., Lieber, M. M., Elhilali, M., Norman, R., Patterson, L., Perreault, J. P., Malek, G. H., Bruskewitz, R. C., Roy, J. B., Ko, A., Jacobsen, C. A., and Stoner, E. Efficacy of finasteride is maintained in patients with benign prostatic hyperplasia treated for 5 years. The North American Finasteride Study Group. *Urology*, **53**: 690, 1999.
 114. Vaughan, D., Imperato-McGinley, J., McConnell, J., Matsumoto, A. M., Bracken, B., Roy, J., Sullivan, M., Pappas, F., Cook, T., Daurio, C., Meehan, A., Stoner, E., and Waldstreicher, J. Long-term (7 to 8-year) experience with finasteride in men with benign prostatic hyperplasia. *Urology*, **60**: 1040, 2002.
 115. Debruyne, F. M., Jardin, A., Colloi, D., Resel, L., Witjes, W. P., Delauche-Cavallier, M. C., McCarthy, C., and Geffriaud-Ricouard, C. Sustained-release alfuzosin, finasteride and the combination of both in the treatment of benign prostatic hyperplasia. European ALFIN Study Group. *Eur Urol*, **34**: 169, 1998.

116. Boyle, P., Maisonneuve, P., and Steg, A. Decrease in mortality from benign prostatic hyperplasia: a major unheralded health triumph. *J Urol*, **155**: 176, 1996.
117. Lu-Yao, G. L., Barry, M. J., Chang, C. H., Wasson, J. H., and Wennberg, J. E. Transurethral resection of the prostate among Medicare beneficiaries in the United States: time trends and outcomes. Prostate Patient Outcomes Research Team (PORT). *Urology*, **44**: 692, 1994.
118. Wasson, J. H., Bubolz, T. A., Lu-Yao, G. L., Walker-Corkery, E., Hammond, C. S., and Barry, M. J. Transurethral resection of the prostate among medicare beneficiaries: 1984 to 1997. For the Patient Outcomes Research Team for Prostatic Diseases. *J Urol*, **164**: 121, 2000.
119. Thorpe, A.C., Cleary, R., Coles, J., Vernon, S., Reynolds, J., and Neal, D.E. Deaths and complications following prostatectomy in 1400 men in the Northern Region of England. *BJU*, **74**: 559, 1994.
120. Abrams, P. A critique of scoring systems. *Prog Clin Bio Res*, **386**: 109, 1994.
121. Reynard, J. M. and Abrams, P. Bladder-outlet obstruction--assessment of symptoms. *World J Urol*, **13**: 3, 1995.
122. Proceedings of the Fifth International Consultation on Benign Prostatic Hyperplasia. Edited by C. Chatelain, L. Denis K. Foo, S. Khoury, and J. McConnell. United Kingdom: Health Publications Ltd. 2001
123. Kirby, R. S. The natural history of benign prostatic hyperplasia: what have we learned in the last decade? *Urology*, **56**: 3, 2000.
124. Foley, S. J., Soloman, L. Z., Wedderburn, A. W., Kashif, K. M., Summerton, D., Basketter, V., and Holmes, S. A. A prospective study of the natural history of hematuria associated with benign prostatic hyperplasia and the effect of finasteride. *J Urol*, **163**: 496, 2000.
125. Foley, S. J. and Bailey, D. M. Microvessel density in prostatic hyperplasia. *BJU Int*, **85**: 70, 2000.
126. Ishani, A., MacDonald, R., Nelson, D., Rutks, I., and Wilt, T. J. Pygeum africanum for the treatment of patients with benign prostatic hyperplasia: a systematic review and quantitative meta-analysis. *Am J Med*, **109**: 654, 2000
127. Wilt, T., Mac Donald, R., Ishani, A., Rutks, I., and Stark, G. Cernilton for benign prostatic hyperplasia. *Cochrane Database Syst Rev* 2000; CD001042
128. Wilt, T. J., Ishani, A., Rutks, I., and MacDonald, R. Phytotherapy for benign prostatic hyperplasia. *Public Health Nutr* 2000; 3(4A): 459-72
129. Wilt, T. J., Ishani, A., Stark, G., MacDonald, R., Lau, J., and Mulrow, C. Saw palmetto extracts for treatment of benign prostatic hyperplasia: a systematic review. *JAMA*, **280**: 1604, 1998.
130. Roberts, R. O., Jacobsen, S. J., Jacobson, D. J., Rhodes, T., Girman, C. J., and Lieber, M. M. Longitudinal changes in peak urinary flow rates in a community based cohort. *J Urol*, **163**: 107, 2000.
131. Jacobsen, S. J., Jacobson, D. J., Girman, C. J., Roberts, R. O., Rhodes, T., Guess, H. A., and Lieber, M. M. Treatment for benign prostatic hyperplasia among community dwelling men: the Olmsted County study of urinary symptoms and health status. *J Urol*, **162**: 1301, 1999.
132. Roberts, R. O., Jacobsen, S. J., Jacobson, D. J., Reilly, W. T., Talley, N. J., and Lieber, M. M. Natural history of prostatism: high American Urological Association Symptom

- scores among community-dwelling men and women with urinary incontinence. *Urology*, **51**: 213, 1998.
133. Roberts, R. O., Jacobsen, S. J., Rhodes, T., Girman, C. J., Guess, H. A., and Lieber, M. M. Natural history of prostatism: impaired health states in men with lower urinary tract symptoms. *J Urol*, **157**: 1711, 1997.
134. Roberts, R. O., Rhodes, T., Girman, C. J., Guess, H. A., Oesterling, J. E., Lieber, M. M., and Jacobsen, S. J. The decision to seek care. Factors associated with the propensity to seek care in a community-based cohort of men. *Arch Fam Med*, **6**: 218, 1997.
135. Roehrborn, C. G., Abbou, C-C., Akaza, H., Allona-Almagro, A., Boccon-Gibod, L., Ekman, P. E., Gillenwater, J. Y., Khoury, S., and Nyberg, L. M. Clinical Research Criteria for Studies of: Lower Urinary Tract Symptoms (LUTS), Enlarged Prostate Gland (EPG), Bladder Outlet Obstruction (BOO) and Benign Prostatic Hyperplasia (BPH). In: *Proceedings of the Fifth International Consultation on Benign Prostatic Hyperplasia*. Edited by C. Chatelain, L. Denis, K. T. Foo, S. Khoury, and J. McConnell. United Kingdom: Health Publication LTD, chapter 9 pp 317-396; 2001