

Non-QPP Measures

#	Measure ID	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
1	AQUA8 [^]	Hospital Admissions or Infectious Complications Within 30 days of Prostate Biopsy	Percentage of patients with urinary retention, infection, inpatient consultation, or hospital admission for infection or sepsis within 30 days of undergoing a prostate biopsy	No	Outcome	Patient Safety
2	AQUA14 [^]	Stones: Repeat Shock Wave Lithotripsy (SWL) Within 6 Months of Initial Treatment	Percentage of patients who underwent repeat Shock Wave Lithotripsy within 6 months of initial procedure	Yes	Outcome	Effective Clinical Care
3	AQUA15 [^]	Stones: Urinalysis Performed Before Surgical Stone Procedures	Percentage of patients with a documented urinalysis within 14 days prior to surgical stone procedures	Yes	Process	Patient Safety
4	AQUA16	Non-Muscle Invasive Bladder Cancer: Repeat Transurethral Resection of Bladder Tumor (TURBT) for T1 disease	Percentage of patients with T1 disease who had a second transurethral resection of bladder tumor (TURBT) within 6 weeks of the initial TURBT	No	Process	Effective Clinical Care
5	AQUA18	Non-Muscle Invasive Bladder Cancer: Early Surveillance Cystoscopy for Non-Muscle Invasive Bladder Cancer	Percentage of patients who had surveillance cystoscopy 12 to 20 weeks after undergoing initial Transurethral Resection for Bladder Tumor (TURBT)	No	Process	Effective Clinical Care
6	AQUA26 [^]	Benign Prostate Hyperplasia (BPH): Inappropriate Lab & Imaging Services for Patients with BPH	Percentage of patients with initial diagnosis of BPH who had a creatinine lab order placed or had a CT abdomen, MRI abdomen, ultrasound abdomen ordered or performed	Yes	Process	Efficiency and Cost Reduction

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

Non-QPP Measures

#	Measure ID	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
7	MUSIC4 ^{^‡}	Prostate Cancer: Active Surveillance/Watchful Waiting for Newly-Diagnosed Low-Risk Prostate Cancer Patients	Proportion of patients newly diagnosed with low-risk prostate cancer managed with active surveillance or watchful waiting	No	Process	Effective Clinical Care

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; ^{*}Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
8	1 [^]	Diabetes: Hemoglobin A1c (HbA1c) Poor Control (>9%)	Percentage of patients 18-75 years of age with diabetes who had hemoglobin A1c>9.0% during the measurement period	Yes	Intermediate Outcome	Effective Clinical Care
9	eCQM* CMS122v11			Yes		
10	47 [^]	Advance Care Plan	Percentage of patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but the patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan	Yes	Process	Communication & Care Coordination
11	48	Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older	Percentage of female patients aged 65 years and older who were assessed for the presence or absence of urinary incontinence within 12 months	Yes	Process	Effective Clinical Care
12	50 [^]	Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older	Percentage of female patients aged 65 years and older with a diagnosis of urinary incontinence with a documented plan of care for urinary incontinence at least once within 12 months	Yes	Process	Person & Caregiver-Centered Experience & Outcomes

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
13	102 [^]	Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients	Percentage of patients, regardless of age, with a diagnosis of prostate cancer at low (or very low) risk of recurrence receiving interstitial prostate brachytherapy, OR external beam radiotherapy to the prostate, OR radical prostatectomy, who did not have a bone scan performed at any time since diagnosis of prostate cancer	No	Process	Efficiency and Cost Reduction
14	eCQM* CMS129v12					
15	104	Prostate Cancer: Combination Androgen Deprivation Therapy for High Risk or Very High Risk Prostate Cancer	Percentage of patients, regardless of age, with a diagnosis of prostate cancer at high or very high risk of recurrence receiving external beam radiotherapy to the prostate who were prescribed androgen deprivation therapy in combination with external beam radiotherapy to the prostate	Yes	Process	Effective Clinical Care
16	112	Breast Cancer Screening	Percentage of women 50-74 years of age who had a mammogram to screen for breast cancer in the 27 months prior to the end of the measurement period	Yes	Process	Effective Clinical Care
17	eCQM* CMS125v11					
18	113	Colorectal Cancer Screening	Percentage of patients 45-75 years of age who had appropriate screening for colorectal cancer	Yes	Process	Effective Clinical Care
19	eCQM* CMS130v11					

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
20	117	Diabetes: Eye Exam	Percentage of patients 18-75 years of age with diabetes and an active diagnosis of retinopathy in any part of the measurement period who had a retinal or dilated eye exam by an eye care professional during the measurement period or diabetics with no diagnosis of retinopathy in any part of the measurement period who had a retinal or dilated eye exam by an eye care professional during the measurement period or in the 12 months prior to the measurement period	Yes	Process	Effective Clinical Care
21	eCQM* CMS131v11			Yes		
22	128	Preventive Care and Screening: BodyMass Index (BMI) Screening and Follow-Up Plan	Percentage of patients aged 18 years and older with a BMI documented during the current encounter or within the previous twelve months AND who had a follow-up plan documented if most recent BMI was outside of normal parameters	Yes	Process	Community Population Health
23	eCQM* CMS69v11			Yes		
24	130 [^]	Documentation of Current Medications in the Medical Record	Percentage of visits for patients aged 18 years and older for which the eligible clinician attests to documenting a list of current medications using all immediate resources available on the date of the encounter	Yes	Process	Patient Safety
25	eCQM* CMS68v12			Yes		

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
26	134	Preventive Care and Screening: Screening for Depression and Follow-Up Plan	Percentage of patients aged 12 years and older screened for depression on the date of the encounter or up to 14 days prior to the date of the encounter using an age-appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of or up to two days after the date of the qualifying encounter	Yes	Process	Community/ Population Health
27	eCQM* CMS2v12			Yes		
28	226	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within the measurement period AND who received tobacco cessation intervention during the measurement period or in the six months prior to the measurement period if identified as a tobacco user	No	Process	Community/ Population Health
29	eCQM* CMS138v11			No		
30	236 [^]	Controlling High Blood Pressure	Percentage of patients 18-85 years of age who had a diagnosis of essential hypertension starting before and continuing into, or starting during the first six months of the measurement period, and whose most recent blood pressure was adequately controlled (<140/90mmHg) during the measurement period	Yes	Intermediate Outcome	Effective Clinical Care
31	eCQM* CMS165v11			Yes		

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
32	238 [^]	Use of High Risk Medications for Older Adults	Percentage of patients 65 years of age and older who were ordered at least two high-risk medications from the same drug class	No	Process	Patient Safety
33	eCQM* CMS156v11			No		
34	317	Preventive Care and Screening: Screening for High Blood Pressure Follow-up Documented	Percentage of patient visits for patients aged 18 years and older seen during the measurement period who were screened for high blood pressure AND a recommended follow-up plan is documented, as indicated, if blood pressure is elevated or hypertensive	No	Process	Community/ Population Health
35	eCQM* CMS22v11			No		
36	318 [^] eCQM* CMS139v11 version only	Falls: Screening for Future Fall Risk	Percentage of patients 65 years of age and older who were screened for future fall risk during the measurement period	Yes	Process	Patient Safety
37	357 [^]	Surgical Site Infection (SSI)	Percentage of patients aged 18 years and older who had a surgical site infection (SSI)	Yes	Outcome	Effective Clinical Care

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
38	358 [^]	Patient-Centered Surgical Risk Assessment and Communication	Percentage of patients who underwent a non-emergency surgery who had their personalized risks of postoperative complications assessed by their surgical team prior to surgery using a clinical data-based, patient-specific risk calculator and who received personal discussion of those risks with the surgeon	Yes	Process	Person & Caregiver-Centered Experience & Outcomes
39	370 [^]	Depression Remission at Twelve Months	The percentage of adolescent patients 12 to 17 years of age and adult patients 18 years of age or older with major depression or dysthymia who reached remission 12 months (+/- 60 days) after an index event date	No	Outcome	Effective Clinical Care
40	eCQM* CMS159v11			Yes	Outcome	Effective Clinical Care
41	374 [^]	Closing the Referral Loop: Receipt of Specialist Report	Percentage of patients with referrals, regardless of age, for which the referring provider receives a report from the provider to whom the patient was referred	Yes	Process	Communication & Care Coordination
42	eCQM* CMS50v11			Yes		
43	431	Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling	Percentage of patients aged 18 years and older who were screened for unhealthy alcohol use using a systematic screening method at least once within the last 12 months AND who received brief counseling if identified as an unhealthy alcohol user	No	Process	Community/ Population Health

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
44	432 [^]	Proportion of Patients Sustaining a Bladder Injury at the Time of any Pelvic Organ Prolapse Repair	Percentage of patients undergoing pelvic organ prolapse repairs who sustain an injury to the bladder recognized either during or within 30 days after surgery	No	Outcome	Patient Safety
45	433 [^]	Proportion of Patients Sustaining a Bowel Injury at the time of any Pelvic Organ Prolapse Repair	Percentage of patients undergoing surgical repair of pelvic organ prolapse that is complicated by a bowel injury at the time of index surgery that is recognized intraoperatively or within 30 days after surgery	No	Outcome	Patient Safety
46	438	Statin Therapy for the Prevention and Treatment of Cardiovascular Disease	Percentage of the following patients - all considered at high risk of cardiovascular events - who were prescribed or were on statin therapy during the measurement period: All patients who were previously diagnosed with or currently have an active diagnosis of clinical atherosclerotic cardiovascular disease (ASCVD), including an ASCVD procedure; OR Patients aged ≥ 20 years who have ever had a low-density lipoprotein cholesterol (LDL-C) level ≥ 190 mg/dL or were previously diagnosed with or currently have an active diagnosis of familial hypercholesterolemia; OR Patients aged 40-75 years with a diagnosis of diabetes	Yes	Process	Effective Clinical Care
47	eCQM* CMS347v6			Yes		

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
48	453 [^]	Percentage of Patients who Died from Cancer Receiving Systemic Cancer-Directed Therapy in the Last 14 Days of Life (lower score – better)	Percentage of patients who died from cancer receiving systemic cancer-directed therapy in the last 14 days of life	Yes	Process	Effective Clinical Care
49	457 [^]	Percentage of Patients Who Died from Cancer Admitted to Hospice for Less than 3 days (lower score – better)	Percentage of patients who died from cancer, and admitted to hospice and spent less than 3 days there	Yes	Outcome	Effective Clinical Care
50	462 eCQM* CMS645v6 version only	Bone Density Evaluation for Patients with Prostate Cancer and Receiving Androgen Deprivation Therapy	Patients determined as having prostate cancer who are currently starting or undergoing androgen deprivation therapy (ADT), for an anticipated period of 12 months or greater and who receive an initial bone density evaluation. The bone density evaluation must be prior to the start of ADT or within 3 months of the start of ADT	No	Process	Effective Clinical Care

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
51	476[^] eCQM* CMS771v4 version only	Urinary Symptom Score Change 6-12 Months After Diagnosis of Benign Prostatic Hyperplasia	Percentage of patients with an office visit within the measurement period and with a new diagnosis of clinically significant Benign Prostatic Hyperplasia who have an International Prostate Symptom Score (IPSS) or American Urological Association (AUA) Symptom Index (SI) documented at the time of diagnosis and again 6-12 months later with an improvement of 3 points	No	Outcome	Person and Caregiver-Centered Experience and Outcomes
52	481[^] eCQM* CMS646v3 version only	Intravesical Bacillus-Calmette Guerin for Non-Muscle Invasive Bladder Cancer	Percentage of patients initially diagnosed with non-muscle invasive bladder cancer and who received intravesical Bacillus-Calmette-Guerin (BCG) within 6 months of bladder cancer staging	No	Process	Effective Clinical Care
53	487[^]	Screening for Social Drivers of Health	Percent of patients 18 years and older screened for food insecurity, housing instability, transportation needs, utility difficulties, and interpersonal safety	No (new in 2023)	Process	Community/ Population Health
54	488	Kidney Health Evaluation	Percentage of patients aged 18-75 years with a diagnosis of diabetes who received a kidney health evaluation defined by an Estimated Glomerular Filtration Rate (eGFR) AND Urine Albumin-Creatinine Ratio (uACR) within the measurement period	No (new in 2023)	Process	Effective Clinical Care
55	eCQM* CMS951v1			No (new in 2023)		

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; *Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.

QPP Measures

#	QPP #	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
56	493	Adult Immunization Status	Percentage of patients 19 years of age and older who are up-to-date on recommended routine vaccines for influenza; tetanus and diphtheria (Td) or tetanus, diphtheria and acellular pertussis (Tdap); zoster; and pneumococcal	No (new in 2023)	Process	Community/ Population Health

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; ^{*}Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.



AUA Research Measures (for QI use only; not MIPS reportable)

#	Measure ID	Measure Title	Definition	Historical Benchmark [†]	Type	Domain
57	AUA01	Non-Muscle Invasive Bladder Cancer: Initial Management/Surveillance for Non-Muscle Invasive Bladder Cancer	Percentage of patients with appropriate initial management/surveillance after initial diagnosis of non-muscle invasive bladder cancer	No	Process	Effective Clinical Care
58	AUA02	Prostate Cancer: Confirmation Biopsy in Newly Diagnosed Patients on Active Surveillance	Percentage of newly-diagnosed low risk patients on active surveillance who receive confirmation testing within 24 months of diagnosis	No	Process	Effective Clinical Care

[†]Based on 4/26/22 benchmark file from CMS for PY2022; subject to change based on updated information from CMS for PY2023

[^]High Priority Measure; ^{*}Electronic Clinical Quality Measure

[‡]©2011 The Regents of the University of Michigan. Original MUSIC measure developed by the University of Michigan as part of the Michigan Urological Surgery Improvement Collaborative. All Rights Reserved.