

UROLIFT BIBLIOGRAPHY

Guidelines:

1. European Association of Urology (EAU) guidelines on management of non-neurogenic male lower urinary tract symptoms (LUTS), including benign prostatic obstruction (BPO).
<https://uroweb.org/guideline/treatment-of-non-neurogenic-male-luts/>.
2. NICE MTG26. UroLift for treating LUTS of BPH. 2015.
[nice.org.uk/guidance/mtg26](https://www.nice.org.uk/guidance/mtg26).
3. NICE Interventional procedure guidance 475. 2014.
[guidance.nice.org.uk/ipg475](https://www.nice.org.uk/ipg475).

Meta-Analyses:

1. NICE MTG26. UroLift for treating LUTS of BPH. 2015.
[nice.org.uk/guidance/mtg26](https://www.nice.org.uk/guidance/mtg26).
2. Roehrborn CG. Prostatic urethral lift: a unique minimally invasive surgical treatment of male lower urinary tract symptoms secondary to benign prostatic hyperplasia. *Urol Clin N Am* 2016; 43: 357-369.
3. Shore N. A Review of the Prostatic Urethral Lift for Lower Urinary Tract Symptoms: Symptom Relief, Flow Improvement, and Preservation of Sexual Function in Men With Benign Prostatic Hyperplasia. *Curr Bladder Dysfunct Rep*. DOI 10.1007/s11884-015-0296-5.
4. Perera M, Roberts MJ, Suhail ARD, Bolton D. Prostatic urethral lift improves urinary symptoms and flow while preserving sexual function for men with benign prostatic hyperplasia: a systematic review and meta-analysis. *Eur Urol* 2015; 67; 704-713. Addendum *Eur Urol* 2015; 68; E53-E54.

Clinical Studies:

1. Roehrborn CG, Rukstalis DB, Barkin J, Gange SN, Shore ND, Giddens JL, Bolton DM, Cowan BE, Cantwell AL, McVary KT, Te AE, Gholami SS, Moseley WG, Chin PT, Dowling WT, Freedman SJ, Incze PF, Coffield KS, Borges FD, Rashid P. Five year results of the prospective randomized controlled prostatic urethral L.I.F.T. study. *Can J Urol* 2017; 24(3); 8802-8813.
2. Gratzke C, Barber N, Speakman M, Berges R, Wetterauer U, Greene D, Sievert KD, Chapple C, Sonksen J. Prostatic urethral lift (PUL) vs transurethral resection of the prostate (TURP): 2 year results of the BPH6 prospective, multi-center, randomised study. *BJU Int*. 2017; 119: 767-775.
3. Keehn A, Fram E, Garg M, Maria P. UroLift in place of fiducial markers for patients with benign prostatic hyperplasia undergoing external beam radiation therapy. *Urology* 2017; 104: 230-234.
4. Walsh L. State of the art: advanced techniques for prostatic urethral lift for the relief of prostate obstruction under local anesthesia. *Can J Urol* 2017; 24(3); 8859-8864.

5. Rukstalis D, Rashid P, Bogache W, Tutrone R, Barkin J, Chin P, Woo H, Cantwell A, Cowan B, Bolton D. Two year durability after crossover to the prostatic urethral lift from randomized, blinded sham. *BJUI* 2016; 118(2): 14-22.
6. Roehrborn CG. Prostatic urethral lift: a unique minimally invasive surgical treatment of male lower urinary tract symptoms secondary to benign prostatic hyperplasia. *Urol Clin N Am* 2016; 43: 357-369.
7. Roehrborn CG, Rukstalis DB, Barkin J, Gange SN, Shore ND, Giddens JL, Bolton DM, Cowan BE, Cantwell AL, McVary KT, Te AE, Gholami SS, Moseley WG, Chin PT, Dowling WT, Freedman SJ, Incze PF, Coffield KS, Borges FD, Rashid P. Three year results of the prostatic urethral L.I.F.T. study. *Can J Urol* 2015; 22(3); 7772-7782.
8. Sønksen J, Barber NJ, Speakman M et al. Prospective, Randomized, Multinational Study of Prostatic Urethral Lift Versus Transurethral Resection of the Prostate: 12-month Results from the BPH6 Study. *Eur Urol* 2015; 68; 643-652.
9. Roehrborn CG, Gange SN, Shore ND, Giddens JL, Bolton DM, Cowan BE, Brown BT, McVary KT, Te AE, Gholami SS, Rashid P, Moseley WG, Chin PT, Dowling WT, Freedman SJ, Incze PF, Coffield KS, Borges FD, Rukstalis DB. Durability of the prostatic urethral lift: two year results of the L.I.F.T. Study. *Urology Practice* 2015 (2); 1-7.
10. Shore N, Freedman S, Gange S, Moseley W, Heron S, Tutrone R, Brown T, Barkin J. Prospective multi-center study elucidating patient experience after prostatic urethral lift. *Can J Urology* 2014; 21(1): 7094-7101.
11. Cantwell AL, Bogache WK, Richardson SF, Tutrone RF, Barkin J, Fagelson JE, Chin PT, Woo HH. Multi-Center prospective crossover study of the prostatic urethral lift for the treatment of LUTS secondary to BPH. *BJUI* 2013; 113: 615-622.
12. McVary KT, Gange SN, Shore ND, Bolton DM, Cowan BE, Brown BT, Te AE, Chin PT, Rukstalis DB, Roehrborn CG. Treatment of LUTS secondary to BPH while preserving sexual function: randomized controlled study of the prostatic urethral lift. *J Sex Med* 2014; 11: 279-287.
13. Roehrborn CG, Gange SN, Shore ND, Giddens JL, Bolton DM, Cowan BE, Brown BT, McVary KT, Te AE, Gholami SS, Rashid P, Moseley WG, Chin PT, Dowling WT, Freedman SJ, Incze PF, Coffield KS, Borges FD, Rukstalis DB. Multi-Center randomized controlled blinded study of the prostatic urethral lift for the treatment of LUTS associated with prostate enlargement due to BPH: the L.I.F.T. study. *J Urol* 2013; 190: 2162-2167.
14. McNicholas TA, Woo HH, Chin PT, Bolton D, Fernandez-Arjona M, Sievert, KD, Schoenthaler M, Wetterauer U, Vrijhof EJEJ, Gange S, Montorsi F: Minimally invasive Prostatic Urethral Lift: surgical technique and multinational study. *Eur Urol* 2013; 64: 292-299.
15. Chin PT, Bolton DM, Rashid JG, Thavaseelan J, Yu RJ, Roehrborn CG, Woo HH. Prostatic Urethral Lift: Two-year results after treatment for lower urinary symptoms secondary to benign prostatic hyperplasia. *Urology* 2012; 79: 5-11.

16. Barkin J, Giddens J, Ineze P, Casey R, Richardson S, Gange S. UroLift system for the relief of prostate obstruction under local anesthesia. *Can J Urology* 2012; 19: 6217-6222.
17. Woo HH, Bolton DM, Laborde E, Jack G, Chin PT, Rashid P, Thavaseelan J, McVary KT. Preservation of sexual function with the prostatic urethral lift: a novel treatment for lower urinary tract symptoms secondary to benign prostatic hypertrophy. *J Sex Med* 2012; 9: 568-575.
18. Woo HH, Chin PT, McNicholas TA, Harscharan G, Plante MK, Bruskewitz RC, Roehrborn CG. Safety and feasibility of the prostatic urethral lift: a novel minimally invasive treatment for lower urinary tract symptoms (LUTS) secondary to benign prostatic hypertrophy (BPH). *BJU Int* 2011; 108: 82-88.

Non-English Publications

19. Bozkurt A, Karabakan M, Keskin E, Hirik E, Balci MBC, Nuhoglu B. Prostatic urethral lift: a new minimally invasive treatment for lower urinary tract symptoms secondary to benign prostatic hyperplasia. *Urol Int* 2016; 96: 202-206.
20. Beurrier S, Peyromaure M, Belas O, Delongchamps NB. La pose d'implants intra-prostatiques UroLift est-elle une alternative chez les patients ayant une hyperplasie benigne de la prostate? Resultats initiaux et facteurs predictifs d'echec. *Progres en Urologie* 2015; 25; 523-529.
21. Akin Y, Bozkurt A, Oguz Keles M, Gulmez H, Sahin M, Nuhoglu B. Benign prostat hiperplazisi nin yeni minimal invasive tedavi secenegi: prostat icerisine UroLift uygulaması, erken donem sonuclari ile Turkiye den ilk vaka serisi. *JAREM* 2013; 3; 74-78.
22. Garrido Abad P, Coloma del Peso A, Sinues Ojas B, Fernandez Arjona F. UroLift, un Nuevo tratamiento minimamente invasivo para los sintomas de tracto urinario inferior secundarios a HBP. Resultados preliminares. *Urologia Neurologica y Urodinamico: Arch. Esp. Urol.* 2013; 66(6): 584-591.
23. Delongchamps NB, Conquy S, Defontaines J, Zerbib M, Peyromaure M. Pose d'implants UroLift intra-prostatiques pour hyperplasie benigne de la prostate: resultats preliminaires des quatre premiers cas realises en France. *Progres en urologie* 2012; 22: 590-597.

Reviews:

1. Chin P, Robertson P. Medium-term efficacy of the prostatic urethral lift. *Transl Androl Urol* 2017; 1-11; <http://dx.doi.org/10.21037/tau.2017.04.10>.
2. Kirby R. Surgical treatment of LUTS secondary to BPH. *Urology News* 2017; 21(3):1-5.
3. Albisinni S, Aoun F, Roumeguere T, Porpiglia F, Tubaro A, De Nunzio C. New treatment strategies for benign prostatic hyperplasia in the frail elderly population: a systematic review. *Minerva Urol Nefrol* 2017; 69(2): 119-132.

4. Pushkaran A, Stainer V, Muir G, Shergill IS. Urolift – minimally invasive surgical BPH management. *Expert Review* 2017; 14(3): 223-228.
5. Roehrborn CG. Prostatic urethral lift: a unique minimally invasive surgical treatment of male lower urinary tract symptoms secondary to benign prostatic hyperplasia. *Urol Clin N Am* 2016; 43: 357-369.
6. McNicholas TA. Benign prostatic hyperplasia and new treatment options – a critical appraisal of the UroLift system. *Medical Devices: Evidence and Research* 2016; 9: 115-123.
7. Chung A, Woo HH. Preservation of sexual function when relieving benign prostatic obstruction surgically: can a trade-off be considered? *Curr Opin Urol* 2016; 26(1): 42-48.
8. Jones P, Rajkumar GN, Rai BP, Aboumarzouk OM, Cleaveland P, Srirangam SJ, Somani BK. Medium-term outcomes of Urolift (minimum 12 months follow-up): Evidence from a systematic review. *Urology* 2016; 97: 20-24.
9. Jones P, Rai BP, Aboumarzouk OM, Somani BK. Prostatic urethral lift vs prostate arterial embolization: novel nonablative strategies in the management of lower urinary tract symptoms secondary to benign prostatic hyperplasia. *Urology* 2016; 87: 11-17.
10. Marra G, Sturch P, Oderda M, Tabatabaei S, Muir G, Gontero P. Systematic review of the lower urinary tract symptoms/benign prostatic hyperplasia surgical treatments on men's ejaculatory function: Time for a bespoke approach? *Int J Urol* 2016; 23(1): 22-35.
11. Tsui JF, Dixon CM. Urolift: a new face of minimally invasive surgical technique for benign prostatic hyperplasia? *Curr Urol Rep* 2016; 17(63):1-5.
12. Magistro G, Stief CG, Gratzke C. New Intraprostatic injectables and prostatic urethral lift for male LUTS. *Nature Rev Urol* 2015; 12: 461-471.
13. Rukstalis DB. Prostatic urethral lift: a novel approach for managing symptomatic BPH in the aging man. *Can J Urol* 2015; 22:67-74.
14. Sturch P, Woo HH, McNicholas TA, Muir G. Ejaculatory dysfunction after treatment for lower urinary tract symptoms: retrograde ejaculation or retrograde thinking? *BJUI* 2015; 115: 186-187.
4. Garcia C, Chin P, Rashid P, Woo HH. Prostatic urethral lift: a minimally invasive treatment for benign prostatic hyperplasia. *Prostate Int* 2015; 3: 1-5.
5. Aoun F, Marcelis Q, Roumeguere T. Minimally invasive devices for treating lower urinary tract symptoms in benign prostate hyperplasia: technology update. *Res and Rep in Urol* 2015; 7: 125-136.
6. Chughtai B, Kaplan S. Surgical treatment of benign prostatic hyperplasia – lift or laser? *Urology Practice* 2014 (1); 45-48.
7. Becher EF, McVary KT. Surgical procedures for BPH/LUTS: Impact on male sexual health. *Sex Med Rev* 2014; 2: 47-55.
8. Clarke JL. Optimizing population health and economic outcomes: innovative treatment for benign prostatic hyperplasia (BPH). *Pop Health Mgt* 2013; 16(2); S1-S13.

9. Payton S. Promising future for the prostatic urethral lift. *Nature Rev. Urol* 10, 677 (2013); published online 26 November 2013; doi:10.1038/nrurol.2013.267.
10. Larcher A, Broglia L, Lughezzani G, Mistretta F, Abrate A, Lista G, Fossati N, Sangalli M, Kuefner D, Cestari A, Buffi N, Lazzeri M, Guazzoni G, Montorsi F. Urethral lift for benign prostatic hyperplasia: a comprehensive review of the literature. *Curr Urol Rep* 21 JUN 2013; DOI:10.1007/s11934-013-0348-3.
11. Arenas da Silva LF, Schonhaler M, Cruz F, Gratzke C, Zumbe J, Stenzl A, Amend B, Sievert KD. Neue behandlungskonzepte von symptomen des unteren harntraktes beim mann. *Urologie* 2012; 51: 1697-1702.
12. Bell J, Laborde E: Update on sexual impact of treatment for Benign Prostatic Hyperplasia. *Curr Urol Rep* 12 October 2012; [http://DOI 10.1007/s11934-012-0278-5](http://DOI.10.1007/s11934-012-0278-5).